

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.




62,39

# ARISTOCRATS

*for the*

# GARDEN



---

---

**T**HIS catalog offers you the  
highest quality stock, in-  
cluding many of the newer and  
rarer plants, at prices greatly  
reduced to meet existing condi-  
tions . . . Forty-eight years of  
Horticultural Experience are at  
your service . . . Visitors  
always welcome


---

---

1 9 3 3

**HARLAN P. KELSEY, INC.**  
**EAST BOXFORD • MASSACHUSETTS**

# How to Reach Kelsey-Highlands Nursery



## VISITORS WELCOME!

I  
Bo:  
ton  
rea  
any  
eitl  
Toj  
ing

10%

discount to Landscape Architects, Parks,  
Cemeteries and Other Public Institutions.

**HARLAN P. KELSEY, Inc.**

Other distances are Salem, 13 miles; Lawrence, 11 miles; Haverhill, 9 miles; Newburyport, 10 miles; Manchester, 13 miles; Ipswich, 9 miles; Lowell, 20 miles.

## BEFORE ORDERING

Please read carefully the Instructions for Placing Orders on Page 70, and remember that **WHEN CASH ACCOMPANIES ORDER** a discount of 5 per cent may be taken.

Five plants of same variety and size at the 10 rate, 25 at the 100 rate.

1885 — 1933



# HARLAN P. KELSEY, INC.

KELSEY-HIGHLANDS NURSERY East Boxford, Mass.

*Address Telegrams: Harlan P. Kelsey, Inc., East Boxford, Mass.*

*Telephones: Topsfield 71 and 72*

HARLAN P. KELSEY, *President and Treasurer*

HARLAN P. KELSEY, JR., *Vice-President and General Manager*

SETH L. KELSEY, *Vice-President, Landscape Department*

ABBIE C. KING, *Corporation Clerk*

JAMES C. FERONETTI, *Nursery Superintendent*



This year, more than ever before, everyone is plant conscious, and naturally wants only the best plant material that is available at prices that are consistent with general conditions.

1933 is the economical year to improve your home grounds for prices are unusually low, but before you order consider carefully the material offered, and do not be deceived by "bargain" prices that are not backed up by a legitimate nursery whose reputation for service, dependability and integrity is unquestioned.

Harlan P. Kelsey, Inc., with its three hundred acres of the finest nursery stock, its modern buildings and equipment and its Landscape Department, is an institution that supplies the finest of ornamental nursery stock and is equipped to give the best in service.

The aim of Harlan P. Kelsey, Inc., is to supply only the best and at a cost that is commensurate with value. This is made possible through nearly half a century of horticultural and business experience, and through having a competent personnel and adequate equipment.

Whenever distance does not prevent, we like to have our customers visit Kelsey-Highlands Nursery to see our establishment and so be able to know at first-hand what we are accomplishing in the horticultural field.

Here you will find a nursery laid out according to a predetermined plan and we can show you the development of each department and the plans we have for the future. We are constantly at work experimenting with the better *new* and *old* plants to develop the finest source of superior plant material that can be grown in this rigorous New England climate. Many of America's choicest ornamentals have been introduced to cultivation by Harlan P. Kelsey, including Carolina Hemlock, Pinkshell Azalea, Korean Chrysanthemum, Galax, Grays Lily, Carolina Rhododendron, White Carolina Rhododendron, Kelsey Catawba Rhododendron, Kelsey Locust, Oconee-bells and Featherfleece.

Kelsey-Highlands Nursery specializes in Hardy Native American Plants and Specimen Evergreens and in

the newer and rarer plants. All stock is individually grown, with plenty of light, air and nourishment, producing sturdy specimens having excellent root systems. Our ornamental material includes the best Evergreens, Broadleaf Evergreens, Deciduous Trees, Shrubs and Flowering Plants for the gardens of today.

The best landscape effects are generally to be had by a judicious use of both evergreen and deciduous trees and shrubs, in various combinations. Solid forest plantings of either Evergreens or Hardwood Deciduous Trees, however, are often desirable in special situations.

We would particularly warn against the solid evergreen "base plantings" around dwellings, especially where large-growing conifers are used. The somewhat pleasing effect of the first few seasons is dearly paid for when the taller growing trees become thin, leggy, and worthless (from overcrowding), and everything must be ripped up and the space replanted. Evergreens, like all plants, *must have room to develop* and no planting should be made without a knowledge and consideration of the *eventual* sizes and habit of the material used.

Descriptions of trees and shrubs in this catalog are drawn largely from Arnold Arboretum Bulletins and Rehder's "Manual of Cultivated Trees and Shrubs," a work that should be owned by all plant lovers.

"STANDARDIZED PLANT NAMES" is authority for all names used in this catalog.

---

---

# Contents

|   | Page |
|---|------|
| Specialties for 1933 . . . . .            | 3    |
| Unusual Rock Garden Plants . . . . .      | 5    |
| Landscape Department . . . . .            | 7    |
| Large Tree Moving . . . . .               | 10   |
| Evergreens . . . . .                      | 11   |
| Broadleaf Evergreens . . . . .            | 19   |
| The Successful Rhododendron Bed . . . . . | 25   |
| Deciduous Trees and Shrubs . . . . .      | 27   |
| Vines, Creepers and Climbers . . . . .    | 56   |
| Hardy Chrysanthemums of Merit . . . . .   | 59   |
| Hardy Herbaceous Perennials . . . . .     | 60   |
| Instructions for Placing Orders . . . . . | 70   |
| Index . . . . .                           | 71   |

---

---

# *Hardy New England Grown* **SPECIALTIES FOR 1933**

Delivered prepaid in New England

## **RARE CHINESE SPRUCE**

### ***Picea asperata***

This most vigorous of the Chinese Spruces will interest all who are looking for unusual evergreens that adapt themselves well to use in American Gardens. Compact and slow in growth, broadly pyramidal in form, it is sturdy in appearance.

9-12 in.            \$2.00 each            \$18.00 per ten  
3-4 ft. extra fine specimens \$15.00 each

## **ELEY FLOWERING CRAB**

### ***Malus purpurea eleyi***

This new variety with its great profusion of wine-red flowers in May is a worthy member of the family. It has conical deep purple-red fruit on slender stalks in Autumn.

3-4 ft. well branched trees  
\$1.00 each       \$9.00 per ten

## **KOREAN RHODODENDRON**

For early bloom

### ***Rhododendron mucronulatum***

Beautiful lilac-colored flowers in March and April before the foliage appears. This hardy deciduous variety grows to six feet in height. The handsome scarlet fall coloring is an added attraction.

12-18 in. flowering plants  
\$2.00 each       \$18.00 per ten

## **RARE FINETOOTH HOLLY**

### ***Ilex serrata***

A vigorous deciduous holly studded with persistent brilliant scarlet fruit in Autumn. Excellent bird cover. Eventually a tall shrub or small tree, it is one of Japan's finest contributions to American gardens.

18-24 in.            \$2.00 each            \$18.00 per ten  
2-3 ft.               3.00 each               27.00 per ten

## New, Distinct and Handsome

### **Forsythia ovata**

This introduction from Korea is the earliest to bloom, its amber yellow flowers defying the early Spring frosts. Hardy even in Southern Canada, it has a place in almost every home planting.

2-3 ft. specimens  
\$1.50 each      \$13.50 per ten

## **MOUNTAIN ANDROMEDA**

One of Our Specialties

### **Pieris floribunda**

This hardy broadleaf evergreen is still too little appreciated. Its compact growth and shiny green foliage are accentuated by the profusion of beautiful white flowers resembling the Lily-of-the-valley in April and May. All year round it shows the white flower buds so that it seems to be almost everblooming.

18-24 in.      \$3.00 each      \$27.00 per ten

## **ALLEGHENY SHADBLOW**

A Native of Merit

### **Amelanchier laevis**

Entirely hardy from Newfoundland to Georgia and Alabama, this species differs from all others. The foliage is purplish when young and the drooping racemes of large white flowers in May give a graceful and distinctive appearance. This native tree reaches 20 ft. or more in cultivation.

3-4 ft.      \$1.25 each      \$11.25 per ten

## **EUROPEAN MOUNTAINASH**

### **Sorbus aucuparia**

With its clusters of brilliant red fruit hanging late in the season this is one of our most distinctive small trees, surpassing the American Mountainash in the size of its fruit and the vigor of its growth. Unexcelled for attracting birds of all kinds. Grows to over 20 ft.

8-10 ft. specimens \$1.50 each      \$12.00 per ten

### **Cytisus, hybrid seedlings.**

These are from selected seed of the finest named varieties and have remarkable variations of color from white and clear yellow to deep red. In May and June. Very desirable. Grows to 5 ft.

Pot grown 9-12 in.      \$1.00 each      \$9.00 per 10



# *Unusual*

## ROCK GARDEN PLANTS

### ***Cerastium biebersteini*, Taurus *Cerastium***

From the Alps of Taurus, this is one of the best—pure silver-white leafage, quite woolly with narrow oblong leaves. When the show of lovely pure-white flowers is done, the fruiting heads always stand erect, instead of turning earthwards.

.75 per 3      1.85 per 10      15.00 per 100

### ***Cerastium columnae***

Better than *C. tomentosum* and *biebersteini* in habit. Grows compactly and does not spread rampantly.

.90 per 3      2.25 per 10      18.00 per 100

### ***Dianthus alpinus***

Full bearded disks of brilliant rose-crimson flowers on stems of 3 or 4 inches. Clear dark green glossy foliage. Perhaps the finest of its type, blooming July through September, and invaluable in the rockery.

1.00 per 3      2.50 per 10      20.00 per 100

### ***Dianthus caesius*, Cheddar Pink. June.**

Dwarf hardy garden pink. Flowers a lovely delicate rose-pink, rising above the narrow bluish leaves.

.75 per 3      1.85 per 10      15.00 per 100

### ***Dianthus Fuerst Bismark*. June-September.**

Hardy carnation with double red-pink flowers, very fragrant. Bushy compact growth to 6 inches.

.75 per 3      1.85 per 10      15.00 per 100

### ***Draba subamplexicaulis*, Whitlowgrass.**

Tufted perennial with alyssum-like flowers. 6 inches. April.

1.50 per 3      3.75 per 10

### ***Gaillardia aristata* (*grandiflora*). Common Perennial *Gaillardia*.**

Large orange-yellow starlike flowers tinged red. In bloom all summer. Grows 18 inches to 2 feet.

.75 per 3      1.85 per 10      15.00 per 100

**Inula ensifolia**, Swordleaf Inula. July-October.

Compact, narrow-leaved perennial, grows to 2 feet. Large heads of yellow, solitary or small clusters of flowers.

.75 per 3      1.85 per 10      15.00 per 100

**Lamium maculatum album**, White Spotted Dead-nettle.

Lighter green leaves than *L. maculatum* with pure white flowers borne profusely on erect stems. Very rare.

1.00 per 3      2.50 per 10      20.00 per 100

**Leontopodium alpinum**, Common Edelweis. July.

Romantic flower of the European Alps. Grows best in limestone gravel. Tufts of grey with wide woolly silver starlike flowers.

1.00 per 3      2.50 per 10      20.00 per 100

**Leontopodium sibericum**, Siberian Edelweis. July.

Taller in all parts and equally desirable in the rockery.

1.00 per 3      2.50 per 10      20.00 per 100

**Lychnis viscaria splendens**, Double Rose-pink Champion. 1-2 ft. in height.

Clustered branches of double bright pink flowers. Blooms in early summer.

.90 per 3      2.25 per 10      18.00 per 100

**Silene acaulis**, Moss Champion. May-June.

Masses of clear pink flowers on short stems. Any rocky soil satisfactory, but likes sunny location.

.90 per 3      2.25 per 10      18.00 per 100

**Silene alpestris**, Alpine Catchfly. May-June.

Masses of white flowers. Prefers semi-shade and rather moist limestone location.

.90 per 3      2.25 per 10      18.00 per 100

**BEFORE ORDERING**

*Please read carefully the Instructions for Placing Orders on Page 70, and remember that WHEN CASH ACCOMPANIES ORDER a discount of 5 per cent may be taken.*

*Five plants of same variety and size at the 10 rate, 25 at the 100 rate.*



*Upper Terrace on  
Estate of W. E. Schrafft*

## **Harlan P. Kelsey, Inc.**

### ***Landscape Department***

#### **PLANNING AND PLANTING**

The successful carrying out of any landscape improvement depends to so great an extent upon the knowledge, skill, and good taste of the one to whom this work is entrusted, that it is supremely important to start right no matter whether the work be large or small.

By the employment of a trained landscape architect expensive experiments may be avoided and successful results insured. This applies to questions both of design and of practical planting.

*There are so many well-trained landscape architects today that there is little excuse for anyone not having the joys that come from well-executed work, based on plans that properly fit each case.*

We undertake a limited amount of Landscape work, and are glad to consult with prospective clients. Where it is not feasible for us to undertake a particular job we frankly say so and are always able to recommend a high class Landscape Architect easily available in any part of the United States.

#### **FOR THE GENERAL INFORMATION OF CLIENTS**

1. *The character of service* usually consists in first making professional visits for consultation and advice with owners respecting the arrangement of land for use and enjoyment. A direct and personal knowledge of conditions governing any particular problem is essential if best results are to be obtained. Valuable suggestions in regard to general or special treatment may be made on the ground and a full understanding with clients reached much better than at long range.

2. *Types of landscape work undertaken.* This includes the designing of large and small grounds, extensive estates, public parks and park systems, cemeteries, real estate sub-divisions for both public and private interests, road building and all similar work covering the development of property for both use and beauty. Economic landscape and forestry problems are considered, working plans supplied and advice given as to the proper care of trees individually or in plantations.

3. *City and town planning.* This includes general and detailed plans, maps, sketches, etc., with full reports covering all phases of city development. Traffic congestion, bad housing, inadequate recreation facilities and cramped commercial development are some of the penalties American towns and cities are paying for lack of



*Estate of Wm. E. Schrafft, Winchester, Mass. Showing beginning of hillside path and rockery, and the same one year later. Planned and planted by Harlan P. Kelsey.*

“adopted plans.” Delay means increasing cost of remedy, and added danger of mistakes *impossible to remedy*.

The problems involved in the growth of urban communities, both in their physical and social aspects, are so complex and varied, and the results so far-reaching and of such vital importance that trained expert service alone is adequate to deal with this serious class of undertaking.

4. *Plans and designs.* For the full and consistent development of any property, a plan is ordinarily necessary which will vary in its complexity and detail according to the conditions and the extent to which the development is desired. A plan is generally based upon a *topographical survey of the property*, to be supplied by the client. In large work or where the contours of the land are very uneven, it is desirable for the client to have an engineer's map ready for a first visit. If necessary, however, surveys will be undertaken by us or proper instructions given to enable a local engineer or surveyor to do the work properly.

Usually a Preliminary Plan comes first, and General, Grading, Construction and Planting Plans are made in turn as may be required or necessary, depending on the size or complexity of the undertaking. Features such as Tennis Courts, Golf Courses, Playgrounds, Wading Pools, Athletic Fields, etc., will require special detailed Construction Plans. Often on small private places a single Plan may combine all necessary information for successful completion, especially where personal consultation has been given, and at a considerable saving of cost. A Preliminary Plan outlines roughly the main features and general scheme, and is submitted to clients for approval or to suggest desirable changes. Plans for planting, for the arrangement and construction of formal gardens, walls, terraces, garden structures, conservatories, and all the practical and ornamental details of garden architecture are provided.

5. *Execution of the work.* If the work planned for is to be done by contract, bids are obtained, contracts made and their execution supervised under proper inspection, as is customary where clients do not wish to see to these things personally; if it is to be done by day-labor a competent superintendent is secured who will follow its progress in detail. Planting Plans are furnished in greater or less detail as the case may require, nursery stock is ordered, and the work of planting supervised.

When desired by the client and otherwise feasible, we are prepared to undertake the entire execution of work including the supplying of plans, labor and materials. There are many who desire such an arrangement which relieves them of annoying details and provides for specific, complete results under a single contract.

6. *Early preparation of plans* is always desirable, especially where planting is to be done, as it gives opportunity for careful detailed consideration and time for grading and construction work before the rush of Fall or Spring planting, and allows ample time to secure best figures from contractors or others supplying material. Planting is often delayed an entire season for lack of early planning.

7. *Building operations* should be subsequent to or at least correlated to planning the grounds with their driveways and other landscape features, and consultations with the building architects are always desirable. For lack of care in this respect buildings are often so located as to make it difficult or impossible to provide roads with pleasing approaches and good grades, while much landscape work consists in "doing over" bungled places where proper forethought and planning were absent in the beginning.

8. *Each problem has its own distinctive features* and no special "style" of treatment can always be predicated without considering all the factors applying to it. Topography, environment, soil, climate, architecture and color of buildings and a hundred other considerations are determining factors; while no less important are matters of cost and the personal wishes and pleasure of those for whom the work is being done. Formal and naturalistic treatment have each their now proper uses and quite often to substitute one for the other is not reasonably permissible.

The bungalow nestled in the woods or on bold cliffs of mountain or seashore, the small suburban home with its front lawn and back garden, the large estate or the country club obviously should not be treated alike. In most planting in the past, however, it is safe to say that our hardy, native American plants have been too much neglected for exotic material which often looks entirely out of place, proves hard to care for, is not permanent or is especially susceptible to the ravages of insect pests or disease.

9. *Charges for service* are based on a per diem of \$25.00 to \$100.00 plus expenses, depending on which

*On the Schrafft Estate*





member of our organization may be needed for the particular character of the problem involved. Office work, drawings and the services of assistants will be charged for on the basis of cost, plus a reasonable margin, usually 50% to cover overhead and general office expenses properly apportionable to each individual account.

10. *Correspondence*, or conference at the office at Kelsey-Highlands Nursery, East Boxford, Massachusetts, is invited, whether the undertaking be large or small and no obligation follows such preliminary discussion.

## LARGE SPECIMEN TREES

Can now be moved safely and quickly



Foto by H. P. K., Jr.

*Planting large Pine with Tree Mover*

Our new modern equipment will solve your problem of producing that immediate effect.

The pictures on this page show one of the new and better methods we use. Trees, both evergreen and deciduous, up to thirty or more feet in height and twelve inches in caliper, can now be safely transplanted during the spring and fall planting seasons and also during the winter months.

It will pay you to visit Kelsey-Highlands Nursery to see our fine selection of large specimen stock which will give you the immediate effect you desire—and our tree moving equipment gives speed, safety and efficiency.

We are always glad to quote prices or make estimates. Write for information.



Foto by S. L. K.

*Tree Mover with Pine at estate of W. E. Schrafft*

# Evergreens

The charm of evergreens is in their variety of forms and their dependability in giving beauty of color all year round.

Properly chosen for each particular location, evergreens have a place of importance in every planting. Their judicious use, along with the broadleaf evergreens and deciduous trees and shrubs makes for attractiveness at all times. In Winter the otherwise harsh and bleak landscape is enlivened and given a feeling of warmth by the soft beauty and gentle lines of evergreens properly placed.

Care must be used in the choice, location and spacing of evergreens, for many, like the Hemlocks and the Firs will reach an eventual height of thirty to one hundred feet, while the Yews, some of the Arborvitaes and many of the Junipers are dwarf or spreading in habit.

More plantings are spoiled thru crowding than thru planting too sparsely—remember this and allow plenty of room for future growth.

We are glad to assist you in your selection of evergreens—if the descriptions, which are necessarily quite abbreviated, do not give you clear enough pictures of the plants, write to us and we will gladly tell you more about them.

**Note.**—The heights given immediately after the names are approximate heights reached by the trees and shrubs under most favorable conditions, first under cultivation and then as observed in their native habitat, particularly the larger varieties.

## ABIES, Fir.

### Concolor, WHITE FIR. 60-120 ft.

As a lawn specimen, the White Fir, hardy as far north as southern Canada, even surpasses the well-known Blue Spruce. Its blue-green leaves and handsome pyramidal growth, along with its ability to withstand heat and drought, make it one of the most successful of American Firs for cultivation.

|           | Each    | 10       | 100      |
|-----------|---------|----------|----------|
| 18-24 in. | \$ 2.25 | \$ 20.25 | \$182.00 |
| 2-3 ft.   | 3.75    | 33.00    | 295.00   |
| 3-4 ft.   | 5.25    | 47.00    | 423.00   |
| 4-5 ft.   | 7.50    | 67.00    |          |
| 5-6 ft.   | 11.00   | 98.00    |          |
| 6-8 ft.   | 13.50   | 121.00   |          |

Specimens 14-30 ft. at \$50.00 to \$500.00 each

### fraseri, FRASER FIR. 35-60 ft.

A fine species of "Balsam" Fir from the Carolina Mountains, very superior to the northern Balsam Fir.

|           |      |       |        |
|-----------|------|-------|--------|
| 12-18 in. | .75  | 6.75  | 60.00  |
| 18-24 in. | 1.75 | 15.00 | 140.00 |
| 2-3 ft.   | 3.00 | 27.00 | 240.00 |
| 3-4 ft.   | 4.50 | 40.00 | 360.00 |
| 4-5 ft.   | 6.00 | 54.00 |        |

Specimens 12-16 ft. at \$75.00 to \$100.00 each

### veitchi, VEITCH FIR. 60-80 ft.

One of the very best Firs of broad pyramidal habit almost equalling White Fir in beauty. Very hardy.

|           |      |       |  |
|-----------|------|-------|--|
| 18-24 in. | 1.50 | 13.50 |  |
| 2-3 ft.   | 3.00 | 27.00 |  |
| 3-4 ft.   | 4.50 | 40.00 |  |
| 4-5 ft.   | 6.00 | 54.00 |  |
| 5-6 ft.   | 9.00 | 81.00 |  |

|   | Each | 10    | 100    |
|---|------|-------|--------|
| <b>CHAMAECYPARIS, Cypress and Retinospora.</b>  |      |       |        |
| <b>obtusa, HINOKI CYPRESS. 30-120 ft.</b>   |      |       |        |
| Tree to 120 feet tall in Japan; rarely over 30 feet in cultivation. Very handsome with dark green lustrous foliage, giving very dense, "Japanesque" effect. |      |       |        |
| 12-18 in.   | 60   | 5.40  | 48.00  |
| 18-24 in.   | 1.50 | 13.50 | 120.00 |
| 2-3 ft.   | 2.25 | 20.25 | 182.00 |
| 3-4 ft.   | 3.75 | 33.00 | 295.00 |
| <b>pisifera, SAWARA RETINOSPORA. 40-100 ft.</b>   |      |       |        |
| One of the best and hardiest of the Retinosporas.   |      |       |        |
| 18-24 in.   | .75  | 6.75  |        |
| 2-3 ft.   | 1.50 | 13.50 |        |
| 3-4 ft.   | 2.50 | 22.50 |        |
| 4-5 ft.   | 3.75 | 33.00 |        |
| 5-6 ft.   | 5.25 | 47.00 |        |
| 6-7 ft.   | 7.50 | 67.00 |        |
| <b>pisifera filifera, THREAD RETINOSPORA.</b>   |      |       |        |
| Branches threadlike, gracefully pendulous.  |      |       |        |
| 2-3 ft.   | 3.00 | 27.00 |        |
| <b>pisifera plumosa, PLUME RETINOSPORA. 12-20 ft.</b>   |      |       |        |
| Dense conical habit. Foliage and branchlets giving feathery appearance.   |      |       |        |
| 18-24 in.   | 1.25 | 11.25 | 100.00 |
| 2-3 ft.   | 2.25 | 20.25 | 182.00 |
| 3-4 ft.   | 3.75 | 33.00 |        |
| <b>pisifera squarrosa, MOSS RETINOSPORA. 15-30 ft.</b>  |      |       |        |
| Densely branched, bushy tree or shrub with spreading feathery branchlets. Silvery foliage.  |      |       |        |
| 2-3 ft.   | 3.00 | 27.00 |        |
| 3-4 ft.   | 4.50 | 40.00 |        |
| 4-5 ft.   | 6.00 | 54.00 |        |
| <b>SLENDER HINOKI CYPRESS (C. obtusa gracilis). 10-12 ft.</b>   |      |       |        |
| A graceful narrow form, with compact, dark green foliage.   |      |       |        |
| 2-2½ ft.  | 4.50 |       |        |
| <b>JUNIPERUS, Juniper, Redcedar and Savin.</b>  |      |       |        |
| <b>chinensis pfitzeriana, PFITZER JUNIPER. 3-5 ft.</b>  |      |       |        |
| Broad pyramid with horizontally spreading branches. Greyish-green. One of the best dwarf forms.   |      |       |        |
| 12-18 in.   | 1.25 | 11.25 | 100.00 |
| 18-24 in.   | 1.75 | 15.00 | 140.00 |
| 2-3 ft.   | 3.00 | 27.00 |        |
| <b>chinensis sargentii, SARGENT JUNIPER. 6 in. to 1 ft.</b>   |      |       |        |
| Introduced by Arnold Arboretum. "The originals here are now dense mats of bright green foliage, ten feet across and only a few inches high."                |      |       |        |
| 9-12 in.  | 1.75 | 15.00 |        |
| 12-18 in.   | 2.50 | 22.50 |        |
| <b>communis depressa, PROSTRATE JUNIPER. 1-4 ft.</b>  |      |       |        |
| The beautiful New England type and the best of ground covers. Very hardy and thrives in light or heavy soils.   |      |       |        |
| 12-18 in.   | .75  | 6.75  | 60.00  |
| 18-24 in.   | 1.25 | 11.25 | 100.00 |
| 2-3 ft.   | 1.75 | 15.00 | 140.00 |
| 3-4 ft.   | 3.00 | 27.00 | 240.00 |
| <b>horizontalis plumosa.</b>  |      |       |        |
| Depressed shrub with flattened top and nearly horizontally spreading branches.  |      |       |        |
| 9-12 in.  | .75  | 6.75  |        |
| 12-18 in.   | 1.25 | 11.25 |        |
| <b>sabina, SAVIN.</b>   |      |       |        |
| A green foliated spreading type adaptable to most conditions. Very popular.   |      |       |        |
| 9-12 in.  | .75  | 6.75  |        |
| <b>sabina tamariscifolia, TAMARIX SAVIN.</b>  |      |       |        |
| Low spreading shrub with bright green foliage.  |      |       |        |
| 9-12 in.  | .75  | 6.75  | 60.00  |
| 12-18 in.   | 1.50 | 13.50 | 120.00 |



**JUNIPERUS. Continued**      Each                      10                      100

**virginiana, REDCEDAR. 30-100 ft.**

For hardiness and beauty, this evergreen is unexcelled. It is a tree with many forms from narrow columnar to broadly conical. Our hardy narrow columnar New England type is far superior to the western and southern forms. One of our specialties.

|           |      |       |        |
|-----------|------|-------|--------|
| 18-24 in. | 1.25 | 11.25 | 100.00 |
| 2-3 ft.   | 1.75 | 15.00 | 140.00 |
| 3-4 ft.   | 2.50 | 22.50 | 200.00 |
| 4-5 ft.   | 3.50 | 31.00 | 280.00 |
| 5-6 ft.   | 4.50 | 40.00 | 360.00 |

Larger specimens 6-22 ft. Prices on application.

**virginiana glauca, SILVER REDCEDAR. 20-40 ft.**

Form with steel-blue foliage.

|         |      |
|---------|------|
| 2-3 ft. | 3.75 |
| 3-4 ft. | 5.25 |
| 4-5 ft. | 7.50 |

**virginiana keteleeri.**

A fine variety with beautiful intense green foliage. Symmetrical growth with tops of branches ascending; very compact and formal.

|         |      |       |
|---------|------|-------|
| 2-3 ft. | 3.75 | 33.00 |
|---------|------|-------|

**PICEA, Spruce.**

**asperata. 60-100 ft.**

Rare; the most vigorous of the Chinese Spruces. A quite distinct broadly-pyramidal spruce of sturdy appearance. The yellowish-brown buds are very beautiful as they open.

|         |       |
|---------|-------|
| 3-4 ft. | 15.00 |
| 4-5 ft. | 22.50 |
| 5-6 ft. | 35.00 |

**canadensis (alba; glauca), WHITE SPRUCE. 60-120 ft.**

Very hardy and beautiful ornamental species of dense habit, with light bluish-green foliage, particularly suitable for shore planting.

|           |      |       |        |
|-----------|------|-------|--------|
| 12-18 in. | .50  | 4.50  | 39.00  |
| 18-24 in. | 1.00 | 9.00  | 81.00  |
| 2-3 ft.   | 1.50 | 13.50 | 120.00 |
| 3-4 ft.   | 2.50 | 22.50 | 200.00 |
| 4-5 ft.   | 3.75 | 33.00 |        |

**canadensis albertiana, ALBERTA (BLACK HILLS) SPRUCE. 50-160 ft.**

Compact pyramidal form from Wyoming and Montana. Dark green foliage.

|           |      |       |        |
|-----------|------|-------|--------|
| 12-18 in. | .50  | 4.50  | 39.00  |
| 18-24 in. | 1.25 | 11.25 | 100.00 |
| 2-3 ft.   | 1.75 | 15.00 |        |

**DWARF ALBERTA SPRUCE (P. glauca conica). 4-6 ft.**

Very dwarf cone-shaped conifer, fine for rock gardens.

|           |      |       |
|-----------|------|-------|
| 6-9 in.   | 1.25 | 11.25 |
| 9-12 in.  | 1.50 | 13.50 |
| 12-15 in. | 2.25 | 20.25 |

**engelmanni, ENGELMANN SPRUCE. 60-150 ft.**

Leaves bluish-green to steel-blue; flowers purple.

|           |      |       |
|-----------|------|-------|
| 12-18 in. | 1.50 | 13.50 |
| 18-24 in. | 2.25 | 20.25 |
| 2-3 ft.   | 3.75 | 33.00 |
| 3-4 ft.   | 6.00 | 54.00 |
| 4-5 ft.   | 9.00 |       |

**excelsa, NORWAY SPRUCE. 40-150 ft.**

Spreading branches and usually pendulous branchlets. Handsome tree of rapid growth.

|           |      |       |        |
|-----------|------|-------|--------|
| 18-24 in. | .75  | 6.75  | 60.00  |
| 2-3 ft.   | 1.25 | 11.25 | 100.00 |
| 3-4 ft.   | 1.75 | 15.00 | 140.00 |
| 4-5 ft.   | 3.00 | 27.00 | 240.00 |
| 5-6 ft.   | 4.50 | 40.00 | 360.00 |

**PICEA, Continued**

Each

10

100

**koyamai, KOYAMAI SPRUCE. 40-60 ft.**

This native of Japan and Korea, introduced in 1914 by the late Dr. E. H. Wilson of the Arnold Arboretum, is one of the finest new conifers in cultivation. Its narrow pyramidal growth and beautiful foliage make it an addition of merit to any landscape. It has proved hardy throughout northern United States and we recommend it highly.

|           |      |       |        |
|-----------|------|-------|--------|
| 12-18 in. | 1.00 | 9.00  | 81.00  |
| 18-24 in. | 1.50 | 13.50 | 120.00 |
| 2-3 ft.   | 2.25 | 20.25 | 182.00 |
| 3-4 ft.   | 3.75 | 33.00 |        |
| 4-5 ft.   | 6.00 | 54.00 |        |

**omorika, SERBIAN SPRUCE. 50-60 ft.**

Perhaps the finest species for northern latitudes. Forms a narrow pyramidal head.

|           |      |       |        |
|-----------|------|-------|--------|
| 9-12 in.  | 1.75 | 15.00 | 140.00 |
| 12-18 in. | 3.00 | 27.00 |        |

**pungens, GREEN COLORADO SPRUCE. 80-100 ft.**

One of the best of all Spruces.

|           |      |       |        |
|-----------|------|-------|--------|
| 12-18 in. | .75  | 6.75  | 60.00  |
| 18-24 in. | 1.75 | 15.00 | 140.00 |
| 2-3 ft.   | 3.00 | 27.00 | 240.00 |
| 3-4 ft.   | 4.50 | 40.00 | 360.00 |
| 4-5 ft.   | 6.00 | 54.00 | 480.00 |
| 5-6 ft.   | 9.00 | 81.00 |        |

**pungens glauca, BLUE COLORADO SPRUCE. 80-100 ft.**

Selected from seedling types but not grafted. Bluish-white foliage.

|           |       |        |        |
|-----------|-------|--------|--------|
| 12-18 in. | 1.75  | 15.00  | 140.00 |
| 18-24 in. | 3.00  | 27.00  | 240.00 |
| 2-3 ft.   | 4.50  | 40.00  | 360.00 |
| 3-4 ft.   | 7.50  | 67.00  |        |
| 4-5 ft.   | 11.25 | 100.00 |        |
| 5-6 ft.   | 15.00 |        |        |

**pungens kosteri, KOSTER BLUE SPRUCE. 40-60 ft.**

The true Koster variety, very bluish-white foliage and pendulous branches. Perfect specimens in every respect. The famous avenue of Koster Blue Spruce at Kelsey-Highlands Nursery is a feature never to be forgotten by anyone who has seen it.

Specimens 12-20 ft. priced \$100.00 to \$300.00 each—particulars on application.

**PINUS, Pine****densiflora, JAPANESE RED PINE. 60-100 ft.**

Tree to 100 ft. tall, in cultivation much less. Handsome ornamental Japanese Pine of rapid growth when young, very picturesque when older.

|         |      |       |        |
|---------|------|-------|--------|
| 2-3 ft. | 1.25 | 11.25 | 100.00 |
| 3-4 ft. | 1.75 | 15.00 | 140.00 |
| 4-5 ft. | 2.25 | 20.25 | 182.00 |

**flexilis, LIMBER PINE. 40-50 ft.**

A hardy, usually low Pine with spreading branches, densely clothed with dark green leaves. Adapted for planting on rocky slopes. White Pine Group.

|         |      |       |  |
|---------|------|-------|--|
| 2-3 ft. | 1.50 | 13.50 |  |
| 3-4 ft. | 2.25 | 20.25 |  |
| 4-5 ft. | 3.75 | 33.00 |  |
| 5-6 ft. | 5.25 | 47.00 |  |
| 6-8 ft. | 7.50 | 67.00 |  |

**koraiensis, KOREAN PINE. 40-100 ft.**

Of slow growth; one of the best hardy Pines for small gardens. White Pine Group.

|           |      |       |        |
|-----------|------|-------|--------|
| 9-12 in.  | .75  | 6.75  | 60.00  |
| 12-18 in. | 1.50 | 13.50 | 120.00 |

**PINUS, Continued**                      Each                      10                      100

**montana mughus, MUGHO PINE.**

Of the few dwarf Pines available, this is the most useful for foundation plantings, rockeries and borders of shrubberies. It thrives in almost any soil, near the seashore or inland and at high or low elevations. Our specimens are unsurpassed.

|        |           |      |       |        |
|--------|-----------|------|-------|--------|
| Spread | 9-12 in.  | .60  | 5.40  | 48.00  |
| "      | 12-18 in. | 1.25 | 11.25 | 100.00 |
| "      | 18-24 in. | 2.25 | 20.25 | 182.00 |
| "      | 2-3 ft.   | 3.50 | 31.00 | 282.00 |

Upright type at same prices.

**monticola, WESTERN WHITE PINE. 40-100 ft.**

Apparently slow growing in the East. Similar to White Pine but of narrower and denser habit.

|         |      |       |
|---------|------|-------|
| 3-4 ft. | 2.25 | 20.25 |
| 4-5 ft. | 3.75 | 33.00 |
| 5-6 ft. | 5.25 | 47.00 |
| 6-8 ft. | 6.75 | 60.00 |

**nigra, AUSTRIAN PINE. 40-100 ft.**

Very handsome, vigorous Pine of regular habit with stout spreading branches and long dark green leaves.

|           |      |       |        |
|-----------|------|-------|--------|
| 18-24 in. | 1.25 | 11.25 | 100.00 |
| 2-3 ft.   | 1.75 | 15.00 | 140.00 |
| 3-4 ft.   | 3.00 | 27.00 | 240.00 |
| 4-5 ft.   | 5.25 | 47.00 | 423.00 |
| 5-6 ft.   | 7.50 | 67.00 |        |

**ponderosa, WESTERN YELLOW PINE. 50-230 ft.**

Tree occasionally to 230 ft. tall, probably 50-75 ft. in cultivation. Important timber tree, somewhat resembling Austrian Pine, very fine ornamental.

|         |      |       |
|---------|------|-------|
| 5-6 ft. | 3.75 | 33.00 |
| 6-8 ft. | 5.25 | 47.00 |

**pungens, TABLE MOUNTAIN PINE. 30-50 ft.**

A very picturesque dark-foliaged species, usually of irregular growth which gives a "Japanesy" effect. Beautiful large brown cones hang on indefinitely.

|         |      |       |
|---------|------|-------|
| 3-4 ft. | 3.75 | 33.00 |
| 4-5 ft. | 5.25 | 47.00 |
| 5-6 ft. | 7.50 | 67.00 |



Foto by S. L. K.

*One of our Douglasfir (Pseudotsuga douglasi)*

**PINUS. Continued**                      Each                      10                      100  
**resinosa, RED PINE. 45-70 ft.**

Long dark green leaves; ornamental Pine of vigorous growth, one of the best for northern gardens.

|         |      |       |        |
|---------|------|-------|--------|
| 2-3 ft. | 1.50 | 13.50 | 120.00 |
| 3-4 ft. | 2.50 | 22.50 | 202.00 |

**strobis. WHITE PINE. 50-150 ft.**

Hardy in Canada. One of the most valuable ornamental Pines; of rapid growth, symmetrical when young, picturesque in old age.

|         |      |       |        |
|---------|------|-------|--------|
| 2-3 ft. | 1.50 | 13.50 | 120.00 |
| 3-4 ft. | 2.25 | 20.25 |        |
| 4-5 ft. | 3.75 | 33.00 |        |
| 5-6 ft. | 6.00 | 54.00 |        |

Larger sizes, and clipped specimens 6-14 ft., up to \$150.00 each.

**sylvestris, SCOTCH PINE. 40-70 ft.**

Tree with spreading branches becoming broad and round-topped, and picturesque. Bark bright red.

|         |      |       |        |
|---------|------|-------|--------|
| 2-3 ft. | 1.50 | 13.50 | 120.00 |
| 3-4 ft. | 2.25 | 20.25 | 182.00 |
| 4-5 ft. | 3.00 | 27.00 | 240.00 |
| 5-6 ft. | 4.00 | 36.00 |        |

Specimens 12-18 ft. Prices on application.

**thunbergi, JAPANESE BLACK PINE. 60-100 ft.**

Large Winter buds silvery-white. A handsome picturesque tree of the Black Pine Group.

|         |      |       |  |
|---------|------|-------|--|
| 2-3 ft. | 2.50 | 22.50 |  |
| 3-4 ft. | 3.75 | 33.00 |  |
| 4-5 ft. | 6.00 |       |  |
| 5-6 ft. | 9.00 |       |  |

**PSEUDOTSUGA**

**douglasi, DOUGLASFIR. 50-200 ft.**

In nature attaining 200 ft. in height and more; in cultivation probably 50-75 ft. Forms a pyramidal tree of dense, yet graceful habit. Very hardy and one of the best ornamental conifers in cultivation.

|           |      |       |        |
|-----------|------|-------|--------|
| 18-24 in. | 1.25 | 11.25 | 100.00 |
| 2-3 ft.   | 2.25 | 20.50 | 182.00 |
| 3-4 ft.   | 3.50 | 31.00 | 282.00 |
| 4-5 ft.   | 5.00 | 45.00 |        |
| 5-6 ft.   | 6.75 | 60.00 |        |
| 6-7 ft.   | 9.00 |       |        |

**TAXUS, Yew.**

We are only listing five varieties—all of which we consider of outstanding merit, both as to hardiness and usefulness in American gardens.

**canadensis, CANADA YEW. 2-6 ft.**

Low diffuse shrub, very hardy and especially useful as undergrowth in shady woods, and for shady banks.

|          |      |      |       |
|----------|------|------|-------|
| 6-9 in.  | .60  | 5.40 | 48.00 |
| 9-12 in. | 1.00 | 9.00 | 81.00 |

**cuspidata, JAPANESE YEW. 20-50 ft.**

Slow growing, perfectly hardy, the dark green foliage retaining its color thru the Winter.

|           |      |       |        |
|-----------|------|-------|--------|
| 9-12 in.  | 1.50 | 13.50 | 120.00 |
| 12-18 in. | 2.25 | 20.25 | 182.00 |
| 18-24 in. | 3.00 | 27.00 | 240.00 |
| 2-2½ ft.  | 4.50 | 40.00 |        |

**cuspidata (upright form).**

|           |      |       |        |
|-----------|------|-------|--------|
| 12-18 in. | 2.25 | 20.25 | 182.00 |
| 18-24 in. | 3.00 | 27.00 | 240.00 |
| 2-2½ ft.  | 4.50 | 40.00 | 360.00 |

**cuspidata nana, DWARF JAPANESE YEW. 3-7 ft.**

Shrubby form of preceding. Very compact growth.

|           |      |       |  |
|-----------|------|-------|--|
| 12-18 in. | 3.00 | 27.00 |  |
|-----------|------|-------|--|

**TAXUS, Continued**                      Each                      10                      100  
**media hicksi, HICKS YEW.**

Distinct, narrow columnar form that has proved entirely hardy as far north as Massachusetts.

|          |      |       |        |
|----------|------|-------|--------|
| 9-12 in. | 2.25 | 20.25 | 182.00 |
|----------|------|-------|--------|

**THUJA, Arborvitae.**

**AMERICAN PYRAMIDAL ARBORVITAE** (*occidentalis pyramidalis*). 8-20 ft.

Narrow pyramidal growth, very suitable for formal plantings.

|           |      |       |        |
|-----------|------|-------|--------|
| 18-24 in. | 1.25 | 11.25 | 100.00 |
| 2-3 ft.   | 1.75 | 15.00 | 140.00 |
| 3-4 ft.   | 3.00 | 27.00 | 240.00 |
| 4-5 ft.   | 4.50 | 40.00 | 360.00 |

**DOUGLAS PYRAMIDAL ARBORVITAE.**

|           |      |       |  |
|-----------|------|-------|--|
| 18-24 in. | 1.50 | 13.50 |  |
| 2-3 ft.   | 3.00 | 27.00 |  |
| 3-4 ft.   | 4.50 | 40.00 |  |

**occidentalis, AMERICAN ARBORVITAE.** 60 ft.

For hedges and windbreaks.

|           |      |       |        |
|-----------|------|-------|--------|
| 18-24 in. | .75  | 6.75  | 60.00  |
| 2-3 ft.   | 1.25 | 11.25 | 100.00 |
| 3-4 ft.   | 1.75 | 15.00 | 140.00 |
| 4-5 ft.   | 3.00 | 27.00 | 240.00 |
| 5-6 ft.   | 4.50 | 40.00 | 360.00 |
| 6-8 ft.   | 6.75 |       |        |

**occidentalis ellwangeriana.**

**TOM THUMB ARBORVITAE.**

A low broad pyramidal form, much used in formal plantings.

|         |      |       |  |
|---------|------|-------|--|
| 2-3 ft. | 2.50 | 22.50 |  |
|---------|------|-------|--|

**occidentalis globosa.**

**AMERICAN GLOBE ARBORVITAE.**

Dwarf globose form for rockeries and formal effects.

|           |      |       |        |
|-----------|------|-------|--------|
| 9-12 in.  | .75  | 6.75  | 60.00  |
| 12-18 in. | 1.25 | 11.25 | 100.00 |
| 18-24 in. | 1.75 | 15.00 |        |

**occidentalis hoveyi, HOVEY ARBORVITAE.**

Dwarf dense ovate-globose form with bright green foliage.

|           |      |       |        |
|-----------|------|-------|--------|
| 12-18 in. | .75  | 6.75  | 60.00  |
| 18-24 in. | 1.25 | 11.25 | 100.00 |

**occidentalis lutea.**

**GEORGE PEABODY ARBORVITAE.**

Rather strong-growing pyramidal form with bright yellow foliage.

|           |      |       |  |
|-----------|------|-------|--|
| 18-24 in. | 1.25 | 11.25 |  |
| 2-3 ft.   | 1.75 | 15.00 |  |

**occidentalis vervaeneana.**

**VERVAENE ARBORVITAE.**

Bronze Winter effects.

|         |      |       |  |
|---------|------|-------|--|
| 2-3 ft. | 2.25 | 20.25 |  |
| 3-4 ft. | 4.50 | 40.00 |  |
| 4-5 ft. | 6.75 | 60.00 |  |
| 5-6 ft. | 9.00 | 81.00 |  |

**occidentalis wareana,**

**WARE (Siberian) ARBORVITAE.**

Broadly pyramidal, dense type with shiny, blue-green foliage, very desirable.

|           |      |       |        |
|-----------|------|-------|--------|
| 12-18 in. | .75  | 6.75  | 60.00  |
| 18-24 in. | 1.50 | 13.50 | 120.00 |
| 2-3 ft.   | 2.25 | 20.25 | 182.00 |
| 3-4 ft.   | 3.75 | 33.00 |        |

**ROSENTHAL ARBORVITAE.**

Lustrous dark green leaves.

|         |      |       |  |
|---------|------|-------|--|
| 2-3 ft. | 3.75 | 33.00 |  |
| 3-4 ft. | 5.25 | 47.00 |  |
| 4-5 ft. | 7.50 | 67.00 |  |

|                        |             |           |            |
|------------------------|-------------|-----------|------------|
| <b>TSUGA, Hemlock.</b> | <b>Each</b> | <b>10</b> | <b>100</b> |
|------------------------|-------------|-----------|------------|

**canadensis, CANADA HEMLOCK. 40-100 ft.**

Handsome ornamental tree for lawn or forest plantings or for hedges. Stands severe clipping.

|           |      |       |        |
|-----------|------|-------|--------|
| 12-18 in. | .75  | 6.75  | 60.00  |
| 18-24 in. | 1.25 | 11.25 | 100.00 |
| 2-3 ft.   | 2.25 | 20.25 | 182.00 |
| 3-4 ft.   | 3.75 | 33.00 | 295.00 |
| 4-5 ft.   | 5.25 | 47.00 | 423.00 |
| 5-6 ft.   | 7.50 | 67.00 |        |

**caroliniana, CAROLINA HEMLOCK. 30-70 ft.**

Introduced to cultivation by Harlan P. Kelsey. "The finest Hemlock of them all." Rarely attaining 70 ft. in height, in cultivation 30-50 ft. Carolina Hemlock is unique in habit, with dark, dense, tufted foliage on sweeping pendulous branches with a "Japanesy" effect. It is hardier and more adapted to trying city atmospheres than the Canada Hemlock and seems to thrive in southern latitudes where the latter becomes thin, yellow and unsightly. The late Professor Sargent, Director of the Arnold Arboretum, says, in a letter dated October 30, 1923: "As you know, I consider this tree (Carolina Hemlock) the handsomest Conifer we can grow in New England."

|           |       |        |         |
|-----------|-------|--------|---------|
| 12-18 in. | 1.50  | 13.50  | 120.00  |
| 18-24 in. | 2.25  | 20.25  | 182.00  |
| 5-6 ft.   | 15.00 | 135.00 |         |
| 6-7 ft.   | 22.50 | 202.00 |         |
| 7-8 ft.   | 30.00 | 270.00 | 2400.00 |
| 8-9 ft.   | 35.00 | 315.00 | 2835.00 |
| 9-10 ft.  | 50.00 | 450.00 |         |

**sieboldi, SIEBOLD HEMLOCK. 50-100 ft.**

|         |       |
|---------|-------|
| 3-4 ft. | 7.50  |
| 4-5 ft. | 12.00 |
| 5-6 ft. | 15.00 |



© H. P. K.

Foto by H. P. K.

*Carolina Hemlock (Tsuga caroliniana)*  
*at the Arnold Arboretum*

**BEFORE ORDERING**

Please read carefully the Instructions for Placing Orders on Page 70, and remember that WHEN CASH ACCOMPANIES ORDER a discount of 5 per cent may be taken.

Five plants of same variety and size at the 10 rate, 25 at the 100 rate.

# Broadleaf EVERGREENS

ANDROMEDAS, KALMIAS, LEUCOTHOE.

RHODODENDRONS, etc.

Probably no ornamentals have become more deservedly popular than the Broadleaf Evergreens. Their beauty of flower and foliage merits your consideration and promises added possibilities in the landscaping of your grounds.

All of the species that we list—and most of them are natives of the United States—are perfectly hardy as far north as Quebec if given proper soil conditions and exposure or location. (Read "The Successful Rhododendron Bed" on page 25.)

Mass plantings of Rhododendrons, Mountainlaurel and Andromedas with "filler" or "edging" plants such as Leucothoe, Heather, Rose Daphne and Sandmyrtle are greatly desired and probably show these Broadleaf Evergreens at their best. Such ground covers as Bearberry, Canby Pachistima and Japanese Pachysandra carpet the shady spaces luxuriantly.

Our long experience in growing and planting Broadleaf Evergreens is at the service of customers at all times.

|  |      |    |     |
|--|------|----|-----|
|  | Each | 10 | 100 |
|--|------|----|-----|

## ARCTOSTAPHYLOS.

*uvaursi*, **BEARBERRY**. April-July.

This is perhaps the finest ground cover we have, as it thrives equally well in sandy or loamy soils, forming a dense, low mat of dark green foliage. Most useful for covering banks and for large rockeries. Pink bell-shaped flowers and scarlet berries.

Pot Grown Plants:

|          |        |        |         |
|----------|--------|--------|---------|
| 6-9 in.  | \$ .30 | \$2.70 | \$24.00 |
| 9-12 in. | .50    | 4.50   | 39.00   |

*Buxus koreana*, **KOREAN BOX**. 2 ft.

This dwarf variety introduced in 1919 has proved hardy in Northern Massachusetts and is very desirable for low hedges and edging flower beds.

|         |     |      |       |
|---------|-----|------|-------|
| 3-6 in. | .60 | 5.40 | 48.00 |
|---------|-----|------|-------|

*Buxus sempervirens*, **COMMON BOX**. 20-30 ft.

Our stock from plants hardy in Northern Massachusetts. Dense shrub or tree particularly useful in formal gardens.

|          |     |      |       |
|----------|-----|------|-------|
| 6-9 in.  | .50 | 4.50 | 40.00 |
| 9-12 in. | .75 | 6.75 | 60.00 |

## CALLUNA, Heather.

Entirely hardy in New England, blooming in July and August. There are no more charming ground covers than the Scotch Heather and its varieties. They thrive in peaty, sandy soil of acid reaction, and do not object to an open sunny location. Fine for rockeries.

Pot Grown Plants:

|         |     |      |       |
|---------|-----|------|-------|
| 2-4 in. | .25 | 2.25 | 20.00 |
| 4-6 in. | .30 | 2.70 | 24.00 |
| 6-8 in. | .50 | 4.50 | 39.00 |

*vulgaris*, **SCOTCH HEATHER**. 1-3 ft.

Flowers rosy-pink in dense racemes. Size 2-4 in.

*vulgaris alba*, **WHITE HEATHER**. 2 ft.

Variety with pure white flowers. Sizes 2-4 in., 4-6 in., and 6-8 in.

*vulgaris alba elata*. 2 ft.

White flowers. Sizes 2-4 in. and 4-6 in.

| <b>CALLUNA, Continued</b>   | <b>Each</b> | <b>10</b> | <b>100</b> |
|---|-------------|-----------|------------|
| <b>vulgaris alba pilosa.</b> 18 in.                                       |             |           |            |
| White flowered; hairy foliaged type. Sizes 2-4 in. and 4-6 in.            |             |           |            |
| <b>vulgaris alporti, ALPORT HEATHER.</b> 18 in.                           |             |           |            |
| Crimson flowers; greyish leaves. Size 2-4 in.                             |             |           |            |
| <b>vulgaris argentea.</b> 18 in.  |             |           |            |
| Silver tipped. Pink flowers. Sizes 2-4 in. and 4-6 in.                    |             |           |            |
| <b>vulgaris cuprea.</b> 8 in.   |             |           |            |
| Pink flowers; gold and bronze foliage. Sizes 2-4 in., 4-6 in. and 6-8 in. |             |           |            |
| <b>vulgaris erecta.</b> 2 ft.   |             |           |            |
| White flowers. Sizes 2-4 in. and 4-6 in.                                  |             |           |            |
| <b>vulgaris hammondi.</b> 18 in.  |             |           |            |
| White flowers. Upright. Size 2-4 in.                                      |             |           |            |
| <b>vulgaris hirsuta.</b>  |             |           |            |
| Pink flowers, velvety greyish foliage. Sizes 2-4 in. and 4-6 in.          |             |           |            |
| <b>vulgaris hypnoides.</b> 1 ft.  |             |           |            |
| Deep pink flowers. Size 2-4 in.   |             |           |            |
| <b>vulgaris multiplex.</b>  |             |           |            |
| Pink flowers. Size 2-4 in.  |             |           |            |
| <b>vulgaris nana, MOSS HEATHER.</b> 6 in.                                 |             |           |            |
| Purple flowers. Sizes 2-4 in. and 4-6 in.                                 |             |           |            |
| <b>vulgaris rigida.</b>   |             |           |            |
| White flowers. Size 2-4 in.   |             |           |            |
| <b>vulgaris rubra, RED HEATHER.</b> 18 in.                                |             |           |            |
| Deep red flowers. Size 2-4 in.  |             |           |            |
| <b>vulgaris searlei, SEARLE HEATHER.</b> 18 in.                           |             |           |            |
| White flowers. Tall, loose, feathery growth. Late flowering. Size 2-4 in. |             |           |            |
| <b>vulgaris spicata.</b> 18 in.   |             |           |            |
| Deep pink flowers. Sizes 2-4 in. and 4-6 in.                              |             |           |            |

**COTONEASTER.****horizontalis, ROCK COTONEASTER.** 2-3 ft.

Pink. Red fruit. June. Low spreading shrub, very suitable for rockeries.

Pot Grown Plants:

|         |     |      |       |
|---------|-----|------|-------|
| 3-6 in. | .30 | 2.70 | 24.00 |
| 6-9 in. | .50 | 4.50 | 39.00 |

**DAPHNE, Daphne.****cneorum, ROSE DAPHNE.** 1-3 ft. Pink. All Summer.

A most beautiful low hardy shrub; the fragrant pink blossoms nestling among the green leaves. Fine for rockeries.

|           |      |       |        |
|-----------|------|-------|--------|
| 6-9 in.   | .50  | 4.50  | 39.00  |
| 9-12 in.  | .75  | 6.75  | 60.00  |
| 12-18 in. | 1.25 | 11.25 | 100.00 |

**EPIGAEA.****repens, TRAILING-ARBUTUS** (Mayflower).

Well-known native prostrate or trailing plant that thrives best in light humus soil in shady locations. White to rose colored flowers in early Spring, exhaling a rich, spicy fragrance. Extremely difficult to transplant from the wild. Our potted stock, grown from cuttings, moves readily.

Pot Grown Plants .60 5.40

**ERICA, Heath.****carnea, SPRING HEATH.** 6-12 in. March-May.

Low spreading shrub, rosy-red flowers with dark red anthers.

Pot Grown Plants:


|         |     |      |       |
|---------|-----|------|-------|
| 3-6 in. | .30 | 2.70 | 24.00 |
| 6-9 in. | .50 | 4.50 | 39.00 |

**GALAX, Galax.****aphylla.** 8-12 in. White. May.

Beautiful heart-shaped leaves, turning brilliant scarlet when exposed to the sun. Splendid ground cover for Rhododendron bed, and wildwood planting.

Clumps .50 4.50 39.00





Rose Daphne (*Daphne cneorum*)  
Detail showing blossoms

|   | Each | 10    | 100    |
|---|------|-------|--------|
| <b>ILEX, Holly.</b>                                       |      |       |        |
| glabra, <b>INKBERRY.</b> 6-8 ft. Very hardy. Black fruit. |      |       |        |
| 9-12 in.  | .75  | 6.75  | 60.00  |
| 12-18 in.   | 1.25 | 11.25 | 100.00 |

**KALMIA, Kalmia.**

angustifolia, **LAMBKILL.**

Rarely over three feet in height. A native of Canada and Eastern United States. Beautiful small crimson flowers in abundance. Prefers peaty soil.

Collected Clumps :

|          |     |      |       |
|----------|-----|------|-------|
| 6-12 in. | .30 | 2.70 | 24.00 |
|----------|-----|------|-------|

latifolia, **MOUNTAINLAUREL.**

Grown in our nursery, this acid soil plant appears in all its natural beauty. Attractive the year round. In May and June its clustered masses of white or blush flowers present a gorgeous spectacle. It adds greatly to any planting and is entirely hardy growing in cultivation to a height of six or more feet. It prefers a sandy, loamy soil.

|        |           |      |       |        |
|--------|-----------|------|-------|--------|
|        | 9-12 in.  | .60  | 5.40  | 48.00  |
|        | 12-18 in. | 1.25 | 11.25 | 100.00 |
| Clumps | 18-24 in. | 1.75 | 15.00 | 140.00 |
| Clumps | 2-3 ft.   | 2.50 | 22.50 |        |

**LEIOPHYLLUM, Sandmyrtle.**

buxifolium prostratum, **ALLEGHENY SANDMYRTLE.**

April-June.

Prostrate form.

|         |     |      |       |
|---------|-----|------|-------|
| 3-6 in. | .50 | 4.50 | 39.00 |
|---------|-----|------|-------|

**LEUCOTHOE, Leucothoe.**

catesbaei, **DROOPING LEUCOTHOE.** 3-8 ft. White.  
April-May.

Invaluable as a border or undershrub and for edging the Rhododendron and Azalea plantation. The "spray" foliage turns a rich bronze in Autumn.

|        |           |      |       |        |
|--------|-----------|------|-------|--------|
| Clumps | 12-18 in. | 1.25 | 11.15 | 100.00 |
| Clumps | 18-24 in. | 1.75 | 15.00 | 140.00 |
| Clumps | 2-3 ft.   | 2.75 | 24.00 | 221.00 |

**MITCHELLA, Partridgeberry.**

repens, **PARTRIDGEBERRY.**

Native trailing evergreen that forms dense ground cover of unusual charm. Shiny leaves. Small white fragrant flowers in June and July. Scarlet berries remain through Winter.

|              |     |      |       |
|--------------|-----|------|-------|
| Coll. Plants | .30 | 2.70 | 24.00 |
|--------------|-----|------|-------|



Foto by H. P. K.

*Mountainlaurel (Kalmia latifolia)*

Each                      10                      100

**PACHISTIMA, Pachistima.**

**canbyi; CANBY PACHISTIMA.** 6-10 in. Reddish.  
April-May.

Remarkably dainty low shrub forming a dense evergreen carpet.

|         |     |      |       |
|---------|-----|------|-------|
| 3-6 in. | .50 | 4.50 | 39.00 |
| 6-9 in. | .60 | 5.40 | 48.00 |

**PACHYSANDRA, Pachysandra.**

**terminalis, JAPANESE PACHYSANDRA.** 6-9 in.  
Whitish. May.

One of the best hardy ground covers. Useful for bordering walks and drives under evergreen shrub planting.

|                  |     |      |       |
|------------------|-----|------|-------|
| Pot Grown Plants | .25 | 1.75 | 15.00 |
|------------------|-----|------|-------|

**PIERIS, Andromeda.**

**floribunda, MOUNTAIN ANDROMEDA.** 2-6 ft. White.  
April.

Dense, much branched shrub with nodding flowers.  
Perfectly hardy.

|           |      |       |        |
|-----------|------|-------|--------|
| 9-12 in.  | 1.25 | 11.25 | 100.00 |
| 12-18 in. | 1.75 | 15.00 | 140.00 |
| 18-24 in. | 3.00 | 27.00 | 240.00 |
| 2-2½ in.  | 4.50 | 40.00 |        |

**japonica, JAPANESE ANDROMEDA.** 5-6 ft. White. May.

Thick, shiny leaves turning bronze in Winter.

|           |      |       |
|-----------|------|-------|
| 9-12 in.  | 1.25 | 11.25 |
| 12-18 in. | 1.75 | 15.00 |
| 18-24 in. | 3.00 | 27.00 |

**POTENTILLA, Cinquefoil.**

**tridentata, WINELEAF CINQUEFOIL.** Prostrate.  
White. June.

Evergreen creeper; glistening foliage taking on brilliant claret color in Autumn.

|                  |     |      |       |
|------------------|-----|------|-------|
| Pot Grown Plants | .30 | 2.70 | 24.00 |
|------------------|-----|------|-------|

# RHODODENDRONS

The native American Rhododendrons are the best for American planting, being hardier than both the "hybrids" and the many Asiatic species. Even where the hardier of the hybrid varieties are successful, the dark-foliaged American species, maximum and catawbiense, should form the main background.

Not even in Asia do Rhododendrons grow so luxuriantly as in our own southern Allegheny Mountains, where they attain a height of thirty feet and more, assuming tree-like proportions. They must be seen in their native lavishness of growth and bloom, on the mountain sides or hanging over the dashing, ice-cold streams and waterfalls, to be properly appreciated, and a trip to the high Carolina Mountains in Spring and early Summer is a never-to-be-forgotten series of joys to the lover of nature.

With proper knowledge and experience this beauty and wildness may be transferred to your gardens. Our long experience is at the service of customers at all times. Our stock is unusually fine this year. All the Rhododendrons listed are specimens and are shipped balled and burlapped—arriving in excellent condition thereby insuring satisfactory results.

Be sure and read "The Successful Rhododendron Bed" on page 25.




Foto by H. P. K.

*Carolina Rhododendron*

|  | Each | 10 | 100 |
|--|------|----|-----|
|--|------|----|-----|

**RHODODENDRON, Rhododendron.****carolinianum, CAROLINA RHODODENDRON. 4-8 ft.**

May-June.

A clear pink American species introduced by Harlan P. Kelsey many years ago. There is no magenta shade in the flowers. Entirely hardy and fine for massing on hill-sides and in rockeries.

|        |           |        |         |          |
|--------|-----------|--------|---------|----------|
| Clumps | 12-18 in. | \$1.50 | \$13.50 | \$120.00 |
| Clumps | 18-24 in. | 2.25   | 20.25   | 182.00   |
| Clumps | 2-3 ft.   | 3.00   | 27.00   |          |
| Clumps | 3-4 ft.   | 5.25   | 47.00   |          |

**carolinanum album. 3-6 ft. May-June.**

Pure white form of the Carolina Rhododendron. Introduced by Harlan P. Kelsey.

|        |           |       |        |               |
|--------|-----------|-------|--------|---------------|
|        | 18-24 in. | 2.25  | 20.25  |               |
| Clumps | 2-3 ft.   | 3.75  | 33.00  |               |
| Clumps | 3-4 ft.   | 7.50  | 67.00  | (extra heavy) |
| Clumps | 4-5 ft.   | 12.00 | 108.00 | (extra heavy) |

**catawbiense, CATAWBA RHODODENDRON. 20 ft.**

May-June.

The hardiest and best all-round Rhododendron and the one which supplied color and hardiness to the cultivated hybrids. Color, bright red-purple but with considerable variation. Leaves dark shiny green.

|        |           |      |       |        |
|--------|-----------|------|-------|--------|
|        | 9-12 in.  | .75  | 6.75  | 60.00  |
|        | 12-18 in. | 1.25 | 11.25 | 100.00 |
| Clumps | 18-24 in. | 2.25 | 20.25 | 182.00 |
| Clumps | 2-3 ft.   | 3.75 | 33.00 | 295.00 |
| Clumps | 3-4 ft.   | 5.25 | 47.00 |        |

**catawbiense compacta, KELSEY CATAWBA RHODODENDRON. 4-12 ft.**

A dense growing variety discovered and introduced by Harlan P. Kelsey. Very distinct from the catawbiense type.

|  |          |      |       |        |
|--|----------|------|-------|--------|
|  | 9-12 in. | 1.25 | 11.25 | 102.00 |
|--|----------|------|-------|--------|

**catawbiense, Seedling Hybrids, Unnamed. 6-20 ft.**

The seed from which these were grown were gathered from the choicest named hybrids.

|  |           |      |       |        |
|--|-----------|------|-------|--------|
|  | 12-18 in. | 2.25 | 20.25 | 182.00 |
|  | 18-24 in. | 3.00 | 27.00 | 240.00 |
|  | 2-3 ft.   | 4.50 | 40.00 |        |

**dahuricum, DAHURIAN RHODODENDRON. 6-10 ft.**

Leaves deciduous or sometimes persistent. Rose-colored flowers one inch across in early April.

|  |           |      |       |  |
|--|-----------|------|-------|--|
|  | 12-18 in. | 2.00 | 18.00 |  |
|--|-----------|------|-------|--|

**maximum, ROSEBAY RHODODENDRON. 10-40 ft.**

June-July.

The white or pink-tinged flowers and late-blooming habit make this species invaluable.

|        |           |      |       |        |
|--------|-----------|------|-------|--------|
| Clumps | 12-18 in. | 1.25 | 11.25 | 100.00 |
| Clumps | 18-24 in. | 2.00 | 18.00 | 162.00 |
| Clumps | 2-3 ft.   | 2.75 | 24.00 | 221.00 |
| Clumps | 3-4 ft.   | 4.00 | 36.00 | 324.00 |
| Clumps | 4-5 ft.   | 6.00 | 54.00 |        |

**micranthum, MANCHURIAN RHODODENDRON. 6-7 ft. White. May.**

A distinct open-growing species, resembling the Ledum or Labrador-tea.

|  |           |      |       |  |
|--|-----------|------|-------|--|
|  | 9-12 in.  | 1.25 | 11.25 |  |
|  | 12-18 in. | 2.00 | 18.00 |  |

**mucronulatum, KOREAN RHODODENDRON. 6 ft.**

March-April.

A hardy Asiatic species. Flowers rose-colored. Handsome scarlet Fall coloring.

|  |           |      |       |  |
|--|-----------|------|-------|--|
|  | 9-12 in.  | 1.25 | 11.25 |  |
|  | 12-18 in. | 2.00 | 18.00 |  |
|  | 18-24 in. | 3.00 | 27.00 |  |

|  |      |      |     |
|--|------|------|-----|
| <b>SHORTIA.</b>  | Each | 10   | 100 |
| <b>galacifolia, OCONEE-BELLS.</b> 6-9 in. White. April.  |      |      |     |
| A beautiful and rare low evergreen, with galax-shaped leaves and white bell-shaped flowers in earliest Spring. A dainty ground cover thriving under Rhododendrons and Kalmias. Our introduction. |      |      |     |
| Clumps   | .60  | 5.40 |     |

**VINCA, Periwinkle.**

|   |     |      |       |
|---|-----|------|-------|
| <b>minor, COMMON PERIWINKLE.</b> April-July.                                |     |      |       |
| Hardy evergreen trailing herb. Flowers lilac-blue. A splendid ground cover. |     |      |       |
| Strong Plants   | .25 | 1.75 | 15.00 |
| <b>minor alba, WHITE COMMON PERIWINKLE.</b>                                 |     |      |       |
| A white variety.  |     |      |       |
| Strong Plants   | .30 | 2.40 | 21.00 |

**YUCCA, Yucca.**

|   |     |      |       |
|---|-----|------|-------|
| <b>filamentosa, COMMON YUCCA.</b> White. June-July.   |     |      |       |
| A tropical looking plant with narrow evergreen leaves. Immense pyramidal clusters of creamy flowers on tall stalks. 3-6 ft. high. |     |      |       |
| Strong Plants   | .30 | 2.40 | 21.00 |

*The Successful Rhododendron Bed*

By Harlan P. Kelsey

This includes Rhododendrons, Kalmias, Azaleas, Leucothoes, Blueberries and often such "fillers" as Ferns, Lilies, etc., which delight in acid soil conditions and which are usually grouped together to make the "Rhododendron Bed."

**SELECTING THE LOCATION.** For the Rhododendron bed a northern exposure is preferable, especially in low elevation in the South, or elsewhere where freezing and thawing is quite continual. A direct winter sun on the frozen leaves of any broadleaf evergreen, often kills outright or spoils the foliage. The north side of the building, wall, woods or hill is always preferable, and windswept locations should be avoided unless proper measures are taken to check the heavy winds.

**IN LIMESTONE SOILS.** Excavation is imperative, and fresh soil showing acid reaction substituted. This can be successfully done. A striking example is shown in Highland Park, Rochester, N. Y., where one of the most beautiful Rhododendron and Azalea beds in America has been constructed and planted in a location originally of a heavy limestone nature.

**SOIL.** This class of plants is most at home in somewhat shady and damp situations and in a porous soil suppling plenty of humus showing more or less acid reaction. Limestone (alkaline) soils must be avoided, as a majority of ericaceous plants are rarely, if ever, found growing naturally under such soil conditions. Sandy loam is favorable, and in all cases a continuous supply of humus should be provided.

**CREATING NECESSARY "ACID" CONDITIONS.** Dr. Coville, United States Botanist of the Department of Agriculture, Washington, D. C., has made some very interesting greenhouse experiments which would seem to prove that acidifying alkaline soils by the application of aluminum sulfate makes it possible to grow these acid soil plants much more successfully.

It must be remembered, however, that application of acids will not take the place of humus. Hardwood sawdust may be used as a mulch, and also ground peat moss imported from Holland, both having acid reaction.

Such experiments indicate that by suitable treatment, these beautiful plants may sometimes be grown successfully on the alkaline soils of the Middle West.



**MULCHING.** This means that the Rhododendron bed should have annually a heavy mulch of **hardwood** leaves, which is left on the year round to decay. Mulching also keeps the ground cool in summer and warm in winter and protects the fine feeding rootlets of the plants. **Never remove the mulching in Spring to make the beds "look better."** No expert gardener would ever think of so doing.

**PREPARATION OF BED.** Unless conditions are naturally favorable, excavate two to three feet and fill with woods mold, "Kalmia peat," good loam, rotted field-sods, and perhaps a third in bulk of swamp muck or peat or similar soils. The finely ground imported peat "mull" which comes in bales is excellent for mulching and to work into the soil. Mix with sharp sand where the soil is very clayey.

**PLANTING.** Plant the same depth as before (shown by earth line or "collar" on stem) and firmly press soil around roots with the foot, but don't pack the earth too solid. "Fillers," including Lilies and other bulbs and smaller ground-covering species, should be planted after the larger plants are all in and properly spaced. Then soak the ground and apply the mulching.

**WINTER PROTECTION.** If convenient, protect them with pine or other evergreen boughs, particularly where exposed to the sun and wind; yet Rhododendrons rarely suffer in the latitude of Boston or Buffalo, if properly planted and mulched. In the latitude of Ottawa and Quebec, Canada, a board fencing may be placed around the edge of the bed and much heavier temporary mulching of straw, etc., filled in almost or quite to the tops of the plants. Good ventilation must be provided.

**ENEMIES OF THE RHODODENDRONS.** The Lacewing Fly is found on Kalmias and Rhododendrons. This pest appears in early Spring on the under side of the leaves and gets its sustenance by sucking the sap. It is easily disposed of by spraying the under side of the leaves, using a very fine nozzle, with an emulsion of ten gallons of whale-oil soap to one hundred gallons of water. Plants in the shade are infested to a less degree.

**THE USE OF "FILLERS."** For the best landscape effects, as well as providing a continual succession of bloom throughout the season, a large variety of shrubs and plants may be employed with the finest results. In fact, the planting of Rhododendrons without the use of "filler" or "edging" plants may give harsh, formal effects. In the use of "fillers" great care must be taken as to time of blooming and color effects, so they do not clash, yet these supply an amazing amount of interesting detail and a continuous show of blossoms against a beautiful Rhododendron leaf background.

**SOME OF THE BEST "FILLERS" AND "EDGING" PLANTS.** *Leiophyllum buxifolium*, *L.b. prostratum*, *Ilex glabra* (Inkberry), *Leucothoe catesbaei*, *Pieris floribunda*, *Galax aphylla*, *Houstonia* (Bluets), *Daphne cneorum* (Rose Daphne), *Pachistima canbyi* (Canby Pachistima), *Callunas* (Heather) in variety, *Pachysandra terminalis* (Japanese Pachysandra), *Shortia galacifolia* (Oconeebells), *Vinca minor* (Periwinkle), *Zanthorhiza apiifolia* (Yellowroot), Lilies, Trilliums, Ferns in great variety, Violets, *Dicentra eximia* (Fringed Bleedingheart), Iris in great variety, particularly *pseudacorus* and Japanese Iris in variety, *Ilex verticillata*, *Aronias* (Chokeberry) in variety and many other "berry-bearing" shrubs. Jonquils and other Spring bulbs may be used freely in the borders of plantations with charming results.



Norway Maple (*Acer platanoides*) is one of our finest street trees

# Deciduous TREES and SHRUBS

The deciduous trees and shrubs listed are varieties that have proved of merit for planting as far north as northern New England and many are hardy in southern Canada.

The choice of varieties depends on the location and the type of planting. We offer many trees that are unexcelled for lawn, park and street planting, while the flowering shrubs relatively inexpensive are useful in mass plantings, shrub borders, and in foundation plantings with the evergreens and broadleaf evergreens. There are some flowering shrubs to add color to each season and those that fruit attract great numbers of birds.

*Note.*—The heights given immediately after the names are approximate heights reached by the trees and shrubs under most favorable conditions, first under cultivation and then as observed in their native habitat. Color of flowers and time of bloom are given unless the flowers are inconspicuous or lacking.

|  |        |         |         |
|--|--------|---------|---------|
| <b>ACER, Maple.</b>  | Each   | 10      | 100     |
| <b>dasycarpum, SILVER MAPLE.</b> 60-100 ft. May.   |        |         |         |
| Large rapid-growing tree for quick effects.  |        |         |         |
| 2 in. to 2½ in.<br>cal. 10-12 ft.  | \$2.00 | \$18.00 |         |
| 2½ in. to 3 in.<br>cal. 12-14 ft.  | 3.00   | 27.00   |         |
| <b>negundo, BOXELDER.</b> 40-60 ft.  |        |         |         |
| A rapid-growing, usually small tree with bright green foliage.                               |        |         |         |
| 4-5 ft.  | .60    | 5.40    | \$48.00 |
| 5-6 ft.  | .75    | 6.75    |         |
| <b>palmatum, JAPANESE MAPLE.</b> 20-25 ft.   |        |         |         |
| A graceful shrub or small tree with deeply lobed green leaves, turning bright red in Autumn. |        |         |         |
| 2-3 ft.  | 1.50   | 13.50   | 120.00  |

**ACER, Continued**

|  | Each | 10    | 100   |
|--|------|-------|-------|
| <b>pennsylvanicum, STRIPED MAPLE.</b> 20-40 ft. Yellow.<br>May-June. |      |       |       |
| Slender tree with beautiful green-striped bark.                      |      |       |       |
| 4-5 ft.  | .75  | 6.75  | 60.00 |
| 5-6 ft.  | 1.25 | 11.25 |       |

**platanoides, NORWAY MAPLE.** 100 ft. Yellowish green.  
April-May.

One of the best street trees and very free from disease.

|  |      |       |        |
|--|------|-------|--------|
| 5-6 ft.  | 1.00 | 9.00  | 81.00  |
| 6-8 ft.  | 2.00 | 18.00 | 162.00 |
| 1 in. to 1 $\frac{1}{4}$ in.<br>cal. 8-10 ft.                | 3.00 | 27.00 | 240.00 |
| 1 $\frac{1}{2}$ in. to 1 $\frac{3}{4}$ in.<br>cal. 10-12 ft. | 4.00 | 36.00 | 324.00 |
| 1 $\frac{3}{4}$ in. to 2 in.<br>cal. 12-14 ft.               | 5.00 | 45.00 |        |

**platanoides schwedleri, SCHWEDLER MAPLE.** 40-60 ft.

Leaves bright red when young, changing to dark green.

|         |      |       |
|---------|------|-------|
| 4-5 ft. | 1.50 | 13.50 |
| 5-6 ft. | 2.50 | 22.50 |
| 6-8 ft. | 3.50 | 31.00 |

**rubrum, RED MAPLE.** 30-120 ft. March-April.

Rarely over 50 feet under cultivation. Flowers red or scarlet, rarely yellowish. Foliage turns brilliant scarlet, or orange, in Autumn.

|   |      |       |
|---|------|-------|
| 5-6 ft.   | 1.00 | 9.00  |
| 6-8 ft.   | 1.50 | 13.50 |
| 1 $\frac{1}{4}$ in. to 1 $\frac{1}{2}$ in.<br>cal. 8-10 ft. | 2.50 | 22.50 |

**saccharum, SUGAR MAPLE.** 50-120 ft. Greenish-yellow.  
April.

Excellent street and shade tree of upright dense growth, turning bright scarlet and orange in Autumn.

|         |      |       |        |
|---------|------|-------|--------|
| 5-6 ft. | 1.00 | 9.00  | 81.00  |
| 6-8 ft. | 1.50 | 13.50 | 120.00 |

**spicatum, MOUNTAIN MAPLE.** 8-30 ft. Greenish-yellow.  
June.

Valuable undershrub rarely 30 feet high in the wild. Leaves turn yellow and scarlet.

|         |     |      |       |
|---------|-----|------|-------|
| 2-3 ft. | .60 | 5.40 | 48.00 |
| 3-4 ft. | .75 | 6.75 |       |

**WIER MAPLE.**

|           |      |       |
|-----------|------|-------|
| 8-10 ft.  | 2.00 | 18.00 |
| 10-12 ft. | 2.50 | 22.50 |

**AMELANCHIER, Shadblow.**

**laevis, ALLEGHENY SHADBLOW.** 20-40 ft. White.  
May.

The most graceful and handsomest species differing from all others; purplish young foliage and drooping racemes of large white flowers.

|         |      |       |        |
|---------|------|-------|--------|
| 2-3 ft. | 1.00 | 9.00  | 81.00  |
| 3-4 ft. | 1.50 | 13.50 | 120.00 |

**oblongifolia, THICKET SHADBLOW.** 6-15 ft. White.  
Early May.

Shrub or small tree, usually in clump form. Wealth of fruit in June. Often incorrectly sold as Amelanchier canadensis, a large tree type.

|         |     |      |       |
|---------|-----|------|-------|
| 1-2 ft. | .40 | 3.60 | 32.00 |
| 2-3 ft. | .60 | 5.40 | 48.00 |

**stolonifera, RUNNING SHADBLOW.** 2-4 ft. White. May.  
Unusually attractive dwarf Shadblow spreading from underground stems to form low thickets. Purple fruit in Summer.

|          |     |      |       |
|----------|-----|------|-------|
| 6-12 in. | .40 | 3.60 | 32.00 |
| 1-2 ft.  | .60 | 5.40 | 48.00 |



|  | Each | 10   | 100   |
|--|------|------|-------|
| <b>AMORPHA, False-indigo.</b>  |      |      |       |
| <b>fruticosa, INDIGOBUSH.</b> 8-20 ft. Purple-blue. May-June.              |      |      |       |
| Light green pinnate leaves, flowers in clustered spikes.                   |      |      |       |
| 2-3 ft.  | .40  | 3.60 | 32.00 |
| 3-4 ft.  | .50  | 4.50 | 39.00 |
| 4-5 ft.  | .60  | 5.40 | 48.00 |
| <b>ARONIA, Chokeberry.</b>   |      |      |       |
| <b>arbutifolia, RED CHOKEBERRY.</b> 4-10 ft. White or red-dish. April-May. |      |      |       |
| Bright red fruit; excellent undershrub.                                    |      |      |       |
| 2-3 ft.  | .50  | 4.50 | 39.00 |
| 3-4 ft.  | .60  | 5.40 | 48.00 |
| <b>melanocarpa, BLACK CHOKEBERRY.</b> 4-8 ft. White. April-May.            |      |      |       |
| Shining black fruit.   |      |      |       |
| 2-3 ft.  | .50  | 4.50 |       |
| 3-4 ft.  | .60  | 5.40 |       |
| 4-5 ft.  | 1.00 | 9.00 |       |
| <b>ARTEMISIA, Wormwood.</b>  |      |      |       |
| <b>arborescens.</b> 5-8 ft. Yellowish. July.                               |      |      |       |
| Aromatic shrub with silvery-white branches.                                |      |      |       |
| 3-4 ft.  | .40  | 3.60 |       |
| 4-5 ft.  | .60  | 5.40 |       |

✓

## AZALEAS

We list only the native and most hardy exotic varieties. These acid-soil loving plants mass well with the broadleaf evergreens and are distinct and beautiful additions to any planting. Though not evergreen they are closely related to the Rhododendrons and require similar soil conditions and care. (See page 25, "The Successful Rhododendron Bed.")


| <b>AZALEA, Azalea.</b>  | Each   | 10      | 100      |
|---|--------|---------|----------|
| <b>arborescens, SWEET AZALEA.</b> 5-15 ft. White and pink. June-July.   |        |         |          |
| Delightfully spicy, fragrant white flowers with pink stamens appear in profusion, lasting for weeks. Becomes a spreading clump 3-6 feet broad in cultivation. The foliage colors striking shades of red in late Autumn.   |        |         |          |
| 9-12 in.  | .75    | 6.75    | 60.00    |
| 12-18 in. Clumps  | 1.25   | 11.25   | 100.00   |
| 18-24 in. Clumps  | 2.00   | 18.00   | 162.00   |
| 2-3 ft. Clumps  | 3.00   | 27.00   | 240.00   |
| 3-4 ft. Clumps  | 5.50   | 49.50   |          |
| <b>calendulacea, FLAME AZALEA.</b> 6-15 ft. Orange shades. May-June.  |        |         |          |
| The most regal of all the species, native or exotic, and a noble representative of our rich Carolina mountain flora. Bartram, speaking of it in his "Travels," calls it the "fiery Azalea," and says: "This epithet 'fiery' I annex to this most celebrated species of Azalea, as being expressive of the appearance of its flowers, which are in general of the color of the finest red-lead, orange, and bright gold, as well as yellow and cream-color. This is certainly the most gay and brilliant-flowering shrub yet known." No more striking landscape effect can be produced than a hillside of Azalea calendulacea in full bloom. |        |         |          |
| 9-12 in.  | \$ .75 | \$ 6.75 | \$ 60.00 |
| 12-18 in.   | 1.25   | 11.25   | 100.00   |
| 18-24 in.   | 1.75   | 15.00   | 140.00   |
| 2-3 ft.   | 2.50   | 22.50   | 202.00   |
| 3-4 ft.   | 4.00   | 36.00   | 324.00   |
| 4-5 ft.   | 5.50   | 49.50   |          |
| <b>canescens, PIEDMONT AZALEA.</b> 3-10 ft. Deep pink. April-May.   |        |         |          |
| Quite fragrant.   |        |         |          |
| 12-18 in. Clumps  | 1.25   | 11.25   | 100.00   |
| 18-24 in. Clumps  | 2.00   | 18.00   |          |
| 2-3 ft. Clumps  | 2.75   | 24.00   |          |



Foto by H. P. K.

*The Sweet Azalea (Azalea arborescens)*  
is notable for its rich fragrance

| <b>AZALEA, Continued</b>   | <b>Each</b> | <b>10</b> | <b>100</b> |
|--|-------------|-----------|------------|
| <b>japonica, JAPANESE AZALEA.</b> 6 ft. April-May.<br>Flowers salmon-red, brick-red or carmine. The type<br>grown at Arnold Arboretum.     |             |           |            |
| 9-12 in.   | 1.50        | 13.50     | 120.00     |
| 12-18 in.  | 2.50        | 22.50     | 202.00     |
| 18-24 in.  | 3.00        | 27.00     | 240.00     |
| <b>kaempferi, TORCH AZALEA.</b> 8 ft. April-May.<br>Bright orange-red flowers with yellow anthers. Very<br>handsome; hardy in New England. |             |           |            |
| 9-12 in.   | 1.25        | 11.25     |            |
| 12-18 in.  | 2.50        | 22.50     |            |
| 18-24 in.  | 3.00        | 27.00     |            |
| <b>LOUISA HUNNEWELL.</b> Seedling grown.<br>A wonderful hybrid, japonicum x molle, with large<br>orange-red flowers.                       |             |           |            |
| 9-12 in.   | 1.50        | 13.50     |            |
| <b>nudiflora, PINXTERBLOOM.</b> 2-10 ft. April-May.<br>Beautiful clear pink, blooming very early, just following<br>Azalea vaseyi.         |             |           |            |
| 12-18 in.  | 1.50        | 13.50     |            |
| 18-24 in.  | 2.50        | 22.50     |            |
| 2-3 ft.  | 3.00        | 27.00     |            |
| <b>poukhanensis, KOREAN AZALEA.</b> 1-3 ft. Purple-lilac.<br>May.<br>Unique among the Azaleas.   |             |           |            |
| 9-12 in.   | 1.50        | 13.50     | 120.00     |
| 12-18 in.  | 2.50        | 22.50     |            |
| 18-24 in.  | 3.00        | 27.00     |            |
| <b>rosea, DOWNY PINXTERBLOOM.</b> 4-6 ft. Rose. May-<br>June.  |             |           |            |
| 9-12 in.   | .75         | 6.75      | 60.00      |
| 12-18 in.  | 1.25        | 11.25     | 120.00     |
| <b>schlippenbachii, ROYAL AZALEA.</b> 3-8 ft. May.<br>With very large pale rose-colored flowers, upper lobes<br>spotted reddish brown.     |             |           |            |
| 6-9 in.  | 1.25        | 11.25     | 100.00     |



*Pinkshell Azalea (Azalea vaseyi)*

AZALEA, Continued

Each

10

100

**vaseyi, PINKSHELL AZALEA. 6-15 ft.**

This showy Azalea was discovered only as late as 1878, introduced by Harlan P. Kelsey very soon after. It is of easy culture and is perhaps the most profuse bloomer of all the native species, and the more conspicuous as its white, pink or deep rose-colored flowers appear in early April or May before the foliage..

|           |      |       |        |
|-----------|------|-------|--------|
| 9-12 in.  | 1.25 | 11.25 | 100.00 |
| 12-18 in. | 2.00 | 18.00 | 162.00 |
| 18-24 in. | 3.00 | 27.00 | 240.00 |
| 2-3 ft.   | 4.00 | 36.00 |        |

**viscosa, SWAMP AZALEA. 10-12 ft. White, June-July.**  
Quite fragrant.

|                  |      |       |        |
|------------------|------|-------|--------|
| 12-18 in. Clumps | .60  | 5.40  | 48.00  |
| 18-24 in. Clumps | 1.25 | 11.25 | 100.00 |
| 2-3 ft. Clumps   | 1.50 | 13.50 | 120.00 |

**BERBERIS, Barberry.**

**emarginata. 3-4 ft. Yellow. April-May.**

Densely branched dwarf variety with deep red elongated fruit.

|         |      |       |  |
|---------|------|-------|--|
| 1-2 ft. | 1.25 | 11.25 |  |
|---------|------|-------|--|

**koreana, KOREAN BARBERRY. 6-7 ft. Yellow. May.**

Upright shrub with stout branches. Broad bright green leaves change to deep red in Autumn. Fruits retain their bright color a long time.

|         |      |       |  |
|---------|------|-------|--|
| 1-2 ft. | 1.25 | 11.25 |  |
|---------|------|-------|--|

**thunbergi, JAPANESE BARBERRY. 3-8 ft. Pale yellow.**  
April-May.

Dense shrub. Large brilliant red fruit and brilliant Fall coloring. Widely used for hedges and ornamental planting.

|           |     |      |       |
|-----------|-----|------|-------|
| 12-18 in. | .25 | 1.80 | 12.00 |
| 18-24 in. | .35 | 2.75 | 24.00 |

**thunbergi maximowiczii, CORAL BARBERRY. 3-8 ft.**

Variety of Berberis thunbergi with more brilliant fruit and coloring.

|           |     |      |       |
|-----------|-----|------|-------|
| 12-18 in. | .50 | 4.50 | 39.00 |
|-----------|-----|------|-------|

**thunbergi minor, BOX BARBERRY. 2-3 ft.**

Very dwarf form.

|           |     |      |       |
|-----------|-----|------|-------|
| 12-18 in. | .50 | 4.50 | 39.00 |
|-----------|-----|------|-------|

|  |      |      |       |
|--|------|------|-------|
| <b>BERBERIS, Continued</b>                           | Each | 10   | 100   |
| <b>vernae, VERNAL BARBERRY.</b> 4-6 ft. Yellow. May. |      |      |       |
| Graceful spreading shrub.                            |      |      |       |
| 9-12 in.   | .50  | 4.50 | 39.00 |

**BETULA, Birch.****alba, EUROPEAN WHITE BIRCH.** 60 ft.

Shining white bark.

|          |      |       |        |
|----------|------|-------|--------|
| 4-6 ft.  | .75  | 6.75  | 60.00  |
| 6-8 ft.  | 1.25 | 11.25 | 100.00 |
| 8-10 ft. | 2.00 | 18.00 |        |

**CUTLEAF WEEPING BIRCH.** 50-60 ft.

4-5 ft. 2.50

**nigra, RIVER BIRCH.** 50-90 ft.

A conspicuous and graceful tree with reddish bark, liking moist and sandy soil.

|         |      |       |       |
|---------|------|-------|-------|
| 3-4 ft. | .60  | 5.40  | 48.00 |
| 4-5 ft. | 1.00 | 9.00  | 81.00 |
| 5-6 ft. | 1.75 | 15.00 |       |

**papyrifera, CANOE BIRCH.** 60-100 ft.

Ornamental tree rarely over 100 feet high. Very white trunk and loose graceful head when older.

|         |      |       |        |
|---------|------|-------|--------|
| 4-5 ft. | .75  | 6.75  | 60.00  |
| 5-6 ft. | 1.25 | 11.25 | 100.00 |
| 6-8 ft. | 2.00 | 18.00 |        |

**CARAGANA, Pea-shrub.****arborescens, SIBERIAN PEATREE.** 8-20 ft. Yellow. May-June.

|         |      |      |  |
|---------|------|------|--|
| 3-4 ft. | .60  | 5.40 |  |
| 4-5 ft. | 1.00 | 9.00 |  |

**frutex, RUSSIAN PEA-SHRUB.** 10 ft. Bright yellow. June-July.

Very hardy; from Russia and Siberia.

|         |     |      |       |
|---------|-----|------|-------|
| 1-2 ft. | .40 | 3.60 | 32.00 |
|---------|-----|------|-------|

**CARPINUS, Hornbeam.****betulus, EUROPEAN HORNBEAM.** 65-70 ft.

Makes an excellent hedge or a fine lawn tree.

|         |      |      |       |
|---------|------|------|-------|
| 1-2 ft. | .50  | 4.50 | 39.00 |
| 2-3 ft. | 1.00 | 9.00 |       |

**caroliniana, AMERICAN HORNBEAM.** 15-40 ft.

Bushy tree rarely 40 feet; slender branches and dark bluish-green foliage. A fine hedge plant.

|         |      |       |        |
|---------|------|-------|--------|
| 2-3 ft. | .40  | 3.60  | 32.00  |
| 3-4 ft. | .60  | 5.40  | 48.00  |
| 4-5 ft. | 1.00 | 9.00  | 81.00  |
| 5-6 ft. | 2.00 | 18.00 | 162.00 |

**CASTANEA, Chestnut.****pumila, CHINQUAPIN.** 20-45 ft.

A spreading shrub or small tree native in dry woods and thickets. New Jersey to Indiana and southward. Introduced northward and entirely hardy. Sweet pointed edible nut scarcely half size of common chestnut.

|         |     |      |       |
|---------|-----|------|-------|
| 1-2 ft. | .60 | 5.40 | 48.00 |
|---------|-----|------|-------|

**CHIONANTHUS, Fringetree.****virginica, WHITE FRINGETREE.** 5-30 ft. White. May-June.

|         |     |      |  |
|---------|-----|------|--|
| 1-2 ft. | .75 | 6.75 |  |
|---------|-----|------|--|

**CLADRASTIS, Yellow-wood.****lutea.** 40-60 ft. White. June-July.

A charming native tree with loose drooping panicles of fragrant flowers in Summer.

|         |     |      |       |
|---------|-----|------|-------|
| 2-3 ft. | .50 | 4.50 | 39.00 |
| 3-4 ft. | .75 | 6.75 |       |

**CLETHRA, Clethra.****acuminata, CINNAMON CLETHRA.** 8-20 ft. White. July-August.

Picturesque upright growth, with cinnamon-colored bark. Recurved panicles.

|         |      |      |       |
|---------|------|------|-------|
| 1-2 ft. | .40  | 3.60 | 32.00 |
| 2-3 ft. | .75  | 6.75 |       |
| 3-4 ft. | 1.00 | 9.00 |       |

|  |             |           |            |
|--|-------------|-----------|------------|
| <b>CLETHRA, Continued</b>  | <b>Each</b> | <b>10</b> | <b>100</b> |
| <b>alnifolia, SUMMERSWEET.</b> 3-15 ft. July-September.            |             |           |            |
| White fragrant flowers in erect paniced racemes.                   |             |           |            |
| 1-2 ft.  | .30         | 2.70      | 24.00      |
| 2-3 ft.  | .50         | 4.50      |            |
| <b>tomentosa, WOOLLY CLETHRA.</b> 4-8 ft. White. August-September. |             |           |            |
| 2-3 ft.  | .50         | 4.50      | 39.00      |
| <b>CORNUS, Dogwood.</b>  |             |           |            |
| <b>alba sibirica, CORAL DOGWOOD.</b> 6-10 ft. White. July.         |             |           |            |
| Branches bright coral-red.   |             |           |            |
| 2-3 ft.  | .30         | 2.70      |            |
| 3-4 ft.  | .40         | 3.60      |            |
| <b>alternifolia, PAGODA DOGWOOD.</b> 12-25 ft. May-June.           |             |           |            |
| Curious whorled branches. Bluish-black fruit on red pedicels.      |             |           |            |
| 1-2 ft.  | .30         | 2.70      | 24.00      |
| 2-3 ft.  | .50         | 4.50      | 39.00      |
| <b>amomum, SILKY DOGWOOD.</b> 3-10 ft. Yellowish-white. June-July. |             |           |            |
| Shrub with purple branches. Fruit blue, sometimes partly white.    |             |           |            |
| 3-4 ft.  | .50         | 4.50      |            |



*Flowering Dogwood (Cornus florida)*

|  |      |       |        |
|--|------|-------|--------|
| <b>florida, FLOWERING DOGWOOD.</b> 10-40 ft. White. Ma   |      |       |        |
| This is one of the handsomest American trees and makes a wonderful show in early Spring with its pure white-bracted flowers and in Autumn brilliant scarlet fruit. |      |       |        |
| 1-2 ft.  | .40  | 3.60  | 32.00  |
| 2-3 ft.  | .75  | 6.75  | 60.00  |
| 3-4 ft.  | 1.25 | 11.25 | 102.00 |
| 4-16 ft. specimens at special prices.  |      |       |        |

|  |      |       |  |
|--|------|-------|--|
| <b>florida rubra, REDFLOWERING DOGWOOD.</b> 10-25 ft. Pink. May. |      |       |  |
| 2-3 ft.  | 2.00 | 18.00 |  |
| 3-4 ft.  | 3.00 | 27.00 |  |
| 4-5 ft.  | 5.00 | 45.00 |  |
| 5-6 ft.  | 7.00 | 63.00 |  |

|   |      |      |       |
|---|------|------|-------|
| <b>CORNUS, Continued</b>  | Each | 10   | 100   |
| <b>kousa, KOUSA DOGWOOD.</b> 15-20 ft.  |      |      |       |
| Native of Japan, Korea and Northern China. This Dogwood is unusually attractive with its dense creamy-white floral heads blooming in mid-June and lasting for over a month. |      |      |       |
| 2-3 ft.   | 1.00 | 9.00 |       |
| <b>paniculata, GRAY DOGWOOD.</b> 6-12 ft. May-June.   |      |      |       |
| Handsome white panicked flowers and white fruit on red pedicels in Autumn. Good for bird cover.   |      |      |       |
| 1-2 ft.   | .30  | 2.70 | 24.00 |
| <b>sanguinea, BLOODTWIG DOGWOOD.</b> 6-12 ft. Greenish-white. May-June.   |      |      |       |
| Purple or dark-red branches.  |      |      |       |
| 3-4 ft.   | .50  | 4.50 | 39.00 |
| <b>stolonifera, REDOSIER DOGWOOD.</b> 6-8 ft. Dull white. May-June.   |      |      |       |
| Dark blood-red branches; white fruit.   |      |      |       |
| 2-3 ft.   | .30  | 2.70 | 24.00 |
| 3-4 ft.   | .50  | 4.50 |       |
| <b>stolonifera flaviramea, GOLDENTWIG DOGWOOD.</b> 6-8 ft.  |      |      |       |
| 2-3 ft.   | .30  | 2.70 | 24.00 |
| <b>CORYLUS, Hazelnut.</b>   |      |      |       |
| <b>americana, AMERICAN HAZELNUT.</b> 3-10 ft.   |      |      |       |
| Good for under cover.   |      |      |       |
| 2-3 ft.   | .60  | 5.40 |       |
| 3-4 ft.   | .75  | 6.75 |       |
| <b>COTONEASTER, Cotoneaster.</b>  |      |      |       |
| <b>acutifolia, PEKING COTONEASTER.</b> 6-8 ft. White and pink. June.  |      |      |       |
| Semi-evergreen. Black fruit.  |      |      |       |
| Pot Grown Plants:   |      |      |       |
| 12-18 in.   | .30  | 2.70 | 24.00 |
| 18-24 in.   | .40  | 3.60 | 32.00 |
| <b>acutifolia villosula.</b> Denser habit with larger foliage.  |      |      |       |
| Pot Grown Plants:   |      |      |       |
| 6-12 in.  | .40  | 3.60 |       |
| <b>cotoneaster bullata floribunda, VILMORIN COTONEASTER.</b> 6 ft.  |      |      |       |
| Pinkish flowers in many flowered clusters. Red fruit. Smooth green leaves, greyish beneath.   |      |      |       |
| Pot Grown:  |      |      |       |
| 6-9 in.   | .40  | 3.60 |       |
| 9-12 in.  | .60  | 5.40 |       |
| <b>dielsiana, DIELS COTONEASTER.</b> 6 ft. Pinkish. June.   |      |      |       |
| Slender arching branches; fruit pendulous, coral-red.   |      |      |       |
| Pot Grown Plants:   |      |      |       |
| 18-24 in.   | 1.00 | 9.00 |       |
| <b>divaricata, SPREADING COTONEASTER.</b> 6 ft. Pink. June.   |      |      |       |
| Very handsome when studded with its bright red fruit.   |      |      |       |
| Pot Grown Plants:   |      |      |       |
| 6-12 in.  | .40  | 3.60 | 32.00 |
| 12-18 in.   | .80  | 7.20 | 64.00 |
| 18-24 in.   | 1.00 | 9.00 | 81.00 |
| <b>foveolata.</b> 6-10 ft. Pinkish. June.   |      |      |       |
| Black fruited; foliage turns bright scarlet and orange.   |      |      |       |
| Pot Grown Plants:   |      |      |       |
| 18-24 in.   | 1.00 | 9.00 |       |
| <b>integerrima, EUROPEAN COTONEASTER.</b> 3-4 ft. May-June.   |      |      |       |
| A much branched round shrub with pink flowers, and very ornamental, globular, bright red fruit.   |      |      |       |
| Pot Grown Plants:   |      |      |       |
| 12-18 in.   | .60  | 5.40 |       |
| <b>lucida.</b> 6-10 ft. Pink. May-June.   |      |      |       |
| Upright dense shrub; fruit purplish-black. Of great value as a hedge plant, very hardy and stands clipping well.  |      |      |       |
| Pot Grown Plants:   |      |      |       |
| 12-18 in.   | .30  | 2.70 | 24.00 |
| 18-24 in.   | .60  | 5.40 | 48.00 |

|   | Each | 10    | 100    |
|---|------|-------|--------|
| <b>COTONEASTER, Continued</b>   |      |       |        |
| <b>moupinensis, MUPIN COTONEASTER.</b> 15 ft. White. June.  |      |       |        |
| Long broad foliage. Black fruit.  |      |       |        |
| Pot Grown Plants:   |      |       |        |
| 18-24 in.   | 1.00 | 9.00  |        |
| <b>nitens.</b> 4-6 ft. Pink. June.  |      |       |        |
| Broad shrub with dark green lustrous leaves, small flowers and pendulous purplish-black fruit. One of the handsomest of the hardy Cotoneasters.                       |      |       |        |
| Pot Grown Plants:   |      |       |        |
| 12-18 in.   | .30  | 2.70  | 24.00  |
| 18-24 in.   | .60  | 5.40  | 48.00  |
| <b>racimiflora soongarica.</b> 8 ft. White  |      |       |        |
| Slender spreading branches with clusters of white flowers. Red fruit.   |      |       |        |
| Pot Grown:  |      |       |        |
| 9-12 in.  | 1.00 | 9.00  |        |
| <b>racimiflora veitchi.</b> 8 ft. White.  |      |       |        |
| Spreading habit. Dark red fruit.  |      |       |        |
| Pot Grown:  |      |       |        |
| 6-9 in.   | .60  | 5.40  |        |
| <b>salicifolia floccosa, WILLOWLEAF COTONEASTER.</b> 6 ft. White. May-June.   |      |       |        |
| Semi-evergreen, spreading habit. Red fruit.   |      |       |        |
| Pot Grown Plants:   |      |       |        |
| 12-18 in.   | 1.00 | 9.00  |        |
| 18-24 in.   | 1.50 | 13.50 |        |
| <b>zabeli.</b> 4-6 ft. Pinkish. May.  |      |       |        |
| A broad shrub, ovoid red fruit and foliage turning bright yellow in Fall.   |      |       |        |
| Pot Grown Plants:   |      |       |        |
| 12-18 in.   | 1.00 | 9.00  |        |
| 18-24 in.   | 1.50 | 13.50 |        |
| <b>CRATAEGUS, Hawthorn.</b>   |      |       |        |
| <b>arkansana, ARKANSAS HAWTHORN.</b> 30 ft. White. May-June.  |      |       |        |
| Scarlet fruit in October.   |      |       |        |
| 2-3 ft.   | 1.50 | 13.50 |        |
| <b>arnoldiana, ARNOLD HAWTHORN.</b> 15-20 ft. White. May.   |      |       |        |
| Fruit bright crimson.   |      |       |        |
| 2-3 ft.   | 1.00 | 9.00  | 81.00  |
| 3-4 ft.   | 1.50 | 13.50 | 120.00 |
| 4-5 ft.   | 2.00 | 18.00 | 162.00 |
| <b>coccinea, THICKET HAWTHORN.</b> 20 ft. White. May-June.  |      |       |        |
| Bushy tree; ½ inch long red fruit.  |      |       |        |
| 1-2 ft.   | .40  | 3.60  | 32.00  |
| 2-3 ft.   | .60  | 5.40  | 48.00  |
| 3-4 ft.   | 1.00 | 9.00  |        |
| <b>coccinioides.</b> 15-20 ft.  |      |       |        |
| A round-topped densely branched tree with bright orange and scarlet. Autumn foliage and erect clusters of shining crimson fruits which ripen and fall during October. |      |       |        |
| 3-4 ft.   | 1.00 | 9.00  |        |

|  |      |       |        |
|--|------|-------|--------|
| <b>cordata, WASHINGTON HAWTHORN.</b> 30 ft. May-June.  |      |       |        |
| A very desirable species; beautiful Fall coloring and long clusters of bright red fruit remaining a long time on the branches. |      |       |        |
| 2-3 ft.  | .75  | 6.75  | 60.00  |
| 3-4 ft.  | 1.00 | 9.00  | 81.00  |
| 4-5 ft.  | 1.50 | 13.50 | 120.00 |
| 5-6 ft.  | 2.00 | 18.00 |        |

|   |      |      |  |
|---|------|------|--|
| <b>crusgalli, COCKSPUR THORN.</b> 40 ft. White. May-June.                                     |      |      |  |
| Very decorative species; handsome in bloom and showy bright red fruit remaining until Spring. |      |      |  |
| 2-3 ft.   | .75  | 6.75 |  |
| 3-4 ft.   | 1.00 | 9.00 |  |



|  |           |            |       |
|--|-----------|------------|-------|
| <b>CRATAEGUS, Continued Each</b>   | <b>10</b> | <b>100</b> |       |
| monogyna, <b>ENGLISH HAWTHORN</b> (one-stone). 15-20 ft. White. May.   |           |            |       |
| Oval bright red fruit.   |           |            |       |
| 2-3 ft.  | .75       | 6.75       |       |
| oxyacantha, <b>ENGLISH HAWTHORN</b> (two-stone). 8-15 ft. White. May.  |           |            |       |
| The Hawthorn or May of English literature. The white flowers are followed by brilliant red "haws" which hang until February. |           |            |       |
| 2-3 ft.  | .75       | 6.75       |       |
| oxyacantha splendens, <b>PAUL DOUBLE SCARLET HAWTHORN</b> .  |           |            |       |
| Variety with double scarlet flowers making this one of the most brilliant of late Spring bloomers.                           |           |            |       |
| 3-4 ft.  | 2.00      | 18.00      |       |
| 4-5 ft.  | 2.50      | 22.50      |       |
| 5-6 ft.  | 3.00      | 27.00      |       |
| prunifolia, <b>PLUMLEAF HAWTHORN</b> . 30 ft. White. May-June.   |           |            |       |
| A handsome plant with brilliant scarlet fruit and lustrous leaves which turn bright orange or scarlet in October.            |           |            |       |
| 2-3 ft.  | .75       | 6.75       |       |
| punctata, <b>DOTTED HAWTHORN</b> . 25 ft. White. May-June.   |           |            |       |
| Horizontal spreading branches; dull red fruit falling soon.  |           |            |       |
| 2-3 ft.  | .75       | 6.75       | 60.00 |
| 3-4 ft.  | 1.00      | 9.00       |       |
| 4-5 ft.  | 1.25      | 11.25      |       |
| 5-6 ft.  | 1.75      | 15.00      |       |
| <b>CYDONIA, Quince.</b>  |           |            |       |
| japonica, <b>FLOWERING QUINCE</b> . 3-6 ft. Red. May.  |           |            |       |
| Good old-fashioned shrub.  |           |            |       |
| 1-2 ft.  | .30       | 2.70       | 24.00 |
| <b>CYTISUS, Broom.</b>   |           |            |       |

**scoparius, SCOTCH BROOM. 5-8 ft.**

Notable for its green twiggy stems and mass of clear yellow flowers in May and June. Prune severely after flowering.

|            |     |      |       |
|------------|-----|------|-------|
| 12-18 in., |     |      |       |
| 4 in. pots | .60 | 5.40 | 48.00 |
| 18-24 in., |     |      |       |
| 4 in. pots | .75 | 6.75 | 60.00 |

**CYTISUS, hybrid seedlings. 5 ft. May-June.**

These are from selected seed of the finest named varieties and have remarkable variations of color from white and clear yellow to deep red. Very desirable.

Pot Grown:

|          |      |      |
|----------|------|------|
| 9-12 in. | 1.00 | 9.00 |
|----------|------|------|

**DEUTZIA, Deutzia.**

**PRIDE OF ROCHESTER**, 8-12 ft. White and pink. July.

Very profuse bloomer.

|         |     |      |
|---------|-----|------|
| 2-3 ft. | .30 | 2.70 |
| 3-4 ft. | .40 | 3.60 |
| 4-5 ft. | .75 | 6.75 |

scabra, **FUZZY DEUTZIA**. 8-12 ft. White or blush. June-July.

Upright flower panicles. Shaggy bark:

|         |     |      |
|---------|-----|------|
| 1-2 ft. | .30 | 2.70 |
| 2-3 ft. | .40 | 3.60 |

**DIERVILLA, Bushhoneysuckle.**

rivularis, **GEORGIA BUSHHONEY SUCKLE**. 4-6 ft.

Yellow. July-August.

Shrub with dense growth.

|         |     |      |
|---------|-----|------|
| 1-2 ft. | .30 | 2.70 |
|---------|-----|------|

trifida, **DWARF BUSHHONEY SUCKLE**. 1-3 ft. Yellow. June-July.

A fine very low-growing ground cover, rarely over two feet high.

|                   |     |      |
|-------------------|-----|------|
| Collected 1-2 ft. | .30 | 2.70 |
|-------------------|-----|------|



|  | Each | 10   | 100 |
|--|------|------|-----|
| <b>ELAEAGNUS, <i>Elaeagnus</i>.</b>        |      |      |     |
| <b>angustifolia, RUSSIAN-OLIVE.</b> 25 ft. |      |      |     |
| Silvery foliage; yellow fruit.             |      |      |     |
| 2-3 ft.                                    | .30  | 2.70 |     |
| 3-4 ft.                                    | .40  | 3.60 |     |
| 4-5 ft.                                    | .75  | 6.75 |     |

**ELSHOLTZIA.**

**stauntoni.** 1-3 ft. Lilac-purple. September-October.

A remarkable shrubby plant of greatest value on account of blooming so late. Flowers in conspicuous spikes.

Strong Plants .60 5.40

**ENKIANTHUS, *Enkianthus*.**

**campanulatus, REDVEIN ENKIANTHUS.** 6-15 ft.  
Orange. May.

This charming native of Japan should be in every fine garden. Masses of bell-shaped flowers, yellowish or pale orange, veined darker red on pendulous stalks in May. One of the handsomest of ericaceous plants; foliage turning brilliant red in Autumn.

|           |      |       |        |
|-----------|------|-------|--------|
| 12-18 in. | 1.00 | 9.00  | 81.00  |
| 18-24 in. | 1.75 | 15.00 | 140.00 |
| 2-3 ft.   | 2.50 | 22.50 |        |

**perulatus, WHITE ENKIANTHUS.** 4-7 ft. White. May.

Dwarfer species. Leaves turn yellow or scarlet.

|           |      |       |  |
|-----------|------|-------|--|
| 12-18 in. | 1.75 | 15.00 |  |
| 18-24 in. | 2.50 | 22.50 |  |
| 2-3 ft.   | 3.50 | 31.00 |  |

**subsessilis, NIKKO ENKIANTHUS.** 9 ft. White, May-June.

A handsome Japanese species, leaves turning brilliant red in Autumn.

|           |      |       |  |
|-----------|------|-------|--|
| 12-18 in. | 2.50 | 22.50 |  |
|-----------|------|-------|--|

**EUONYMUS, *Euonymus*.**

**alatus, WINGED EUONYMUS.** 8-10 ft. Yellowish. May-June.

Leaves turning brilliant crimson color in Autumn; corky wings on branches; a very beautiful shrub.

|         |     |      |       |
|---------|-----|------|-------|
| 2-3 ft. | .60 | 5.40 | 48.00 |
|---------|-----|------|-------|

**alatus (compact form).**

A new choice compact form of the Winged Euonymus.

|          |      |       |  |
|----------|------|-------|--|
| 2-2½ ft. | 2.00 | 18.00 |  |
|----------|------|-------|--|

**bungeanus, WINTERBERRY EUONYMUS.** 12-15 ft.

Yellowish. June.

With brilliant orange and pink fruit remaining a long time on the branches.

|         |      |       |  |
|---------|------|-------|--|
| 4-5 ft. | 1.00 | 9.00  |  |
| 5-6 ft. | 2.00 | 18.00 |  |
| 6-8 ft. | 3.00 | 27.00 |  |

**europaeus, EUROPEAN BURNINGBUSH.** 12-20 ft.

Yellowish. May.

Scarlet fruit in Autumn.

|         |      |       |  |
|---------|------|-------|--|
| 5-6 ft. | 1.50 | 13.50 |  |
| 6-8 ft. | 3.00 | 27.00 |  |

**maacki.** 4-7 ft. Yellow. Pink fruits. July.

From the Orient.

|         |      |      |       |
|---------|------|------|-------|
| 1-2 ft. | .60  | 5.40 | 48.00 |
| 2-3 ft. | 1.00 | 9.00 | 81.00 |

**patens, SPREADING EUONYMUS.** 4-9 ft.

Ornamental half-evergreen shrub with pinkish-red fruit effect.

|         |     |      |  |
|---------|-----|------|--|
| 2-3 ft. | .60 | 5.40 |  |
|---------|-----|------|--|

**yedoensis, YEDDO EUONYMUS.** 8-15 ft. Yellow. June.

Large shrub with remarkable masses of pink and orange four-lobed fruit.

|         |     |      |       |
|---------|-----|------|-------|
| 1-2 ft. | .50 | 4.50 | 39.00 |
| 2-3 ft. | .75 | 6.75 | 60.00 |

**EXOCHORDA, Pearlbush.**

**grandiflora (racemosa), COMMON PEARLBUSH.** 6-10 ft.

White. April.

Slender spreading shrub.

|         |      |      |       |
|---------|------|------|-------|
| 2-3 ft. | .60  | 5.40 | 48.00 |
| 3-4 ft. | .75  | 6.75 | 60.00 |
| 4-5 ft. | 1.00 | 9.00 |       |

**FAGUS, Beech.** Each 10 100**americana, AMERICAN BEECH.** 60-80 ft.

One of our best American ornamental trees for permanent planting.

|         |      |       |
|---------|------|-------|
| 3-4 ft. | 2.50 | 22.50 |
| 4-5 ft. | 3.50 | 31.00 |
| 5-6 ft. | 4.50 | 40.00 |

**FORSYTHIA, Forsythia.****intermedia, BORDER FORSYTHIA.** 10-15 ft. Yellow.

April-May.

Glossy green foliage and bright golden flowers.

|         |      |      |
|---------|------|------|
| 3-4 ft. | .40  | 3.60 |
| 4-5 ft. | .60  | 5.40 |
| 5-6 ft. | 1.00 | 9.00 |

**intermedia spectabilis, SHOWY BORDER FORSYTHIA.**

6-10 ft. Primrose.

An improved form of the Border Forsythia, larger more brilliant yellow flowers.

|         |      |      |
|---------|------|------|
| 2-3 ft. | .60  | 5.40 |
| 3-4 ft. | .75  | 6.75 |
| 4-5 ft. | 1.00 | 9.00 |

**ovata, 4-6 ft. Yellow. April.**

A new, distinct, and handsome species from Korea, the earliest to bloom.

|         |      |       |
|---------|------|-------|
| 1-2 ft. | 1.00 | 9.00  |
| 2-3 ft. | 1.50 | 13.50 |
| 3-4 ft. | 2.00 | 18.00 |

**suspensa fortunei, FORTUNE FORSYTHIA.** 8-12 ft.

Yellow. April-May.

Upright habit with finely arching branches.

|         |     |      |       |
|---------|-----|------|-------|
| 2-3 ft. | .30 | 2.70 | 24.00 |
| 3-4 ft. | .40 | 3.60 | 32.00 |
| 4-5 ft. | .60 | 5.40 |       |

**suspensa sieboldi, SIEBOLD FORSYTHIA.** 4-6 ft. Yellow. April-May.

Low growing form, with slender pendulous branches often trailing the ground.

|         |     |      |
|---------|-----|------|
| 2-3 ft. | .40 | 3.60 |
| 3-4 ft. | .50 | 4.50 |
| 4-5 ft. | .75 | 6.75 |

**GAYLUSSACIA, Huckleberry.****baccata, BLACK HUCKLEBERRY.** 2-3 ft. Reddish. May-June.

Erect shrub with sweet black fruit; good ground cover for sandy soils.

|                               |     |      |       |
|-------------------------------|-----|------|-------|
| 1 ft. square collected clumps | .50 | 4.50 | 39.00 |
|-------------------------------|-----|------|-------|

**HALESIA, Silverbell.****monticola, MOUNTAIN SILVERBELL.** 60-100 ft.

Pyramidal tree of great beauty. Pendulous bell-shaped white flowers in May.

|         |      |      |       |
|---------|------|------|-------|
| 1-2 ft. | .50  | 4.50 | 39.00 |
| 2-3 ft. | .75  | 6.75 | 60.00 |
| 3-4 ft. | 1.00 | 9.00 |       |

**HAMAMELIS, Witchhazel.****vernalis, VERNAL WITCHHAZEL.** 4-6 ft. Yellow.

January-March.

A most attractive and rare shrub blooming in late Winter or earliest Spring. The flowers are delightfully fragrant with bright yellow petals and sepals dark red inside.

|         |      |       |        |
|---------|------|-------|--------|
| 3-4 ft. | 2.00 | 18.00 | 160.00 |
| 4-5 ft. | 3.00 | 27.00 | 240.00 |
| 5-6 ft. | 4.00 | 36.00 | 324.00 |




Foto by Plateau Studios  
*Mountain Silverbell (Halesia monticola)*  
in its native habitat

|                                       |      |          |         |     |
|---------------------------------------|------|----------|---------|-----|
| <b>HAMAMELIS, Continued</b>           |      | Each     | 10      | 100 |
| <b>virginiana, COMMON WITCHHAZEL.</b> |      | 8-25 ft. | Yellow. |     |
| September-October.                    |      |          |         |     |
| Fine undershrub.                      |      |          |         |     |
| 2-3 ft.                               | .40  | 3.60     | 32.00   |     |
| 3-4 ft.                               | .60  | 5.40     | 48.00   |     |
| 4-5 ft.                               | 1.00 | 9.00     |         |     |
| 5-6 ft.                               | 1.50 | 13.50    |         |     |

|  |     |      |       |  |
|--|-----|------|-------|--|
| <b>HYDRANGEA, Hydrangea.</b>   |     |      |       |  |
| <b>arborescens, SMOOTH HYDRANGEA.</b> 4-8 ft. White.   |     |      |       |  |
| June-July.   |     |      |       |  |
| Very suitable in a shady undershrub planting.  |     |      |       |  |
| 2-3 ft.  | .50 | 4.50 | 39.00 |  |
| <b>arborescens grandiflora, SNOWHILL.</b> 3-6 ft. White. June-July.  |     |      |       |  |
| A form with all flowers sterile and very showy; a striking and useful plant for underplanting and borders. |     |      |       |  |
| 2-3 ft.  | .50 | 4.50 | 39.00 |  |

|  |      |       |  |  |
|--|------|-------|--|--|
| <b>bretschneideri, SHAGGY HYDRANGEA.</b>   |      |       |  |  |
| White flowers in August. Large oval leaves; shaggy brown bark. An unusual variety that is not easily obtained. |      |       |  |  |
| 12-18 in.  | 1.50 | 13.50 |  |  |

|  |     |      |       |  |
|--|-----|------|-------|--|
| <b>paniculata, PANICLE HYDRANGEA.</b> 6-30 ft. Whitish.  |     |      |       |  |
| August-September.  |     |      |       |  |
| Shrub or small tree rarely attaining 30 feet; large panicles much more graceful than the Peegee Hydrangea. |     |      |       |  |
| 2-3 ft.  | .50 | 4.50 | 39.00 |  |
| 3-4 ft.  | .75 | 6.75 |       |  |

| <b>HYDRANGEA, Cont.</b>  |      | Each  | 10     | 100 |
|--|------|-------|--------|-----|
| <b>paniculata grandiflora, PEEGEE HYDRANGEA.</b>   |      |       |        |     |
| The common variety with large trusses of white flowers, changing to pink shades.   |      |       |        |     |
| 2-3 ft.  | .50  | 4.50  | 39.00  |     |
| <b>paniculata praecox, EARLY PANICLE HYDRANGEA.</b>  |      |       |        |     |
| 10 ft. August.   |      |       |        |     |
| Early blooming type.   |      |       |        |     |
| 4-5 ft.  | 1.50 | 13.50 |        |     |
| 5-6 ft.  | 2.50 | 22.50 |        |     |
| <b>paniculata tardiva, LATE PANICLE HYDRANGEA. 10</b>  |      |       |        |     |
| ft. October.   |      |       |        |     |
| Late blooming form.  |      |       |        |     |
| 3-4 ft.  | 1.00 | 9.00  |        |     |
| <b>quercifolia, OAKLEAF HYDRANGEA. 8 ft. White.</b>  |      |       |        |     |
| August.  |      |       |        |     |
| Very broad, showy foliage.   |      |       |        |     |
| 1-2 ft.  | .75  | 6.75  |        |     |
| <b>radiata, SILVERLEAF HYDRANGEA. 4 ft. White.</b>   |      |       |        |     |
| August.  |      |       |        |     |
| Silvery undersurfaced leaves.  |      |       |        |     |
| 1-2 ft.  | .50  | 4.50  | 39.00  |     |
| <b>HYPERICUM, St. Johnswort.</b>   |      |       |        |     |
| <b>densiflorum. 5 ft. Yellow. July.</b>  |      |       |        |     |
| Narrow foliage. Upright.   |      |       |        |     |
| Collected Plants:  |      |       |        |     |
| 2-3 ft.  | .40  | 3.60  | 32.00  |     |
| <b>ILEX, Holly.</b>  |      |       |        |     |
| <b>monticola, MOUNTAIN WINTERBERRY. 10-40 ft. May.</b>   |      |       |        |     |
| Brilliant scarlet fruit on fertile plants. Very desirable.   |      |       |        |     |
| 2-3 ft.  | .75  | 6.75  | 60.00  |     |
| <b>serrata, FINETOOTH HOLLY. 15 ft.</b>  |      |       |        |     |
| Persistent scarlet fruit.  |      |       |        |     |
| 12-18 in.  | .75  | 6.75  | 60.00  |     |
| 18-24 in.  | 1.50 | 13.50 | 120.00 |     |
| 2-3 ft.  | 2.50 | 22.50 |        |     |
| <b>verticillata, COMMON WINTERBERRY. 4-10 ft. June-</b>  |      |       |        |     |
| July.  |      |       |        |     |
| Thick-growing shrub with brilliant bright red fruit remaining until mid-Winter. One of the best hardy berry-bearing shrubs.  |      |       |        |     |
| 1-2 ft.  | .40  | 3.60  | 32.00  |     |
| 2-3 ft.  | .60  | 5.40  |        |     |
| <b>KOLKWITZIA.</b>   |      |       |        |     |
| <b>amabilis, BEAUTYBUSH. 4-6 ft. Pink. June.</b>   |      |       |        |     |
| This beautiful shrub, with its arching sprays of clear pink flowers, should be in every garden. Introduced from China by the late Dr. E. H. Wilson and the Arnold Arboretum, it has successfully withstood the severe New England climate. Dr. Wilson said, "On account of its peculiar charm and fascination I suggest as a common name for this shrub that of Beautybush." |      |       |        |     |
| 12-18 in.  | .30  | 2.70  | 24.00  |     |
| 18-24 in.  | .60  | 5.40  | 48.00  |     |
| Flowering Size:  |      |       |        |     |
| 2-3 ft.  | 1.00 | 9.00  | 81.00  |     |
| 3-4 ft.  | 1.50 | 13.50 | 120.00 |     |
| <b>LARIX, Larch.</b>   |      |       |        |     |
| <b>dahurica, DAHURIAN LARCH. 45-80 ft. Purple catkins.</b>   |      |       |        |     |
| May.   |      |       |        |     |
| Rare rapid-growing species from eastern Siberia.   |      |       |        |     |
| 3-4 ft.  | .75  | 6.75  | 60.00  |     |
| 4-5 ft.  | 1.00 | 9.00  | 81.00  |     |
| 5-6 ft.  | 1.50 | 13.50 |        |     |
| 6-8 ft.  | 2.50 | 22.50 |        |     |
| <b>dahurica, var. principis rupprechti.</b>  |      |       |        |     |
| A variety with larger cones from Korea and northern China.   |      |       |        |     |
| 1-2 ft.  | .75  | 6.75  |        |     |
| 2-3 ft.  | 1.00 | 9.00  |        |     |



Foto by H. P. K.

*Beautybush (Kolkwitzia amabilis)*

|   |      |       |        |
|---|------|-------|--------|
| <b>LARIX, Continued</b>   | Each | 10    | 100    |
| <b>europaea, EUROPEAN LARCH. 50-100 ft.</b>   |      |       |        |
| 3-4 ft.   | .75  | 6.75  | 60.00  |
| 4-5 ft.   | 1.00 | 9.00  |        |
| 5-6 ft.   | 1.50 | 13.50 |        |
| 6-8 ft.   | 2.50 | 22.50 |        |
| <b>leptolepis, JAPANESE LARCH. 45-80 ft.</b>  |      |       |        |
| Very handsome as a lawn specimen, of very rapid growth.   |      |       |        |
| 3-4 ft.   | .75  | 6.75  | 60.00  |
| 4-5 ft.   | 1.00 | 9.00  | 81.00  |
| 5-6 ft.   | 1.50 | 13.50 | 120.00 |
| 6-8 ft.   | 2.50 | 22.50 | 202.00 |
| <b>LEUCOTHOE, Leucothoe.</b>  |      |       |        |
| <b>racemosa, SWEETBELLS. 4-10 ft. White. April-June.</b>  |      |       |        |
| A handsome ericaceous shrub with conspicuous panicles of bell-like flowers.                                 |      |       |        |
| 1-2 ft.   | .60  | 5.40  | 48.00  |
| 2-3 ft.   | .75  | 6.75  | 60.00  |
| <b>LIGUSTRUM, Privet.</b>   |      |       |        |
| <b>acuminatum macrocarpum, BIGBERRY PRIVET. 6-8 ft.</b>   |      |       |        |
| Upright. Black fruit.   |      |       |        |
| 2-3 ft.   | .30  | 2.70  | 24.00  |
| <b>amurense, AMUR PRIVET. 4-8 ft. White. June-July. The</b>   |      |       |        |
| "North" or hardy strain with growth similar to California Privet. The latter is not hardy in this latitude. |      |       |        |
| 2-3 ft.   | .30  | 2.70  | 24.00  |
| 3-4 ft.   | .40  | 3.60  | 32.00  |
| <b>IBOLIUM PRIVET. 4-6 ft. White. June-July.</b>  |      |       |        |
| Upright hardy form; very useful instead of the tender California Privet.                                    |      |       |        |
| 2-3 ft.   | .25  | 2.25  | 20.00  |
| <b>ibota, IBOTA PRIVET. 6-10 ft. White. June-July.</b>  |      |       |        |
| Very hardy shrub with spreading branches. One of the best Privets.  |      |       |        |
| 2-3 ft.   | .30  | 2.70  | 24.00  |
| 3-4 ft.   | .50  | 4.50  | 39.00  |

| <b>LIGUSTRUM, Continued</b>  |      | Each  | 10    | 100 |
|--|------|-------|-------|-----|
| <b>ibota regelianum, REGEL PRIVET.</b> 3-8 ft. White. June-July.   |      |       |       |     |
| Low dense shrub with horizontal spreading branches; fine hedge plant.  |      |       |       |     |
| 18-24 in.  | .35  | 3.15  | 27.00 |     |
| <b>vulgare, EUROPEAN PRIVET.</b> 6-15 ft. White. June-July   |      |       |       |     |
| Fine dark green foliage, and panicles of blue-black fruit through the Winter; one of the best.                                 |      |       |       |     |
| 1-2 ft.  | .30  | 2.70  | 21.00 |     |
| 2-3 ft.  | .40  | 3.60  | 30.00 |     |
| 3-4 ft.  | .60  | 5.40  | 48.00 |     |
| <b>LONICERA, Honeysuckle.</b>  |      |       |       |     |
| <b>chrysantha, CORALLINE HONEYSUCKLE.</b> 5-12 ft.   |      |       |       |     |
| Yellowish. May-June.   |      |       |       |     |
| Bright orange-red fruit.   |      |       |       |     |
| 1-2 ft.  | .30  | 2.70  |       |     |
| <b>fragrantissima, WINTER HONEYSUCKLE.</b> 5-8 ft.   |      |       |       |     |
| Cream. March-May.  |      |       |       |     |
| Very early sweet-scented flowers. Almost evergreen foliage.  |      |       |       |     |
| 2-3 ft.  | .60  | 5.40  | 48.00 |     |
| 3-4 ft.  | .75  | 6.75  |       |     |
| <b>korolkowi floribunda, BROAD BLUELEAF HONEY-SUCKLE.</b> 6-8 ft.  |      |       |       |     |
| Shower bouquet of grey and pink. Foliage pale grey. Profuse bright pink flowers in May and June. Attractive red fruit in Fall. |      |       |       |     |
| 2-3 ft.  | 1.00 | 9.00  |       |     |
| <b>maacki erubescens.</b> 15 ft. Pink. June.   |      |       |       |     |
| Larger foliage.  |      |       |       |     |
| 3-4 ft.  | 1.50 | 13.50 |       |     |
| <b>maximowiczii sachalinensis.</b> 10 ft. Purple. June.  |      |       |       |     |
| Dark purple conspicuous flowers and very attractive; no fruit. A new introduction.   |      |       |       |     |
| 1-2 ft.  | 1.00 | 9.00  |       |     |
| 2-3 ft.  | 1.50 | 13.50 |       |     |
| 3-4 ft.  | 2.00 | 18.00 |       |     |
| <b>morrowi, MORROW HONEYSUCKLE.</b> 5-6 ft. White.   |      |       |       |     |
| Red fruit. May-June.   |      |       |       |     |
| 2-3 ft.  | .40  | 3.60  |       |     |
| 3-4 ft.  | .60  | 5.40  |       |     |
| <b>morrowi, prostrate form.</b> 2-4 ft. high.  |      |       |       |     |
| Very useful where low effects are desired.   |      |       |       |     |
| 2-3 ft. spread   | .60  | 5.40  |       |     |
| 3-4 ft. spread   | 1.00 | 9.00  |       |     |
| <b>syringantha, LILAC HONEYSUCKLE.</b> 6-8 ft. Pink. May-June.   |      |       |       |     |
| A splendid upright slender-branched shrub with fragrant flowers.   |      |       |       |     |
| 1-2 ft.  | .75  | 6.75  |       |     |
| 2-3 ft.  | 1.25 | 11.25 |       |     |
| <b>tatarica alba, WHITE TATARIAN HONEYSUCKLE.</b>  |      |       |       |     |
| 6-10 ft. White. May-June.  |      |       |       |     |
| 3-4 ft.  | .50  | 4.50  | 39.00 |     |
| <b>trichosantha, SLENDER HONEYSUCKLE.</b> 6 ft. Red. June.   |      |       |       |     |
| A charming variety of recent introduction from Western China and Tibet; bright red fruit.                                      |      |       |       |     |
| 1-2 ft.  | 1.00 | 9.00  |       |     |
| <b>WHITE BELLE HONEYSUCKLE</b> (bella albida). 6 ft.   |      |       |       |     |
| White. May-June.   |      |       |       |     |
| Hybrid morrowi x tatarica.   |      |       |       |     |
| 4-5 ft.  | .75  | 6.75  |       |     |
| 5-6 ft.  | 1.00 | 9.00  |       |     |

**MAGNOLIA, Magnolia.****glauca, SWEETBAY.** 25-50 ft.

Very attractive shrub or small tree with handsome glossy foliage and sweet-scented creamy white flowers.

|         |      |       |
|---------|------|-------|
| 2-3 ft. | 2.50 | 22.50 |
|---------|------|-------|

Malus, the Flowering Crab

The Flowering Crabs have few rivals among gorgeous Spring flowering trees and shrubs. At the Arnold Arboretum one of the important events of the year is the blooming of the Crabs, followed by the showy fruit.

They are of easy culture, and whether planted singly or in masses, give remarkable and quick results. Not only are the Flowering Crabs beautiful on the lawn, but they are used to the greatest advantage on a large scale in woodland and other mass plantings, as are Dogwoods and Hawthorns. No group of plants has greater value for enlivening open forest parks and the country roadside.

As soon as the ground can be worked in Spring is an ideal time for planting, and again in Fall after foliage is well ripened. Give rich soil and mulch heavily. Use all the water the soil will take in planting.

PRICES OF FLOWERING CRABS

|         | Each   | 10      |
|---------|--------|---------|
| 2-3 ft. | \$ .60 | \$ 5.40 |
| 3-4 ft. | 1.00   | 9.00    |
| 4-5 ft. | 1.25   | 11.25   |
| 5-6 ft. | 2.00   | 18.00   |
| 6-7 ft. | 3.00   | 27.00   |
| 7-8 ft. | 5.00   | 45.00   |

The sizes we can supply follow the description of each variety.



Foto by H. P. K.

Arnold Crab (Malus arnoldiana)  
at Arnold Arboretum

MALUS, Crab.

arnoldiana, Arnold Crab. 8-15 ft.

One of the most beautiful varieties, originating at the Arnold Arboretum. Very large rose-colored flowers, turning to white. Sizes, 2-3 ft., 3-4 ft. and 4-5 ft.

atrosanguinea, Carmine Crab. 15-20 ft.

Much like floribunda, but with brilliant carmine flowers. Sizes, 2-3 ft., 3-4 ft., 4-5 ft. and 5-6 ft.

baccata, Siberian Crab. 30-45 ft.

Very hardy and among the earliest to flower. Pure white blossoms in great profusion, followed by small green or reddish fruit. Sizes, 2-3 ft. and 3-4 ft.

baccata mandshurica, Manchurian Crab. 12-15 ft.

Early. From China and Japan; its large pure white flowers quite fragrant, dark scarlet fruit hangs on long stems. Sizes, 2-3 ft., 3-4 ft. and 4-5 ft.

baccata, yellow fruited form.

Sizes, 2-3 ft. and 3-4 ft.

coronaria, Wild Sweet Crab. 10-30 ft.

White and pink flowers, delightfully fragrant. Native American species. Sizes, 2-3 ft., 3-4 ft., 4-5 ft., 5-6 ft., 6-7 ft. and 7-8 ft.



**MALUS, Continued****Dolga (Hansen Red Crab). 12-15 ft.**

A new distinctive Crab with white flowers and brilliant red, edible fruit in great profusion. Sizes, 4-5 ft., 5-6 ft. and 6-7 ft.

**Eley Flowering Crab (Malus purpurea eleyi).**

A new variety resembling floribunda but with larger and better colored flowers and a more profuse bloomer. Sizes, 2-3 ft. and 3-4 ft.

**floribunda, Japanese Flowering Crab. 15-30 ft.**

One of the handsomest. Bright pink flower buds, white flowers. Small yellowish fruit much liked by birds. Sizes, 2-3 ft., 3-4 ft., 4-5 ft., 5-6 ft. and 6-7 ft.

**halliana parkmani, Parkman Crab. 15-20 ft.**

Bright rose-red, double flowers hang on long slender stems. A favorite in Japanese gardens. Size, 2-3 ft.

**Hopa Redflowering Crab. 12-15 ft.**

A remarkable tree which is entirely covered with rose-colored blossoms in May. Fruit is red inside and out, adding to its attractiveness. Very hardy. Size, 5-6 ft.

**ioensis plena, Bechtef Crab. 12-15 ft.**

Double pink flowers like small clustered roses. Sizes, 2-3 ft., 3-4 ft., 4-5 ft. and 5-6 ft.

**Mathew Crab. 20-30 ft.**

Single flowers in clusters, rose-pink in color and very fragrant. An American variety, but may be a hybrid. Fruit edible. Sizes, 2-3 ft. and 3-4 ft.

**micromalus, Midget Crab.**

A handsome small tree with upright habit and showy pink flowers. Sizes, 2-3 ft., 3-4 ft. and 4-5 ft.

**niedzwetzkyana, Redvein Crab. 15-20 ft.**

Early. A Russian Turkestan species, remarkable for the red color of flowers, branches, leaves, and fruit. Sizes, 2-3 ft., 3-4 ft., 4-5 ft., 5-6 ft., 6-7 ft. and 7-8 ft.

**prunifolia rinki (ringo), Chinese Apple. 15-18 ft.**

Large white flowers, and red, yellow or green fruit 1½ inches in diameter. Sizes, 2-3 ft., 3-4 ft., 4-5 ft. and 5-6 ft.

**purpurea, Purple Crab. 15-20 ft.**

A form of the Japanese Flowering Crab with rich red, flowers and foliage. Sizes, 2-3 ft., 3-4 ft., 4-5 ft., 5-6 ft., 6-7 ft. and 7-8 ft.

**robusta, Cherry Crab. 15-30 ft.**

Very early. Large white fragrant flowers; a handsome tree. Dull red fruit. Sizes, 2-3 ft., 3-4 ft., 4-5 ft., 5-6 ft. and 7-8 ft.

**sargentii, Sargent Crab. 4-6 ft.**

Very spreading Japanese variety. Pure white flowers with bright yellow anthers. Scarlet fruit hanging till Spring. Sizes, 2-3 ft., 3-4 ft., 4-5 ft. and 5-6 ft.

**scheideckeri, Scheidecker Crab. 15-20 ft.**

Early. Small tree of pyramidal habit with small bright rose-colored flowers in great profusion. Sizes, 2-3 ft., 3-4 ft. and 4-5 ft.

**sieboldi, Toringo Crab. 6-10 ft.**

A dense low shrub and one of the last of the Asiatic species to flower. Dark rose-colored buds contrast beautifully with the white petals of the full-blown flowers. Sizes, 2-3 ft., 3-4 ft., 4-5 ft., 5-6 ft., 6-7 ft. and 7-8 ft.

**sieboldi arborescens. 20-30 ft.**

The white flowers are produced in immense quantities followed by minute red or yellow fruit. Sizes, 2-3 ft., 4-5 ft. and 5-6 ft.

**theifera, Tea Crab. 20-25 ft.**

Numerous clusters of flowers, rose-red in the bud and pale or almost white when expanded. Sizes, 2-3 ft. and 3-4 ft.

**tschonoski. 30-40 ft.**

Handsome tree of pyramidal habit, the leaves turning orange and scarlet, white flowers, greenish fruit with purple check. Sizes, 2-3 ft., 3-4 ft., 4-5 ft. and 5-6 ft.

**MALUS, Continued**

**zumi, Zumi Crab.** Each 10 100  
Small tree of pyramidal habit, flowers pink in bud becoming white, and red fruit. Sizes, 2-3 ft., 3-4 ft. and 4-5 ft.

**zumi calocarpa.** 8-10 ft.

"One of the handsomest (Crabs) in the Arboretum, both in Spring and Autumn." Large pink and white flowers, brilliant scarlet fruit, half-inch in diameter. Size, 2-3 ft.

**NYSSA, Tupelo.**

**sylvatica.** 20-60 ft. May-June.

Tree with very picturesque growth. Autumn coloring very brilliant shades of red.

|         |      |       |        |
|---------|------|-------|--------|
| 1-2 ft. | .75  | 6.75  | 60.00  |
| 2-3 ft. | 1.25 | 11.25 | 102.00 |
| 3-4 ft. | 1.75 | 15.75 |        |
| 4-5 ft. | 2.50 | 22.50 |        |

**OXYDENDRUM, Sourwood.**

**arboreum, SOURWOOD.** 10-60 ft. White. June-August.

A very handsome medium-sized tree occasionally to 60 ft., more usually under 20 ft.; flowers when a few feet high; a mass of white flowers in Summer, and handsome foliage, turning scarlet in Autumn.

|         |      |       |        |
|---------|------|-------|--------|
| 2-3 ft. | 1.50 | 13.50 | 120.00 |
| 3-4 ft. | 2.50 | 22.50 | 202.00 |
| 4-5 ft. | 3.50 | 31.50 |        |
| 5-6 ft. | 5.00 | 45.00 |        |

**PHELLODENDRON, Corktree.**

**chinense, CHINESE CORKTREE.** 20-30 ft.

Greyish-brown bark. A very interesting small round-headed tree; cork-like bark and handsome foliage turning yellow in Autumn.

|         |     |      |  |
|---------|-----|------|--|
| 3-4 ft. | .50 | 4.50 |  |
|---------|-----|------|--|

**chinense glabriusculum.**

Variety with leaves smooth underneath.

|         |     |      |  |
|---------|-----|------|--|
| 3-4 ft. | .50 | 4.50 |  |
| 4-5 ft. | .75 | 6.75 |  |

**sachalinense, SAKHALIN CORKTREE.** 35-50 ft. June.

Dark brown trunk, broad panicles of black fruit; hardiest species in cultivation.

|         |      |       |       |
|---------|------|-------|-------|
| 3-4 ft. | .50  | 4.50  | 39.00 |
| 6-8 ft. | 2.00 | 18.00 |       |

Larger sizes—prices on application.

**PHILADELPHUS, Mockorange.**

**AVALANCHE.** 5-6 ft. White. Fragrant. June.

One of the best hybrids.

|         |     |      |       |
|---------|-----|------|-------|
| 1-2 ft. | .25 | 2.25 | 20.00 |
| 2-3 ft. | .40 | 3.60 | 32.00 |

**coronarius, SWEET MOCKORANGE.** 10 ft. White. Fragrant. May-June.

|         |     |      |       |
|---------|-----|------|-------|
| 2-3 ft. | .30 | 2.70 | 24.00 |
| 3-4 ft. | .50 | 4.50 |       |

**coronarius grandiflorus, BIG MOCKORANGE.** 15-20 ft. White. June.

Vigorous growth.

|         |     |      |  |
|---------|-----|------|--|
| 2-3 ft. | .30 | 2.70 |  |
| 3-4 ft. | .50 | 4.50 |  |

**grandiflorus, BIG SCENTLESS MOCKORANGE.** 6-10 ft. White. June.

Very hardy and attractive with large flowers in great masses.

|         |      |      |       |
|---------|------|------|-------|
| 3-4 ft. | .30  | 2.70 | 24.00 |
| 4-5 ft. | .50  | 4.50 | 39.00 |
| 5-6 ft. | 1.00 | 9.00 |       |

**lemoinei, LEMOINE MOCKORANGE.** 4-6 ft. June.

Dense racemes of white flowers with delicate perfume.

|         |     |      |       |
|---------|-----|------|-------|
| 1-2 ft. | .25 | 2.25 | 20.00 |
| 2-3 ft. | .40 | 3.60 |       |

**purpurascens, PURPLECUP MOCKORANGE.** 12 ft. June-July.

Fragrant white bracteated flowers, purple calyx.

|         |      |       |  |
|---------|------|-------|--|
| 2-3 ft. | 1.00 | 9.00  |  |
| 3-4 ft. | 2.00 | 18.00 |  |

|                                     |                             |      |       |
|-------------------------------------|-----------------------------|------|-------|
| <b>PHILADELPHUS, Cont.</b>          | Each                        | 10   | 100   |
| <b>VIRGINAL MOCKORANGE.</b>         | 6-7 ft. White. Semi-double. |      |       |
|                                     | June.                       |      |       |
|                                     | 1-2 ft.                     | .50  | 4.50  |
| <b>ZEYHER MOCKORANGE</b> (zeyheri). | 4-6 ft. White. June.        |      |       |
|                                     | 3-4 ft.                     | .75  | 6.75  |
|                                     | 4-5 ft.                     | 1.50 | 13.50 |
|                                     | 5-6 ft.                     | 2.00 | 18.00 |

**PHOTINIA, Photinia.****villosa.** 6-15 ft. White. June.

A beautiful berry-bearing shrub, the bright red fruit persisting into the Winter. Leaves turn red in Autumn.

|         |      |       |
|---------|------|-------|
| 2-3 ft. | 1.00 | 9.00  |
| 3-4 ft. | 1.50 | 13.50 |
| 4-5 ft. | 2.00 | 18.00 |

**POPULUS, Poplar.****alba nivea, SILVER POPLAR.** 100 ft.

Silvery foliage; splendid seashore tree.

|         |      |       |
|---------|------|-------|
| 5-6 ft. | 1.00 | 9.00  |
| 6-8 ft. | 1.25 | 11.25 |

**eugenei, CAROLINA POPLAR.** 90 ft.

Very rapid screen planting subject.

|          |      |       |        |
|----------|------|-------|--------|
| 6-8 ft.  | 1.00 | 9.00  | 81.00  |
| 8-10 ft. | 1.25 | 11.25 | 102.00 |

**nigra italica, LOMBARDY POPLAR.** 40-60 ft.

The well-known tall, narrow form useful in restricted areas but short-lived.

|          |      |      |       |
|----------|------|------|-------|
| 6-8 ft.  | .75  | 6.00 | 45.00 |
| 8-10 ft. | 1.00 | 8.00 | 65.00 |

**simoni fastigiata, NARROW SIMON POPLAR.** 40-50 ft.

A narrow pyramidal tree probably longer lived than Lombardy Poplar.

|         |      |      |
|---------|------|------|
| 5-6 ft. | .75  | 6.75 |
| 6-8 ft. | 1.00 | 9.00 |

**POTENTILLA, Cinquefoil.****fruticosa, SHRUBBY CINQUEFOIL.** 1-4 ft. Yellow.

June-August.

|         |     |      |       |
|---------|-----|------|-------|
| 1-2 ft. | .30 | 2.70 | 24.00 |
|---------|-----|------|-------|

**PRUNUS, Plum, Cherry.****americana, AMERICAN PLUM.** 10-20 ft. White.

A tree with great variations, rarely reaching 20 feet. Parent of most of the cultivated native plums.

|         |      |      |
|---------|------|------|
| 4-6 ft. | .75  | 6.75 |
| 6-8 ft. | 1.00 | 9.00 |

**besseyi, BESSEY CHERRY.** 4-8 ft. May.

A fine spreading shrub with showy white flowers and purple-black sweet fruit.

|         |     |      |       |
|---------|-----|------|-------|
| 2-3 ft. | .50 | 4.50 | 39.00 |
| 3-4 ft. | .75 | 6.75 |       |




Foto by H. P. K., Jr.

*Double Pinkflowering Almond***DOUBLE PINKFLOWERING ALMOND.** 5-6 ft. May.Horticultural variety of *Prunus glandulosa*, very ornamental with masses of deep pink flowers.

|         |     |      |
|---------|-----|------|
| 2-3 ft. | .75 | 6.75 |
|---------|-----|------|

| <b>PRUNUS, Continued</b>  | <b>Each</b> | <b>10</b> | <b>100</b> |
|---|-------------|-----------|------------|
| <b>DOUBLE WHITEFLOWERING ALMOND.</b> 3-6 ft. White. May.  |             |           |            |
| 2-3 ft.   | .75         | 6.75      |            |
| <b>maritima, BEACH PLUM.</b> 3-6 ft. May-June.  |             |           |            |
| Important dwarf variety native to New England coast. A beautiful ornamental with white masses of flowers followed by dull purple fruit. Makes fine jam and jelly. |             |           |            |
| 1-2 ft.   | .40         | 3.60      |            |
| 2-3 ft.   | .60         | 5.40      |            |
| <b>pumila, SAND CHERRY.</b> 4-8 ft. White. Black fruits. May-June.  |             |           |            |
| 1-2 ft.   | .40         | 3.60      |            |

**serrulata sachalinensis, YAMA CHERRY.** 60 ft. Pink. April.

A very beautiful and hardy Cherry of great ornamental value bearing a profusion of rose-pink or nearly white flowers; sometimes known as the Sargent Cherry; the Arnold Arboretum says it "supplies the best stock on which the double-flowered forms can be worked."

|         |      |       |
|---------|------|-------|
| 4-5 ft. | 2.00 | 18.00 |
| 5-6 ft. | 3.00 | 27.00 |
| 6-8 ft. | 4.00 | 36.00 |

**tomentosa, NANKING CHERRY.** 10 ft. White, pinkish. March-April.

Very hardy variety producing remarkably showy flowers and fruit of finest flavor. For jams and preserves it is unexcelled. The fruit must not be treated as grapes sometimes are for it would then make a most delicious wine.

|         |     |      |       |
|---------|-----|------|-------|
| 2-3 ft. | .25 | 2.25 | 20.00 |
| 3-4 ft. | .50 | 4.50 | 39.00 |
| 4-5 ft. | .75 | 6.75 | 60.00 |

**triloba, FLOWERING PLUM.** 16 ft. Double-pink. May.

|         |     |      |
|---------|-----|------|
| 2-3 ft. | .50 | 4.50 |
| 3-4 ft. | .75 | 6.75 |

**QUERCUS, Oak.**

**coccinea, SCARLET OAK.** 75-160 ft.

A clean growing tree fine for lawn or street. Leaves turn brilliant scarlet in Fall.

|         |      |       |
|---------|------|-------|
| 3-4 ft. | 1.50 | 13.50 |
|---------|------|-------|

**macrocarpa, MOSSYCUP OAK.**

|         |      |       |       |
|---------|------|-------|-------|
| 2-3 ft. | 1.00 | 9.00  | 81.00 |
| 3-4 ft. | 1.50 | 13.50 |       |

**palustris, PIN OAK.**

|         |      |      |
|---------|------|------|
| 2-3 ft. | .75  | 6.75 |
| 3-4 ft. | 1.00 | 9.00 |

**RHAMNUS, Buckthorn.**

**caroliniana, CAROLINA BUCKTHORN.** 8-30 ft. May-June.

A shrubby tree with handsome leaves turning yellow in Autumn. The small round fruit changes from red to black.

|         |      |       |
|---------|------|-------|
| 4-6 ft. | .75  | 6.75  |
| 6-8 ft. | 1.50 | 13.50 |

**dahurica, DAHURIAN BUCKTHORN.** 20-30 ft. Yellowish-green. May-June.

Large spreading shrub or tree to 30 feet, larger fruit than Common Buckthorn.

|         |     |      |
|---------|-----|------|
| 2-3 ft. | .40 | 3.60 |
| 3-4 ft. | .60 | 5.40 |

**RHODORA, Rhodora.**

**canadensis, RHODORA.** 2-3 ft. Lavender. April-May.

Really an Azalea with gorgeous flowers in very early Spring. Plant in acid soil.

|                |      |       |        |
|----------------|------|-------|--------|
| 1-2 ft. Clumps | 1.50 | 13.50 | 120.00 |
| 2-3 ft. Clumps | 2.50 | 22.50 |        |

Foto by  
Herbert  
W. Gleason

*Kelsey**Locust*

- |  |      |      |     |
|--|------|------|-----|
| <b>RHUS, Sumac.</b>  | Each | 10   | 100 |
| <b>copallina, SHINING SUMAC.</b> 5-30 ft. Greenish. July-August.   |      |      |     |
| Shrub usually quite dwarf with crimson-panicled fruit; dark green glossy foliage; is very handsome and colors brilliant scarlet in Autumn. |      |      |     |
| 2-3 ft.  | .60  | 5.40 |     |
| <b>typhina, STAGHORN SUMAC.</b> 6-30 ft. Greenish. June-July.  |      |      |     |
| Vigorous shrub with showy pinnate leaves and crimson fruit clusters. Autumn coloring is yellow and purple.                                 |      |      |     |
| 4-6 ft.  | .75  | 6.75 |     |
| <b>ROBINIA, Locust.</b>  |      |      |     |
| <b>hispida, ROSEACACIA.</b> 1-3 ft. May-June.  |      |      |     |
| Shrub with bristly branches and bright rose-colored flowers.   |      |      |     |
| 1-2 ft.  | .40  | 3.60 |     |
- |   |     |      |       |
|---|-----|------|-------|
| <b>kelseyi, KELSEY LOCUST.</b> 4-8 ft. May-June.  |     |      |       |
| Very handsome and graceful with brilliant rose-colored flowers and purple fruits. Our introduction. |     |      |       |
| Pot Grown Plants:   |     |      |       |
| 18-24 in.   | .75 | 6.75 | 60.00 |
- |  |     |      |       |
|--|-----|------|-------|
| <b>ROSA, Rose.</b>   |     |      |       |
| <b>acicularis, PRICKLY ROSE.</b> 3 ft. May-June.                               |     |      |       |
| Low species with solitary deep rose single flowers, 2 inches across, fragrant. |     |      |       |
| 1-2 ft.  | .30 | 2.70 | 24.00 |
| <b>blanda, MEADOW ROSE.</b> 3-5 ft. May-June.                                  |     |      |       |
| Slender low shrub with delicate pink flowers 2-2½ inches across.               |     |      |       |
| 1-2 ft.  | .30 | 2.70 | 24.00 |
| <b>canina, DOGBRIER.</b> 5-10 ft. June.  |     |      |       |
| Orange-red or scarlet fruits; single light pink flowers.                       |     |      |       |
| 2-3 ft.  | .30 | 2.70 |       |

|   |      |       |       |
|---|------|-------|-------|
| <b>ROSA, Continued</b>  | Each | 10    | 100   |
| <b>hugonis, HUGONIS ROSE.</b> 6 ft. May-June.   |      |       |       |
| Brilliant yellow flowers, 2½ inches across; very handsome free-flowering Rose; perfectly hardy and one of the best yellows. |      |       |       |
| 6-12 in.  | .40  | 3.60  | 32.00 |
| <b>lucida, VIRGINIA ROSE.</b> 2-4 ft. June-July.  |      |       |       |
| A dwarf form adapted for borders or shrubberies; handsome in Summer with its shiny foliage and bright pink flowers.         |      |       |       |
| 1-2 ft.   | .30  | 2.70  | 24.00 |
| <b>nitida, BRISTLY ROSE.</b> 3-6 ft. June-July.   |      |       |       |
| Branches covered with numerous reddish bristles, fine single reddish flowers 1-2 inches across.                             |      |       |       |
| 6-12 in.  | .30  | 2.70  | 24.00 |
| <b>rubiginosa, SWEETBRIER.</b> 4-8 ft. June.  |      |       |       |
| An old-fashioned dense shrub with large bright pink flowers and showy scarlet cups. Very aromatic bright green foliage.     |      |       |       |
| 1-2 ft.   | .30  | 2.70  | 24.00 |
| <b>rugosa, RUGOSA ROSE.</b> 6 ft. May-September.  |      |       |       |
| Upright shrub with large single purple flowers and brilliant, large, brick-red fruit. Good hedge plant if kept cut back.    |      |       |       |
| 18-24 in.   | .40  | 3.60  | 32.00 |
| <b>rugosa alba, WHITE RUGOSA ROSE.</b> Pure white flowers.  |      |       |       |
| 18-24 in.   | .40  | 3.60  | 32.00 |
| <b>rugosa hybrids.</b>  |      |       |       |
| Strong No. 1  | .75  | 6.00  | 50.00 |
| <b>BELLE POITEVINE.</b> Large double magenta-pink flowers. Its dense growth makes it excellent for hedges.                  |      |       |       |
| <b>CONRAD FERDINAND MEYER.</b> Beautiful large silvery pink flowers profusely produced. Very fine.                          |      |       |       |
| <b>F. J. GROOTENDORST.</b> Blooms all Summer. Small bright red flowers in large clusters. Fine for hedges.                  |      |       |       |
| <b>HANSA.</b> Large double reddish-violet flowers. Vigorous and hardy.  |      |       |       |
| <b>MAX GRAF.</b> (See Climbing Roses. Page 58.)   |      |       |       |
| <b>NEW CENTURY.</b> Large fully double fragrant flowers of clear flesh pink, with light red center and creamy edges.        |      |       |       |
| <b>SIR THOMAS LIPTON.</b> Pure white, double flowers on long stems.   |      |       |       |
| <b>setigera, PRAIRIE ROSE.</b> 6-10 ft. June-July. Deep rose, single.   |      |       |       |
| 3-4 ft.   | .40  | 3.60  | 32.00 |
| <b>spinosissima, SCOTCH ROSE.</b> 3-4 ft. May-June.   |      |       |       |
| Branches covered with bristles; numerous solitary flowers usually fine yellow; one of the best single varieties.            |      |       |       |
| 6-12 in.  | .30  | 2.70  | 24.00 |
| <b>WHITE VIRGINIA ROSE</b> (virginiana alba). 2-4 ft.   |      |       |       |
| Dwarf form with green stems and white flowers.  |      |       |       |
| 1-2 ft.   | .40  | 3.60  | 32.00 |
| For <b>CLIMBING ROSES</b> , see page 58.  |      |       |       |
| <b>RUBUS, Raspberry.</b>  |      |       |       |
| <b>odoratus, FLOWERING RASPBERRY.</b> 3-6 ft. Rose-purple. All Summer.  |      |       |       |
| One of the best undershrubs especially for moist locations. Very ornamental.  |      |       |       |
| 2-3 ft.   | .50  | 4.50  |       |
| <b>SALIX, Willow.</b>   |      |       |       |
| <b>alba, WHITE WILLOW.</b> 50-75 ft. April.   |      |       |       |
| One of the most satisfactory of the larger Willows.   |      |       |       |
| 3-4 ft.   | .40  | 3.60  | 32.00 |
| 4-5 ft.   | .60  | 5.40  |       |
| <b>babylonica, BABYLON WEeping WILLOW.</b> 30-40 ft.  |      |       |       |
| The best Weeping Willow.  |      |       |       |
| 8-10 ft.  | 1.50 | 13.50 |       |
| <b>caprea, GOAT WILLOW.</b> 12-25 ft. Showy yellow catkins. April.  |      |       |       |
| 4-6 ft.   | .75  | 6.75  |       |
| <b>discolor, PUSSY WILLOW.</b> 8-15 ft.   |      |       |       |
| 2-3 ft.   | .40  | 3.60  |       |
| 3-4 ft.   | .60  | 5.40  |       |

| <b>SALIX, Continued</b>                         | <b>Each</b> | <b>10</b> | <b>100</b> |
|---|-------------|-----------|------------|
| <b>pentandra, LAUREL WILLOW.</b> 50-60 ft.      |             |           |            |
| Lustrous dark green leaves. A good hedge plant. |             |           |            |
| 4-5 ft.   | .60         | 5.40      |            |
| 5-6 ft.   | .75         | 6.75      |            |
| 6-8 ft.   | 1.25        | 11.25     |            |

**SORBARIA, False-Spirea.**

**stellipila, STARRY FALSE-SPIREA.** 6-7 ft. White. June-July.

Leaves appear very early in Spring.

|         |      |       |
|---------|------|-------|
| 4-5 ft. | 1.50 | 13.50 |
|---------|------|-------|

**SORBUS, Mountainash.**

**americana, AMERICAN MOUNTAINASH.** 15-30 ft.

White. May-June.

Brilliant bright red fruit in large clusters hanging late in the season. One of our most beautiful small trees.

|         |      |       |       |
|---------|------|-------|-------|
| 3-4 ft. | .60  | 5.40  | 48.00 |
| 4-5 ft. | .80  | 7.20  | 64.00 |
| 5-6 ft. | 1.00 | 9.00  | 81.00 |
| 6-8 ft. | 1.50 | 13.50 |       |

**aucuparia, EUROPEAN MOUNTAINASH.** 20-65 ft.

White, May-June.

Larger fruit than American Mountainash, leaves not so finely serrate.

|           |      |       |        |
|-----------|------|-------|--------|
| 4-5 ft.   | .60  | 4.50  | 48.00  |
| 5-6 ft.   | .75  | 6.75  | 60.00  |
| 6-8 ft.   | 1.00 | 9.00  | 81.00  |
| 8-10 ft.  | 1.50 | 13.50 | 120.00 |
| 10-12 ft. | 2.50 | 22.50 |        |
| 12-14 ft. | 3.50 | 31.50 |        |

**commixta, JAPANESE MOUNTAINASH.** 30 ft. White.

May-June.

A handsome tree with smaller leaves than the American Mountainash.

|          |      |       |
|----------|------|-------|
| 6-8 ft.  | 2.50 | 22.50 |
| 8-10 ft. | 3.50 | 31.00 |

**mougeoti.** 20-65 ft. White. June.

Small-leaved species with bright red edible fruit.

|         |      |       |
|---------|------|-------|
| 3-4 ft. | 1.50 | 13.50 |
| 4-5 ft. | 2.00 | 18.00 |

**SPIRAEA, Spirea.**

**ANTHONY WATERER.** 2-4 ft. Crimson. June-July. Very free-flowering.

|         |     |      |       |
|---------|-----|------|-------|
| 1-2 ft. | .30 | 2.70 | 24.00 |
| 2-3 ft. | .40 | 3.60 | 32.00 |

**arguta, GARLAND SPIREA.** 5-7 ft. White. April.

|         |     |      |
|---------|-----|------|
| 2-3 ft. | .40 | 3.60 |
|---------|-----|------|

**billiardi, BILLIARD SPIREA.** 5-7 ft. Rose. July.

An old variety.

|         |     |      |
|---------|-----|------|
| 2-3 ft. | .40 | 3.60 |
| 3-4 ft. | .60 | 5.40 |

**douglasi, DOUGLAS SPIREA.** 5-7 ft. Deep rose. July-August.

|         |     |      |
|---------|-----|------|
| 2-3 ft. | .40 | 3.60 |
|---------|-----|------|

**froebeli, FROEBEL SPIREA.** 2-4 ft. Bright crimson. June-July.

|         |     |      |
|---------|-----|------|
| 2-3 ft. | .60 | 5.40 |
|---------|-----|------|

**japonica ovalifolia, WHITE JAPANESE SPIREA.** 3-4 ft. White. Summer.

|         |     |      |
|---------|-----|------|
| 2-3 ft. | .40 | 3.60 |
|---------|-----|------|

**thunbergi, THUNBERG SPIREA.** 3-4 ft. Pure white. April-May.

Low shrub with slender arching branches clothed with feathery bright green foliage. Very showy in flowers but apparently not long-lived.

|         |     |      |
|---------|-----|------|
| 1-2 ft. | .30 | 2.70 |
| 2-3 ft. | .40 | 3.60 |



|  |      |      |       |
|--|------|------|-------|
| <b>SPIRAEA, Continued</b>  | Each | 10   | 100   |
| <b>tomentosa, HARDHACK.</b> 3 ft. Pink. July-September.  |      |      |       |
| Fine for damp locations.   |      |      |       |
| Collected 2-3 ft.  | .30  | 2.70 | 24.00 |
| <b>trichocarpa.</b> 4-6 ft. White. June-July.  |      |      |       |
| Handsome species from Korea. Introduced by Arnold Arboretum. Abundant large white flowers in umbel-like racemes. |      |      |       |
| 1-2 ft.  | .50  | 4.50 | 39.00 |
| 2-3 ft.  | .75  | 6.75 | 60.00 |
| <b>vanhouttei, VANHOUTTE SPIREA.</b> 4-6 ft. White. May-June.  |      |      |       |
| One of the most beautiful of early blooming Spireas, attaining six feet and quite hardy.                         |      |      |       |
| 18-24 in.  | .30  | 2.70 | 24.00 |
| <b>veitchi, VEITCH SPIREA.</b> 4-10 ft. White. June-July.  |      |      |       |
| 2-3 ft.  | 1.00 | 9.00 |       |

**SYMPHORICARPOS, Snowberry.**

**chenaulti.** 4-6 ft. Pink and white. June.

A lovely hybrid originating in the Arnold Arboretum. The small fruit is red with minute pale dots, or one side whitish with red dots.

|         |     |      |       |
|---------|-----|------|-------|
| 2-3 ft. | .60 | 5.40 | 48.00 |
| 3-4 ft. | .75 | 6.75 | 60.00 |

**mollis, SPREADING SNOWBERRY.** 3-4 ft. Pink. White fruits. June-July.

Of value for low plantings.

|         |     |      |       |
|---------|-----|------|-------|
| 2-3 ft. | .60 | 5.40 | 48.00 |
|---------|-----|------|-------|

**racemosus, COMMON SNOWBERRY.** 3-5 ft. Pale pink. June-September.

Very showy in Autumn and Winter with snow-white fruit in long recurved racemes.

|         |     |      |       |
|---------|-----|------|-------|
| 2-3 ft. | .40 | 3.60 | 32.00 |
|---------|-----|------|-------|

**racemosus laevigatus, GARDEN SNOWBERRY.** 4-6 ft. Larger white fruit.

|         |     |      |  |
|---------|-----|------|--|
| 1-2 ft. | .40 | 3.60 |  |
|---------|-----|------|--|

**vulgaris, CORALBERRY.** 3-6 ft. Pale pink. Coral fruits. July.

Shrub with slender branches covered with fruit until late Winter.

|         |     |      |       |
|---------|-----|------|-------|
| 2-3 ft. | .40 | 3.60 | 32.00 |
|---------|-----|------|-------|

**SYRINGA, Lilac.**

**chinensis, CHINESE LILAC.** 8-10 ft. Purple-lilac. May. Flowers in large broad panicles.

|         |      |      |  |
|---------|------|------|--|
| 2-3 ft. | .50  | 4.50 |  |
| 3-4 ft. | .75  | 6.75 |  |
| 4-5 ft. | 1.00 | 9.00 |  |

**japonica, JAPANESE TREE LILAC.** 20-30 ft. White. June-July.

Flowers in large panicles often one foot or more long. Very desirable.

|         |      |       |       |
|---------|------|-------|-------|
| 2-3 ft. | .75  | 6.75  | 60.00 |
| 3-4 ft. | 1.00 | 9.00  | 81.00 |
| 4-5 ft. | 1.50 | 13.50 |       |
| 5-6 ft. | 2.00 | 18.00 |       |

**josikaea, HUNGARIAN LILAC.** 12-15 ft. Pale violet. June-July.

Very valuable as it blooms late in season.

|         |      |       |  |
|---------|------|-------|--|
| 2-3 ft. | .75  | 6.75  |  |
| 3-4 ft. | 1.00 | 9.00  |  |
| 4-5 ft. | 1.50 | 13.50 |  |

**persica, PERSIAN LILAC.** 5-10 ft. Pale lilac. May-June. Slender arching branches. Flowers in loose, broad panicles.

|         |     |      |  |
|---------|-----|------|--|
| 2-3 ft. | .75 | 6.75 |  |
|---------|-----|------|--|

**villosa, LATE LILAC.** 8-12 ft. Pink. May-June.

Flowers in long broad panicles.

|         |      |      |  |
|---------|------|------|--|
| 2-3 ft. | .75  | 6.75 |  |
| 3-4 ft. | 1.00 | 9.00 |  |



Foto by H. P. K.  
*Late Lilac (Syringa villosa)*

| SYRINGA, Continued  | Each | 10   | 100   |
|---|------|------|-------|
| <b>vulgaris, COMMON LILAC.</b> 6-20 ft. Purple shades. May.<br>The best known species, sometimes attaining 20 feet.<br>Lilac-blue or purplish flowers, in large panicles. |      |      |       |
| 1-2 ft.   | .40  | 3.60 | 32.00 |
| 2-3 ft.   | .60  | 5.40 | 48.00 |
| <b>vulgaris alba, COMMON WHITE LILAC.</b> 8-30 ft. Single.<br>White.<br>A very vigorous grower.   |      |      |       |
| 1-2 ft.   | .40  | 3.60 | 32.00 |
| 2-3 ft.   | .60  | 5.40 | 48.00 |
| 3-4 ft.   | 1.00 | 9.00 |       |

**HYBRID LILACS.**

The Lilacs have for centuries been among our best loved garden plants. Their unique beauty and fragrance have endeared them to thousands. The new hybrid Lilacs offer increased beauty and often richer fragrance. A wide variety of color and charm excelled by no other plant. They bloom when small, transplant easily, require little care and each Spring reward us with increasing charm of flower and foliage. We offer here some of the finest hybrid Lilacs known to cultivation.

|         |      |       |
|---------|------|-------|
| 1-2 ft. | .75  | 6.75  |
| 2-3 ft. | 1.25 | 11.25 |
| 3-4 ft. | 1.75 | 15.75 |

- ALPHONSE LAVALLEE.** Bluish-lilac, double. Sizes, 1-2 ft., 2-3 ft. and 3-4 ft.
- AMBROISE VERSCHAFFELT.** Pink and white, medium size, single. Sizes, 1-2 ft. and 2-3 ft.
- BERRYER.** Semi-double, clear mauve. Sizes, 1-2 ft., 2-3 ft. and 3-4 ft.
- CHARLES JOLY.** Double, dark violet-purple, silvery reverse. Sizes, 1-2 ft. and 2-3 ft.
- CHARLES THE TENTH.** Dark lilac-red, single. Sizes, 1-2 ft. and 2-3 ft.
- CLAUDE BERNARD.** Semi-double, mauve. Sizes, 1-2 ft., 2-3 ft. and 3-4 ft.
- DE JUSSIEU.** Double. Sizes, 1-2 ft., 2-3 ft. and 3-4 ft.
- DESFONTAINES.** Double, blue. Sizes, 1-2 ft. and 2-3 ft.
- DOUBLE RUBELLA.** Buds red to vernonia purple. Flowers lavender-violet. Sizes, 1-2 ft. and 2-3 ft.
- DOYEN KETELEER.** Medium to large. Violet, double. Size, 1-2 ft.
- DR. MAILLOT.** Medium to large. Pale pink, double. Late flowering. Size, 1-2 ft.

## HYBRID LILACS, Continued

- DR. MASTERS.** Medium to large. Light violet, double to semi-double. Size, 1-2 ft.
- DR. VON REGEL.** Medium sized. White, pink-tinged. Single. Sizes, 2-3 ft. and 3-4 ft.
- ERZHERZOG JOHANN.** Small sized. Lavender, single. Sizes, 1-2 ft. and 2-3 ft.
- GEHEIMRAT HEYDER.** Medium sized. Light purple, single. Sizes, 2-3 ft. and 3-4 ft.
- GEHEIMRAT SINGELMANN.** Medium sized. Pinkish-lilac, single. Size, 1-2 ft.
- GLOIRE DE MOULINS.** Medium sized. Lilac-pink, single. Sizes, 1-2 ft. and 2-3 ft.
- GREAT WHITE** (*alba grandiflora*). Fine single variety. Sizes, 1-2 ft., 2-3 ft. and 3-4 ft.
- HUGH KOSTER.** Single, reddish lilac. Sizes, 1-2 ft. and 2-3 ft.
- JAN VAN TOL.** Single, purest white, free flowering with immense trusses. A magnificent new variety. Sizes, 1-2 ft. and 2-3 ft.
- JEAN MACE.** Double. Bluish-mauve. Sizes, 1-2 ft., 2-3 ft. and 3-4 ft.
- LAMARCK.** Double, rosy lilac. Sizes, 2-3 ft. and 3-4 ft.
- LAMARTINE.** Single, rosy mauve. Large trusses. Sizes, 1-2 ft. and 2-3 ft.
- LA TOUR D'AUVERGNE.** Double, purple. Sizes, 1-2 ft. and 2-3 ft.
- LE GAULOIS.** Medium sized, double, violet. Size, 1-2 ft.
- LE PRINTEMPS.** Double, pink. Size, 1-2 ft.
- LUDWIG SPAETH.** Large panicles of dark red flowers. Sizes, 1-2 ft., 2-3 ft. and 3-4 ft.
- MARC MICHEL.** Large, double, lilac-purple. Size, 1-2 ft.
- MARECHAL LANNES.** Semi-double, bluish violet. Sizes, 1-2 ft. and 2-3 ft.
- MARIE LEGRAYE.** One of the best single white forms. Sizes, 1-2 ft. and 2-3 ft.
- MATHIEU DE DOMBASLE.** Small flowers, purplish-lilac, double. Size, 2-3 ft.
- MICHEL BUCHNER.** Pale lilac, large and very double. Sizes, 1-2 ft., 2-3 ft. and 3-4 ft.
- MIRABEAU.** Single, rosy-lavender and very early. Sizes, 1-2 ft. and 2-3 ft.
- MME. ABEL CHATENAY.** Double white, compact panicles. Sizes, 1-2 ft. and 2-3 ft.
- MME. CASIMIR PERIER.** Double, pure white. A fine variety. Late. Sizes, 1-2 ft. and 2-3 ft.
- MME. LEMOINE.** Double, large white flowers. Sizes, 1-2 ft., 2-3 ft. and 3-4 ft.
- MONTAIGNE.** Double, pinkish mauve. Large. Size, 2-3 ft.
- M. VAN AERSCHOT.** Large, single. Pale mauve. Size, 1-2 ft.
- PASCAL.** Single, lilac flowers. Sizes, 1-2 ft. and 2-3 ft.
- PRESIDENT GREVY.** Double, deep blue with large trusses. Sizes, 1-2 ft., 2-3 ft. and 3-4 ft.
- PRINCE DE BEAUVAU.** Double blue-lilac. Sizes, 1-2 ft. and 2-3 ft.
- PROFESSOR E. STOCKHARDT.** Medium purplish lilac. Single. Size, 2-3 ft.
- RED MARLEY** (*Rubra de Marley*). Lilac-red, single. Sizes, 1-2 ft., 2-3 ft. and 3-4 ft.
- RENONCULE.** Medium pale blue, double. Size, 1-2 ft.
- ROYAL BLUE.** Sizes, 2-3 ft. and 3-4 ft.
- TOURNEFORT.** Double, very blue-lilac. Sizes, 1-2 ft., 2-3 ft. and 3-4 ft.
- VAUBAN.** Double, light mauve. Sizes, 2-3 ft. and 3-4 ft.

|   |      |       |        |
|---|------|-------|--------|
| <b>TAXODIUM, Baldcypress.</b> Each  | 10   | 100   |        |
| <b>distichum, COMMON BALDCYPRESS.</b> 45-150 ft. March-May.   |      |       |        |
| Light feathery foliage. Pyramidal habit. A fine ornamental tree which has proved hardy in this vicinity.            |      |       |        |
| 3-4 ft.   | 2.00 | 18.00 |        |
| <b>TILIA, Linden.</b>   |      |       |        |
| <b>americana, AMERICAN LINDEN.</b> 60-125 ft. Creamy white. July.   |      |       |        |
| For avenue planting.  |      |       |        |
| 4-6 ft.   | 1.00 | 9.00  |        |
| 6-8 ft.   | 2.00 | 18.00 |        |
| <b>cordata, LITTLELEAF EUROPEAN LINDEN.</b> 60-100 ft.  |      |       |        |
| Broadly pyramidal in growth. Used since ancient times as a street tree due to its ability to stand city conditions. |      |       |        |
| 5-6 ft.   | 1.00 | 9.00  | 81.00  |
| <b>ULMUS, Elm.</b>  |      |       |        |
| <b>americana, AMERICAN ELM.</b> 60-120 ft.  |      |       |        |
| 5-6 ft.   | 1.00 | 9.00  | 81.00  |
| 6-8 ft.   | 1.50 | 13.50 | 120.00 |
| 1¾ in. to 2 in. cal. 8-10 ft.   | 2.50 | 22.50 |        |
| 2½ in. to 3 in. cal. 10-12 ft.  | 3.50 | 31.50 |        |
| <b>MOLINE.</b> A vase-shaped form useful for street planting.   |      |       |        |
| 6-8 ft.   | 2.00 | 18.00 |        |
| 1½ in. to 1¾ in. cal. 8-10 ft.  | 3.50 | 31.50 |        |
| 1¾ in. to 2 in. cal. 10-12 ft.  | 5.00 | 45.00 |        |
| <b>pumila, CHINESE ELM.</b> 40-80 ft.   |      |       |        |
| Remarkably hardy and fast growing. Excellent for street planting or as specimens.                                   |      |       |        |
| 4-5 ft.   | .75  | 6.75  | 60.00  |
| 5-6 ft.   | 1.00 | 9.00  | 81.00  |
| 6-7 ft.   | 1.50 | 13.50 |        |
| 7-8 ft.   | 2.00 | 18.00 |        |
| <b>VACCINIUM, Blueberry.</b>  |      |       |        |

**corymbosum. Highbush Blueberry.** 6-10 ft.

White or pinkish. May.

Fine stock grown from seed and cuttings and transplanted several times. This is the Blueberry of commerce, but not a new Coville hybrid. Also it is one of the finest ornamentals. A success commercially only on acid soils.

|           |      |      |       |
|-----------|------|------|-------|
| 12-18 in. | .50  | 4.50 | 39.00 |
| 18-24 in. | .75  | 6.75 | 60.00 |
| 2-3 ft.   | 1.00 | 9.00 | 81.00 |

Collected specimens in larger sizes—prices on application.

**pallidum, Blueridge Blueberry.** 3-8 ft. White. April.

A very fine variety from the Carolina Mountains. Large sweet berries with a fine "bloom" when ripe. Fine ornamental.

|           |     |      |  |
|-----------|-----|------|--|
| 12-18 in. | .60 | 5.40 |  |
|-----------|-----|------|--|

**pennsylvanicum, Lowbush Blueberry.** 6 in. to 2 ft. Greenish-white. April.

One of the best low covers for acid soils, making solid mats of foliage. Delicious ornamental fruit and brilliant Autumn colorings in red shades.

Collected Clumps:

|         |     |      |       |
|---------|-----|------|-------|
| 3-6 in. | .30 | 2.70 | 24.00 |
|---------|-----|------|-------|

**VIBURNUM, Viburnum.**

**americanum, American Cranberrybush.** 8-12 ft. White. May-June.

Handsome native shrub; very decorative fruit keeping its bright scarlet color until following Spring; fruit makes fine jelly; far superior to the European Cranberrybush.

|         |     |      |       |
|---------|-----|------|-------|
| 1-2 ft. | .40 | 3.60 | 32.00 |
| 2-3 ft. | .60 | 5.40 | 48.00 |

**VIBURNUM, Continued**      Each                      10                      100

**carlesi, FRAGRANT VIBURNUM.** 4-5 ft. Soft pink.  
April-May.

Very distinct news and rare species. The waxy flowers are in dense round heads and possess a most delightful fragrance.

|           |      |       |
|-----------|------|-------|
| 12-18 in. | 2.00 | 18.00 |
| 18-24 in. | 2.50 | 22.50 |
| 2-3 ft.   | 3.50 | 31.00 |

**cassinoides, WITHEROD.** 6-15 ft. White. June-July.

Fruit pink, changing to dark blue; good shrub for borders or shrubberies.

|         |     |      |       |
|---------|-----|------|-------|
| 1-2 ft. | .40 | 3.60 | 32.00 |
| 2-3 ft. | .60 | 5.40 | 48.00 |

**dentatum, ARROWWOOD.** 4-10 ft. White. May-June.

Bushy shrub with conspicuous blue fruit.

|                |      |      |       |
|----------------|------|------|-------|
| 2-3 ft. Clumps | .50  | 4.50 | 39.00 |
| 3-4 ft. Clumps | .75  | 6.75 | 60.00 |
| 4-5 ft. Clumps | 1.00 | 9.00 | 81.00 |

**lentago, NANNYBERRY.** 8-15 ft. White. May-June.

The bluish-black fruit is conspicuous. A very handsome shrub or small tree.

|         |     |      |       |
|---------|-----|------|-------|
| 3-4 ft. | .50 | 4.50 | 39.00 |
| 4-5 ft. | .75 | 6.75 | 60.00 |

**molle, KENTUCKY VIBURNUM.** 8-12 ft. White. June.

This is recognized by its flaky bark and light grey young branchlets; fruit blue-black.

|         |     |      |
|---------|-----|------|
| 2-3 ft. | .40 | 3.60 |
| 3-4 ft. | .60 | 5.40 |

**opulus, EUROPEAN CRANBERRYBUSH.** 8-12 ft.

White. May-June.

|         |     |      |       |
|---------|-----|------|-------|
| 2-3 ft. | .40 | 3.60 | 32.00 |
|---------|-----|------|-------|

**opulus nanum, DWARF CRANBERRYBUSH.** 1-2 ft.

Very dwarf, compact, small-leaved form; suitable for rockeries and very low hedges.

|          |     |      |
|----------|-----|------|
| 9-12 in. | .50 | 4.50 |
|----------|-----|------|

**opulus sterile, COMMON SNOWBALL.** 5-12 ft.

All the white flowers are sterile forming a large dense globular head. A popular plant of old-time gardens.

|         |     |      |
|---------|-----|------|
| 2-3 ft. | .50 | 4.50 |
|---------|-----|------|

**pubescens, DOWNY VIBURNUM.** 8-10 ft. White. June-July.

This has clean growth with greyish-brown branchlets. Avoid blue-black fruit.

|         |     |      |       |
|---------|-----|------|-------|
| 1-2 ft. | .40 | 3.60 | 32.00 |
|---------|-----|------|-------|

**sargentii, SARGENT CRANBERRYBUSH.** 8-12 ft. White. June.

Showy broad foliage.

|         |      |      |
|---------|------|------|
| 2-3 ft. | .75  | 6.75 |
| 3-4 ft. | 1.00 | 9.00 |

**tomentosum plicatum, JAPANESE SNOWBALL.** 10 ft. White. June.

A showy variety with sterile flowers.

|         |      |      |
|---------|------|------|
| 2-3 ft. | .75  | 6.75 |
| 3-4 ft. | 1.00 | 9.00 |

**WEIGELA, Weigela.**

**amabilis, ROSE WEIGELA.** 3-6 ft. Rose. May-June.

Masses of funnel-shaped flowers in profusion.

|         |     |      |
|---------|-----|------|
| 1-2 ft. | .30 | 2.70 |
|---------|-----|------|

**rosea, PINK WEIGELA.** 4-8 ft. Pink. May-June.

Very showy.

|         |     |      |       |
|---------|-----|------|-------|
| 1-2 ft. | .30 | 2.70 | 24.00 |
|---------|-----|------|-------|

**VANHOUTTE.** 6-8 ft. Deep pink. Attractive hybrid.

|         |     |      |       |
|---------|-----|------|-------|
| 2-3 ft. | .40 | 3.60 | 32.00 |
|---------|-----|------|-------|

**ZANTHORHIZA, Yellowroot.**

**apiifolia, YELLOWROOT.** 2-4 ft. Dark purple. April.

Cut foliage very handsome, changing to golden color in Autumn. One of the best border shrubs for any situation.

|          |     |      |       |
|----------|-----|------|-------|
| 6-12 in. | .25 | 2.25 | 20.00 |
|----------|-----|------|-------|

# Vines, Creepers and Climbers

**ACTINIDIA, Actinidia.**      Each                      10                      100

|   |        |         |         |
|---|--------|---------|---------|
| <b>arguta, BOWER ACTINIDIA.</b> 30-50 ft. White. June.<br>Very vigorous Japanese climber with thick shiny leaves. White flowers with purplish centers and large edible fruit. |        |         |         |
| Strong Plants   | \$ .60 | \$ 5.40 | \$48.00 |

**AMPELOPSIS.**

**quinquefolia, VIRGINIA CREEPER.** 15-50 ft. July-August.

A good vine for stone walls or on large trees.

|               |     |      |       |
|---------------|-----|------|-------|
| Strong Plants | .30 | 2.70 | 24.00 |
|---------------|-----|------|-------|

**quinquefolia engelmanni, ENGELMANN CREEPER.** 15-50 ft.

Variety with smaller leaves, more brilliant in its Autumn coloring. Clings to walls.

|               |     |      |       |
|---------------|-----|------|-------|
| Strong Plants | .30 | 2.70 | 24.00 |
|---------------|-----|------|-------|

**tricuspidata (veitchi), JAPANESE CREEPER.** 25-100 ft. June-July.

As a dense wall vine this has few equals.

|               |     |      |       |
|---------------|-----|------|-------|
| Strong Plants | .30 | 2.70 | 24.00 |
|---------------|-----|------|-------|

**ARISTOLOCHIA.**

**sipho, DUTCHMANS-PIPE.** 15-50 ft. Purple. July.

Rapid-growing vine. Curious pipe-like flowers.


|               |     |      |
|---------------|-----|------|
| Strong Plants | .75 | 6.75 |
|---------------|-----|------|

**BIGNONIA, Trumpet creeper.**

**radicans, TRUMPETCREEPER.** 30 ft. Orange shades. August-September.

Clinging by aerial roots.

|          |     |      |
|----------|-----|------|
| 6-12 in. | .40 | 3.60 |
|----------|-----|------|



*Engelmann Creeper and Japanese Creeper*

|   | Each | 10   | 100   |
|---|------|------|-------|
| <b>CELASTRUS, Bittersweet.</b>  |      |      |       |
| <b>orbiculatus punctatus, CHRISTMAS BITTERSWEET.</b>  |      |      |       |
| 10-30 ft.   |      |      |       |
| Rapid growing woody vine climbing by twining. The bright orange pods split disclosing scarlet seeds.                          |      |      |       |
| 1-2 ft.   | .40  | 3.60 | 32.00 |
| 2-3 ft.   | .60  | 5.40 | 48.00 |
| <b>CLEMATIS, Clematis.</b>  |      |      |       |
| <b>paniculata, SWEET AUTUMN CLEMATIS.</b> 10-30 ft.   |      |      |       |
| White. September.   |      |      |       |
| One of our most beautiful climbers. Fragrant flowers produced in profusion in late Summer.                                    |      |      |       |
| Strong Plants   | .40  | 3.60 | 32.00 |
| <b>virginiana, VIRGINSBOWER.</b> 10-35 ft. White. August.   |      |      |       |
| Finely cut foliage, abundant flowers followed by fluffy fruit.  |      |      |       |
| Strong Plants   | .40  | 3.60 |       |
| <b>DIOSCOREA.</b>   |      |      |       |
| <b>villosa.</b> White, with purple throat. June.  |      |      |       |
| Rampant spreading habit.  |      |      |       |
| Strong Plants   | .30  | 2.70 | 24.00 |
| <b>EUONYMUS, Euonymus.</b>  |      |      |       |
| <b>BABY WINTERCREEPER</b> ( <i>Euonymus radicans minimus</i> ). 1-6 ft.   |      |      |       |
| Charming variety with very small notched leaves and slender stems. Can be clipped for miniature hedges.                       |      |      |       |
| 2 yr. Pot   |      |      |       |
| Grown Plants  | .40  | 3.60 | 32.00 |
| <b>radicans, WINTERCREEPER.</b> 15-20 ft. Scarlet fruit.  |      |      |       |
| June-July.  |      |      |       |
| Evergreen clinging vine.  |      |      |       |
| Strong Plants   | .40  | 3.60 | 32.00 |
| <b>radicans carrierei, GLOSSY WINTERCREEPER.</b> 10-15 ft.  |      |      |       |
| Clinging vine with long pointed glossy leaves.  |      |      |       |
| Strong Plants   | .40  | 3.60 |       |
| <b>radicans colorata.</b> 10-20 ft.   |      |      |       |
| Larger, but thinner leaves than <i>radicans</i> . Its brilliant Autumn coloring and extreme hardiness make it very desirable. |      |      |       |
| Strong Plants   | .40  | 3.60 | 32.00 |
| <b>radicans vegetus, BIGLEAF WINTERCREEPER.</b> 3-20 ft.  |      |      |       |
| Dark green thick leaves. One of the most useful <i>Euonymus</i> .   |      |      |       |
| Strong Plants   | .40  | 3.60 | 32.00 |
| <b>HYDRANGEA.</b>   |      |      |       |
| <b>petiolaris, CLIMBING HYDRANGEA.</b> 20-50 ft. White.   |      |      |       |
| July.   |      |      |       |
| A charming variety that is rarely seen. Leaves, flowers and fragrance distinctive.  |      |      |       |
| 1 yr. Plants  |      |      |       |
| 3 in. Pots  | .60  | 5.40 |       |
| <b>LONICERA, Honeysuckle.</b>   |      |      |       |
| <b>japonica halliana, HALL JAPANESE HONEYSUCKLE.</b>  |      |      |       |
| 5-20ft.   |      |      |       |
| A strong growing vine, the delightfully fragrant white flowers changing to buff.  |      |      |       |
| Strong Plants   | .40  | 3.60 | 32.00 |
| <b>sempervirens, TRUMPET HONEYSUCKLE.</b> 10-30 ft.   |      |      |       |
| May-September.  |      |      |       |
| A half-climbing shrub with dark green foliage. Long tubular flowers, orange yellow or scarlet.                                |      |      |       |
| Strong Plants   | .40  | 3.60 |       |
| <b>LYCIUM.</b>  |      |      |       |
| <b>chinense, CHINESE MATRIMONYVINE.</b> 6-18 ft. June-September.  |      |      |       |
| Vigorous woody vine of greatest value for trellises or embankments. Small purple flowers and scarlet or orange-red fruit.     |      |      |       |
| 1-2 ft.   | .40  | 3.60 |       |





*Crimson Rambler Rose*

ROSA, Rose. Each 10

**CLIMBING ROSES.**

- |       |     |      |
|-------|-----|------|
| No. 1 | .60 | 5.40 |
|-------|-----|------|
- ALIDA LOVETT.** Bright shell pink. Midseason.  
**AMERICAN BEAUTY.** Dark pink shaded with smoky carmine. Fragrant.  
**AMERICAN PILLAR.** Large single, brilliant crimson with white center. Late.  
**BESS LOVETT.** Light crimson red. Midseason.  
**CRIMSON RAMBLER.** Small flowers intensely scarlet-red, borne on large sprays. Strong grower with coarse foliage.  
**DOROTHY PERKINS.** Rich shell pink; tiny flowers in large clusters. Late.  
**DR. VAN FLEET.** Pale pink. Perfect foliage. Midseason.  
**EXCELSA.** Similar to Dorothy Perkins; lighter crimson. Late.  
**FLOWER OF FAIRFIELD.** An improved crimson rambler. Early.  
**HIAWATHA.** Deep scarlet. Late.  
**LADY GAY.** Similar to Dorothy Perkins. Late.  
**MARY WALLACE.** Large, very bright pink double flowers illumined with shining gold. Early.

**MAX GRAF.** A rugosa hybrid; large single pink. Midseason.

- PAUL'S SCARLET.** Intense scarlet. Early.  
**PHILADELPHIA.** Large double crimson with light center. Midseason.  
**PRIMROSE.** The new yellow rambler. Vigorous climbing habit with healthy dark foliage. Free flowering. Midseason.

|  | Each | 10 | 100 |
|--|------|----|-----|
|--|------|----|-----|

**ROSA, Continued**

**SILVER MOON.** Long creamy buds, golden anthers. Large nearly single flowers in small sprays. Mid-season.

**TAUSENDSCHON.** Cup-shaped double flowers in large clusters, varying from white to deep pink, at the same time. Early.

**VEILCHENBLAU.** Semi-double, purple-rose flowers. Midseason.

**WHITE DOROTHY.** Small double flowers of creamy white. Late.

**SCHIZOPHRAGMA.**

**hydrangeoides, JAPANESE HYDRANGEA VINE.** 20-30 ft. White flowers. July.

Very strong climber, clings to walls. Showy dense foliage and interesting flowers like wild Hydrangea.

|               |     |      |       |
|---------------|-----|------|-------|
| Strong Plants | .75 | 6.75 | 60.00 |
|---------------|-----|------|-------|

**WISTERIA, Wisteria.**

**multijuga, LONGCLUSTER WISTERIA.** 20-30 ft. Lilac. A very ornamental and popular vine.

|         |     |      |
|---------|-----|------|
| 1-2 ft. | .60 | 5.40 |
| 2-3 ft. | .80 | 7.20 |

**sinensis, CHINESE WISTERIA.** 35-50 ft. Purple. May-June.

Long drooping panicles.

|         |      |       |       |
|---------|------|-------|-------|
| 1-2 ft. | .50  | 4.50  | 39.00 |
| 2-3 ft. | .75  | 6.75  | 60.00 |
| 3-4 ft. | 1.00 | 9.00  |       |
| 4-5 ft. | 2.00 | 18.00 |       |

**sinensis alba, WHITE CHINESE WISTERIA.** May-June.

We suggest planting this variety with the purple Chinese Wisteria for contrast.

|         |      |       |       |
|---------|------|-------|-------|
| 1-2 ft. | .50  | 4.50  | 39.00 |
| 2-3 ft. | .75  | 6.75  | 60.00 |
| 3-4 ft. | 1.00 | 9.00  |       |
| 4-5 ft. | 2.00 | 18.00 |       |
| 5-6 ft. | 3.50 | 31.50 |       |

---

## HARDY CHRYSANTHEMUMS OF MERIT

3 for 75c

10 for \$1.85

**Excelsior.** Bright yellow. Middle October.

**Francis Whittlesly.** Rich bronze and garnet. Late September. Makes a gorgeous showing through October.

**Gypsy Girl.** Bright crimson. Early October.

**Irene. White.** Compact in habit. Early October.

**Mrs. Calvin Coolidge.** Rich cardinal red. Middle of October. Single chrysanthemum.

**Mrs. H. Harrison.** Large clusters of fine, full double pink flowers with cream-pink centers.

**Mrs. Nellie Klevis.** Pink.

**Rose Travena.** Pink.

**Ruth Hatton.** Pompon, clear ivory-white. Early October.

**Ruth Marion Hatton.** Pompon, yellow. Late September.

# Hardy Herbaceous Perennials

In this list will be found a collection of hardy herbaceous perennials that will give a good succession of bloom from early Spring until late Autumn. Nearly all are of easy culture. The usual list of herbaceous perennials offered in American catalogs can be secured and shipped with our stock so that customers may feel safe in ordering and getting full collections, even if not priced below.

Single plants at one half the three rate.

Approximate height variety attains is given after the name.

|  | Per 3  | Per 10 | Per 100 |
|--|--------|--------|---------|
| <b>ACHILLEA</b> , Pearl. 1-2 ft. Pure white in masses. Fine for cutting.....   | \$ .60 | \$1.50 | \$12.00 |
| <b>ACONITUM</b> , Monkshood.   |        |        |         |
| <b>fischeri</b> , Azure Monkshood. 5 ft. Sept. Deepest blue heads of flowers.....  | .90    | 2.25   | 18.00   |
| <b>AJUGA</b> genevensis, Geneva Bugle. 6 in. Splendid blue flowered ground cover   | .60    | 1.50   | 12.00   |
| <b>ALTHAEA</b> rosea, Hollyhock. 5 ft. June-July. Single and double varieties, mixed colors .....  | .75    | 1.85   | 15.00   |
| <b>ALYSSUM</b> saxatile citrinum. Lemon-yellow variety .....   | .75    | 1.85   | 15.00   |
| saxatile compactum, Dwarf Golden-tuft. 9-18 in. Masses of brilliant yellow flowers in early Spring ....  | .60    | 1.50   | 12.00   |
| <b>AQUILEGIA</b> canadensis, American Columbine. 2 ft. April. Shades of red. Fine for naturalizing.....  | .60    | 1.50   | 12.00   |
| <b>ARABIS</b> albida, Wallcress. Hairy, wooly leaves, whitish in color and prostrate. Spikes of white flowers  | .60    | 1.50   | 12.00   |
| alpina, Alpine Rockcress. More upright. Leaves greener but not so hairy. White flowers .....   | .60    | 1.50   | 12.00   |
| alpina grandiflora superba. Larger flowers on more compact stems...  | .75    | 1.85   | 15.00   |
| <b>ARENARIA</b> verna caespitosa, Moss Sandwort. June-July. Dense moss-like growth with small white flowers on thread-like stems. For rock gardens and between stepping-stones ..... | .60    | 1.50   | 12.00   |
| <b>ARMERIA</b> cephalotes rubra. Shocks of narrow green leaves. Red blossoms in heads on erect stems.....  | .60    | 1.50   | 12.00   |
| <b>ARUNCUS</b> sylvester, Common Goatsbeard. 3-5 ft. May-July. White, resembling Spiraea .....   | .90    | 2.25   | 18.00   |
| <b>ASARUM</b> , Wildginger.  |        |        |         |
| canadense, Canada Wildginger. Spring. Heart-shaped foliage; brown-purple flowers. For woodland planting...   | .90    | 2.25   | 18.00   |
| <b>ASCLEPIAS</b> tuberosa, Butterflyweed. 1-2 ft. Bright orange flowers in late Summer .....   | .60    | 1.50   | 12.00   |
| <b>ASTER</b> , Aster.  |        |        |         |
| alpinus, Rock Aster. 6 in. June. Dense low habit. White or lavender flowers .....  | .75    | 1.85   | 15.00   |
| climax. 4-5 ft. Lavender-blue.....   | .75    | 1.85   | 15.00   |
| mauve cushion. 6-12 in. Fine for rockeries .....   | .75    | 1.85   | 15.00   |
| novaeangliae, New England Aster. 2-8 ft. Large purple flowers .....  | .75    | 1.85   | 15.00   |
| novaeangliae rosea, Rosy New England Aster. 3-6 ft. A fine rose-colored variety. Hardy native, mixed varieties in colors .....   | .75    | 1.85   | 15.00   |

| <b>ASTER, Continued</b>                       | Per 3 | Per 10 | Per 100 |
|---|-------|--------|---------|
| <b>tataricus, Tartarian Aster. 6 ft.</b>      |       |        |         |
| Blue-violet. Very late .....                  | .75   | 1.85   | 15.00   |
| <b>White Climax. 4-5 ft. Large spikes,</b>    |       |        |         |
| pure white .....                              | .75   | 1.85   | 15.00   |
| <b>ASTILBE, Astilbe.</b>                      |       |        |         |
| <b>arendsi hybrid. Granat. 18 in. July</b>    |       |        |         |
| Dense spikes of rich red .....                | 1.50  | 3.75   |         |
| <b>japonica, Japanese Astilbe. 18 in.</b>     |       |        |         |
| July. White .....                             | 1.50  | 3.75   |         |
| <b>japonica hybrids.</b>                      |       |        |         |
| <b>America. 2½ ft. July. Lilac.....</b>       | 1.50  | 3.75   |         |
| <b>Peach Blossom. 2½ ft. June. Light</b>      |       |        |         |
| pink .....                                    | 1.50  | 3.75   |         |
| <b>Pink Beauty. 18 in. June. Deep pink</b>    | 1.50  | 3.75   |         |
| <b>BAPTISA, Wild-indigo.</b>                  |       |        |         |
| <b>australis, Blue Wild-indigo. 4-6 ft.</b>   |       |        |         |
| Dark blue flowers like Lupins in              |       |        |         |
| June .....                                    | .90   | 2.25   | 18.00   |
| <b>tinctoria, Yellow Wild-indigo. 1-3 ft.</b> |       |        |         |
| Golden pea-shaped flowers in June             | .60   | 1.50   | 12.00   |
| <b>BOCCONIA cordata, Pink Plumepoppy.</b>     |       |        |         |
| 8 ft. Strong growing, large leaved            |       |        |         |
| with spikes of small pink tinged              |       |        |         |
| plume-like flowers .....                      | .60   | 1.50   | 12.00   |
| <b>BOLTONIA asteroides, White Boltonia.</b>   |       |        |         |
| 8 ft. White aster-like flowers on             |       |        |         |
| tall stems .....                              | .60   | 1.50   | 12.00   |
| <b>latisquama, Violet Boltonia .....</b>      | .60   | 1.50   | 12.00   |
| <b>CALOPOGON pulchellus, Grass-pink</b>       |       |        |         |
| <b>Orchid. 14 in. June-August. Violet-</b>    |       |        |         |
| rose flowers, golden-yellow hairs on          |       |        |         |
| lip. Likes moist humus soil.....              | 1.50  | 3.75   |         |
| <b>CALTHA palustris, Marshmarigold. 1</b>     |       |        |         |
| ft. April. Yellow flowers. Likes              |       |        |         |
| moisture .....                                | .75   | 1.85   | 15.00   |
| <b>CAMPANULA, Bellflower.</b>                 |       |        |         |
| <b>carpatia, Carpathian Bellflower. 1 ft.</b> |       |        |         |
| All summer. Tufted habit. Bright              |       |        |         |
| blue solitary bell-shaped erect flow-         |       |        |         |
| ers, 2 in. across .....                       | .75   | 1.85   | 15.00   |
| <b>carpatia alba, White Carpathian</b>        |       |        |         |
| <b>Bellflower. 1 ft. all Summer. Pure</b>     |       |        |         |
| white flowers .....                           | .90   | 2.25   | 18.00   |
| <b>garganica. Similar to Carpathian</b>       |       |        |         |
| Bellflower but very dwarf with                |       |        |         |
| masses of star-like light blue flow-          |       |        |         |
| ers, with white eyes .....                    | .90   | 2.25   | 18.00   |
| <b>CERASTIUM biebersteini, Taurus Cer-</b>    |       |        |         |
| <b>astium. From the Alps of Taurus;</b>       |       |        |         |
| silver-white foliage, quite woolly            |       |        |         |
| with pure white flowers .....                 | .75   | 1.85   | 15.00   |
| <b>columnae. Better than C. tomentosum.</b>   |       |        |         |
| Compact growth .....                          | .90   | 2.25   | 18.00   |
| <b>tomentosum, Snow-in-Summer. 6 in.</b>      |       |        |         |
| All Summer—white. Attractive                  |       |        |         |
| greyish foliage .....                         | .60   | 1.50   | 12.00   |
| <b>CHELONE, Turtlehead.</b>                   |       |        |         |
| <b>glabra, White Turtlehead. 3 ft.</b>        |       |        |         |
| August - September. White-toned               |       |        |         |
| pink flowers .....                            | .90   | 2.25   | 18.00   |
| <b>lyoni, Pink Turtlehead. 2-3 ft. July-</b>  |       |        |         |
| September. Rose-purple flowers;               |       |        |         |
| grows well in moist or dry ground             | .90   | 2.25   | 18.00   |
| <b>CHRYSANTHEMUM, Chrysanthemum.</b>          |       |        |         |
| <b>coreanum, Korean Chrysanthemum.</b>        |       |        |         |
| 2-4 ft. October-December. Large               |       |        |         |
| white flowers with golden center re-          |       |        |         |
| sembling a glorified ox-eye Daisy,            |       |        |         |
| often turning to a light claret-pink.         |       |        |         |
| Blooms in greatest profusion. Our             |       |        |         |
| introduction.                                 |       |        |         |
| Strong Plants .....                           | .60   | 1.50   | 12.00   |
| Clumps .....                                  | .90   | 2.25   | 18.00   |

| <b>CHRYSANTHEMUM, Continued</b>  |      | Per 3 | Per 10 | Per 100 |
|--|------|-------|--------|---------|
| <b>maximum lacinatum.</b> 2-3 ft. Fringed white flowers, similar to Alaska. July-August .....  | .90  | 2.25  | 18.00  |         |
| <b>Shasta Daisy, Alaska.</b> 2-3 ft. Large showy white flowers all Summer..  | .90  | 2.25  | 18.00  |         |
| <b>CIMICIFUGA, Bugbane.</b>  |      |       |        |         |
| <b>americana, American Bugbane.</b> 3-5 ft. Branched racemes of showy white blooms. August-September .....   | .90  | 2.25  | 18.00  |         |
| <b>racemosa, Cohosh Bugbane.</b> 3-8 ft. Beautiful foot long racemes of white fluffy flowers. Shade or open. July-August .....   | .90  | 2.25  | 18.00  |         |
| <b>CLINTONIA borealis, Bluebead.</b> 10 in. June. White spikes followed by showy blue fruits .....   |      | .90   | 2.25   | 18.00   |
| <b>CONVALARIA majalis, Lily-of-the-Valley.</b> 6-8 in. One of our best ground covers for shady places. Strong Pips .....   |      | .40   | 1.00   | 8.00    |
| <b>COREOPSIS, Coreopsis.</b>   |      |       |        |         |
| <b>grandiflora, Big Coreopsis.</b> 1-2 ft. June-Autumn. Masses of golden blossoms .....  | .60  | 1.50  | 12.00  |         |
| <b>rosea, Rose Coreopsis.</b> 1 ft. Finely cut foliage, with dainty rose-pink blooms .....   | .60  | 1.50  | 12.00  |         |
| <b>CRUCIANELLA stylosa, Common Crosswort.</b> Masses of flesh-rose flowers in clusters among narrow glossy green leaves .....  |      | .75   | 1.85   | 15.00   |
| <b>CYPRIPEDIUM, Ladyslipper.</b>   |      |       |        |         |
| <b>acaule, Pink Ladyslipper.</b> 15 in. June. Clear pink. Long-stemmed, interesting flowers .....  | .90  | 2.25  | 18.00  |         |
| <b>pubescens, Common Yellow Ladyslipper.</b> 12-18 in. Bright yellow. May..  | .90  | 2.25  | 18.00  |         |
| <b>spectabile, Showy Ladyslipper.</b> 1-2 ft. May-June. White with pink or rose-purple shades. Of remarkable beauty. Plant in damp peat or sphagnum bog. One to three crowns | 2.50 | 6.25  | 50.00  |         |
| <b>DELPHINIUM, Larkspur.</b> Fine mixed hybrid varieties .....   |      | .90   | 2.25   | 18.00   |
| <b>DIANTHUS, Pink.</b>   |      |       |        |         |
| <b>alpinus.</b> Rose-crimson flowers on 3-4 in. stems. Dark green glossy foliage. Fine for rockery. July-September..   | 1.00 | 2.50  | 20.00  |         |
| <b>barbatus, Sweet William.</b> 1-2 ft. Summer .....   | .40  | 1.00  | 8.00   |         |
| <b>caesius, Cheddar Pink.</b> June. Dwarf hardy garden pink. Rose-pink flowers .....   | .75  | 1.85  | 15.00  |         |
| <b>Furst Bismark.</b> June-September. Double red-pink flowers, very fragrant   | .75  | 1.85  | 15.00  |         |
| <b>plumarius, Grass Pink.</b> 1 ft. June. Fragrant rose-purple fringed flowers, rising from thick tufts of bluish-green foliage .....  | .75  | 1.85  | 15.00  |         |
| <b>DICENTRA eximea, Fringed Bleeding heart.</b> 12-18 in. All Summer. Beautifully cut foliage, dainty pink-purple flowers .....  |      | .90   | 2.25   | 18.00   |
| <b>spectabilis, Bleedingheart.</b> 3 ft. April. Pendant heart-shaped flowers. Pink and White .....   | 1.50 | 3.75  |        |         |
| <b>DIGITALIS purpurea, Common Foxglove.</b> Fine purple-flowered variety   |      | .75   | 1.85   | 15.00   |
| <b>DRABA subamplexicaulis, Whitlow-grass.</b> Tufted perennial with alysum-like flowers. 6 in. April .....   |      | 1.50  | 3.75   |         |

|   | Per 3 | Per 10 | Per 100 |
|---|-------|--------|---------|
| <b>ECHINACEA</b> <i>purpurea</i> , Hedgehog-coneflower. 2-3 ft. Most curious in color and shape. Reddish purple flowers, cone-shaped center. July-August .....  | .90   | 2.25   | 18.00   |
| <b>ERIGERON</b> <i>speciosus semiplenus</i> . 2 ft. Numerous violet aster-like flowers in July .....  | .90   | 2.25   | 18.00   |
| <b>EUPATORIUM</b> <i>purpureum</i> , Joe-pye-weed. 3-6 ft. Splendid purple flowers in late Summer .....   | .75   | 1.85   | 15.00   |
| <b>FERNS.</b>   |       |        |         |
| Hardy ferns are very useful for massed plantings, particularly in shady locations. Many varieties can be used for edging shady walks, and some of the smaller types will suitably fill in little nooks in the rock garden. Information on varieties listed and regarding other varieties obtainable will be gladly given. |       |        |         |
| <b>Adiantum pedatum</b> , American Maidenhair .....   | 1.00  | 2.50   | 20.00   |
| <b>Athyrium filixfemina</b> , Lady Fern. 1-3 ft. ....   | .90   | 2.25   | 18.00   |
| <b>Dennstedtia punctilobula</b> , Hayscented Fern. 20-40 in. ....   | .90   | 2.25   | 18.00   |
| <b>Dryopteris</b> ( <i>Aspidium</i> ) <b>Woodfern</b> <i>marginalis</i> , Leather Woodfern. 1-2 ft. ....  | .90   | 2.25   | 18.00   |
| <i>noveboracensis</i> , New York Fern. 1-2 ft. ....   | .90   | 2.25   | 18.00   |
| <i>spinulosa</i> , Toothed Woodfern.....  | .90   | 2.25   | 18.00   |
| <i>thelypteris</i> , Marshfern .....  | .90   | 2.25   | 18.00   |
| <b>Onoclea sensibilis</b> , Sensitive Fern. 1-4½ ft. ....   | .90   | 2.25   | 18.00   |
| <b>Osmunda</b>  |       |        |         |
| <i>cinnamomea</i> , Cinnamon Fern. 1-5 ft. ....   | 1.00  | 2.50   | 20.00   |
| <i>claytoniana</i> , Interrupted Fern. 2-6 ft. ....   | 1.00  | 2.50   | 20.00   |
| <i>regalis</i> , Royal Fern. 2-6 ft.....  | 1.00  | 2.50   | 20.00   |
| <b>Polypodium vulgare</b> , Common Polypody. 3-10 in. ....  | .90   | 2.25   | 18.00   |
| <b>Polystichum acrostichoides</b> , Christmas Fern .....  | .90   | 2.25   | 18.00   |
| <b>Pteretis nodulosa</b> , Ostrich Fern.....  | .90   | 2.25   | 18.00   |
| <b>FILIPENDULA</b> , Meadowsweet.   |       |        |         |
| <i>camtschatica</i> , Kamchatka Meadowsweet. 2-3 ft. Beautiful white filmy flowers, in terminal panicles. June-July .....   | .90   | 2.25   | 18.00   |
| <i>rubra</i> , Prairie Meadowsweet. 8 ft. Very attractive peach blossom pink flowers, in June and July .....  | .90   | 2.25   | 18.00   |
| <b>GAILLARDIA</b> <i>aristata</i> ( <i>grandiflora</i> ), Common Gaillardia. Large orange-yellow starlike flowers tinged red. All Summer. 1-2 ft. ....  | .75   | 1.85   | 15.00   |
| <b>GALAX APHYLLA</b> , Galax. See page 20.  |       |        |         |
| <b>GENTIANA</b> <i>andrewsi</i> , Closed Gentian. 6-10 in. Deep blue flowers, tightly closed. A dainty and beautiful native. July-August .....  | 1.00  | 2.50   | 20.00   |
| <b>GILLENIA</b> .   |       |        |         |
| <i>stipulata</i> , Indianphysic. 2-3 ft. Rose to white. June and July .....   | .75   | 1.85   | 15.00   |
| <i>trifoliata</i> , Bowmansroot. 2-3 ft. White. Toothed leaves. June-July .....   | .75   | 1.85   | 15.00   |
| <b>GYPSOPHILA</b> <i>repens</i> , Creeping Gypsophila. 6 in. White or pale rose flowers. Prostrate .....  | .75   | 1.85   | 15.00   |
| <b>HABENARIA</b> <i>ciliaris</i> , Yellow Fringe-orchid. 9-18 in. Striking orange-yellow heads in July and August....   | 1.50  | 3.75   |         |

| <b>HABENARIA, Continued</b>  | Per 3 | Per 10 | Per 100 |
|--|-------|--------|---------|
| <b>psycodes, Small Purple Fringe-orchid.</b><br>3 ft. August. Tall stemmed showy<br>pink spikes .....  | 1.50  | 3.75   |         |
| <b>HEMEROCALLIS, Daylily.</b>  |       |        |         |
| <b>flava, Lemon Daylily.</b> 3 ft. Fragrant.<br>Lemon-yellow flowers in June ....  | .90   | 2.25   | 18.00   |
| <b>fulva, Tauny Daylily.</b> 2-4 ft. Reddish-<br>orange. May-June .....  | .90   | 2.25   | 18.00   |
| <b>thunbergi, Japanese Daylily.</b> 12-18 in.<br>Lemon-yellow. July-August .....   | .90   | 2.25   | 18.00   |
| <b>HEPATICA triloba, Roundlobe Hep-<br/>atica.</b> 6 in. Lovely lavender, blue or<br>white Spring bloomer .....  | .75   | 1.85   | 15.00   |
| <b>HEUCHERA, Alumroot.</b>   |       |        |         |
| <b>americana, American Alumroot.</b> 10-15<br>in. White. June-July. Good rock<br>plant with heart-shaped foliage<br>with brown-red marking .....   | .75   | 1.85   | 15.00   |
| <b>sanguinea, Coralbell.</b> 1 ft. June-<br>August. Long-stemmed, graceful<br>clustered scarlet flowers .....  | .75   | 1.85   | 15.00   |
| <b>HIBISCUS moscheutos, Rose-Mallow.</b><br>3-6 ft. July-August. Large holly-<br>hock-like flowers along stems.<br>Heartshaped leaves .....  | .75   | 1.85   | 15.00   |
| <b>HOSTA, Plantainlily.</b>  |       |        |         |
| <b>caerulea, Blue Plantainlily.</b> 1-2 ft.<br>Deep or pale blue. July-August ...  | .90   | 2.25   | 18.00   |
| <b>lancifolia, Lanceleaf Plantainlily.</b> 12-<br>18 in. Lilac or pale lavender. July-<br>August .....   | .90   | 2.25   | 18.00   |
| <b>lancifolia undulata, Wavyleaf Plan-<br/>tainlily.</b> 18-24 in. Pale lavender.<br>July-August .....   | .90   | 2.25   | 18.00   |
| <b>HOUSTONIA, Houstonia.</b>   |       |        |         |
| <b>caerulea, Bluets.</b> 3-5 in. April-May..   | .40   | 1.00   | 8.00    |
| <b>serpyllifolia, Creeping Bluets.</b> 3-5 in.<br>April-May. Forms little tufts with<br>tiny evergreen leaves. Mass of de-<br>licate blue and white flowers.....   | .90   | 2.25   | 18.00   |
| <b>HYACINTHUS candicans (Galtonia)</b><br><b>Summer Hyacinth.</b> 2-4 ft. July-<br>August. Wide bell-shaped white<br>flowers. Plant in Spring—bulbs re-<br>main in ground indefinitely. Se-<br>lected strain ..... | .60   | 1.50   | 12.00   |
| <b>IBERIS, Candytuft.</b>  |       |        |         |
| <b>gibraltarica, Gibraltar Candytuft.</b><br>June. 1 ft. Pink or lilac flowers.<br>Very hardy .....  | .75   | 1.85   | 15.00   |
| <b>sempervirens, Evergreen Candytuft.</b><br>12 in. White flowers in July. For<br>edging or alpine garden .....  | .90   | 2.25   | 18.00   |
| <b>INULA ensifolia, Swordleaf Inula.</b> July-<br>Oct. 2 ft. Large heads of yellow<br>flowers .....  | .75   | 1.85   | 15.00   |
| <b>IRIS, Iris.</b>   |       |        |         |
| <b>cristata, Crested Iris.</b> 3-6 in. Ex-<br>quisite dwarf, pale blue. May.....   | .90   | 2.25   | 18.00   |
| <b>germanica, German Iris.</b><br><b>Caprice.</b> Single rosy-red.....   | .90   | 2.25   | 18.00   |
| <b>Dalmatica (Pallida dalmatica).</b> 2-3 ft.<br>Tall stemmed. Lavender. Very fine   | .90   | 2.25   | 18.00   |
| <b>Iris King.</b> Rich maroon, bordered yel-<br>low .....  | .90   | 2.25   | 18.00   |
| <b>Lohengrin.</b> Lilac-rose .....   | .90   | 2.25   | 18.00   |
| <b>Mrs. Horace Darwin.</b> Pure white....  | .90   | 2.25   | 18.00   |
| <b>Nibelungen.</b> Fawn yellow.....  | .90   | 2.25   | 18.00   |
| <b>kaempferi, Japanese Iris.</b> Finest mixed<br>colors. 2-3 ft. ....  | .90   | 2.25   | 18.00   |



| IRIS, Continued  |      | Per 3 | Per 10 | Per 100 |
|--|------|-------|--------|---------|
| <b>pseudacorus, Yellowflag Iris.</b> 3-4 ft. Bright yellow. Tall conspicuous leaves. Fine for shrubberies. May-June .....  |      | .90   | 2.25   | 18.00   |
| <b>siberica, Siberian Iris.</b> 1-2 ft. Lilac-blue. Slender foliage .....  |      | .90   | 2.25   | 18.00   |
| <b>verna, Vernal Iris.</b> 3-6 in. A delightful dwarf. Deep violet, fragrant. April-May .....  | 1.00 | 2.50  | 20.00  |         |
| <b>versicolor, Blueflag Iris.</b> 20 in. Native near streams and in swamps. Light purple flowers. Spring and early Summer .....  | .90  | 2.25  | 18.00  |         |
| <b>LAMIUM maculatum, Spotted Dead-nettle.</b> 6-8 in. Purplish-red flowers. White striped leaves. Spring-Summer .....  |      |       |        |         |
|  | .90  | 2.25  | 18.00  |         |
| <b>maculatum album, White Spotted Deadnettle.</b> Light green leaves; pure white flowers. Very rare .....  | 1.00 | 2.50  | 20.00  |         |
| <b>LEONTOPODIUM alpinum, Common Edelweis.</b> July. Romantic flower of European Alps. Tufts of grey leaves with wooly star-like flowers                                  |      |       |        |         |
|  | 1.00 | 2.50  | 20.00  |         |
| <b>sibericum, Siberian Edelweis.</b> July. Grows taller than Common Edelweis .....   | 1.00 | 2.50  | 20.00  |         |
| <b>LIATRIS, Gayfeather.</b>  |      |       |        |         |
| <b>pycnostachya, Cattail Gayfeather.</b> 3-5 ft. Spikes of pale purple flowers. Fine for the border. August-October .....  | .90  | 2.25  | 18.00  |         |
| <b>spicata, Spike Gayfeather.</b> 3-5 ft. Purplish-blue flowers in dense spikes. August-October .....  | .60  | 1.50  | 12.00  |         |
| <b>LILIUM, Lily.</b>   |      |       |        |         |
| <b>canadense, Canada Lily.</b> 4 ft. Beautiful yellow native Lily. August....  | .90  | 2.25  | 18.00  |         |
| <b>carolinianum, Carolina Lily.</b> 3 ft. Fragrant orange-red flowers in July .....  | 1.50 | 3.75  |        |         |
| <b>grayi, Grays Lily.</b> 1-3 ft. Bell-shaped pendulous flowers. A deep reddish-brown outside. June-July. Introduced by Harlan P. Kelsey.....                            | 1.50 | 3.75  |        |         |
| <b>philadelphicum, Orangecup Lily.</b> 2 ft. July. Flaring upright red flowers..   | .90  | 2.25  | 18.00  |         |
| <b>regale, Royal Lily.</b> 4-6 ft. Showy Summer-blooming Lily. The fragrant flowers are 4-6 in. long, white inside, lilac and purple outside. July. 4-5 in. circum. .... | 1.50 | 3.75  |        |         |
| <b>superbum, American Turksap Lily.</b> 4-8 ft. Orange-scarlet to red, spotted inside. July .....  | .90  | 2.25  | 18.00  |         |
| <b>tigrinum, Tiger Lily.</b> 2-5 ft. Orange-red with purple-black spots. June-July .....   | .90  | 2.25  | 18.00  |         |
| <b>LINARIA cymbalaria, Kenilworth Ivy.</b> Suitable for walls and banks. Purple flowers with yellow-eye.....   |      |       |        |         |
|  | .75  | 1.85  | 15.00  |         |
| <b>LOBELIA, Lobelia.</b>   |      |       |        |         |
| <b>cardinalis, Cardinalflower.</b> 2-4 ft. Intense scarlet. Thrives in moist locations. July-August .....  | .90  | 2.25  | 18.00  |         |
| <b>siphilitica, Large Blue Lobelia.</b> 3-4 ft. Dense spikes of deep blue flowers in August-September .....  | .90  | 2.25  | 18.00  |         |
| <b>LYCHNIS chalconica, Maltese Cross.</b> 3 ft. June-July. Scarlet flowers. Stands dry location .....  |      |       |        |         |
|  | .75  | 1.85  | 15.00  |         |
| <b>flosjovis, Flower-of-Jove.</b> 2 ft. Clusters of pink flowers. Stands a dry location. June-July .....   | .75  | 1.85  | 15.00  |         |

| <b>LYCHNIS, Continued</b>   | Per 3 | Per 10 | Per 100 |
|---|-------|--------|---------|
| <b>haageana, Haage Champion.</b> 1 ft. Orange to crimson flowers, 2 in. across. May-June .....                                    | .90   | 2.25   | 18.00   |
| <b>viscaria splendens, Double Rose-pink Champion.</b> 1-2 ft. Double bright pink flowers. Blooms in early Summer..                | .90   | 2.25   | 18.00   |
| <b>LYSIMACHIA, Loosestrife.</b>   |       |        |         |
| <b>nummularia, Moneywort.</b> 2-4 in. Fine ground cover. Intense yellow flowers. June-July .....                                  | .60   | 1.50   | 12.00   |
| <b>LYTHRUM salicaria, Purple Loosestrife.</b> 2-3 ft. Showy for bogs or along streams. July-August .....                          | .90   | 2.25   | 18.00   |
| <b>MERTENSIA virginica, Virginia Bluebells.</b> 18 in. April. Showy drooping purple and rose clusters.....                        | .90   | 2.25   | 18.00   |
| <b>MONARDA didyma, Oswego Beebalm.</b> 1-3 ft. Brilliant crimson, fragrant. June-August .....                                     | .75   | 1.85   | 15.00   |
| <b>NEPETA mussini.</b> 18 in. Blue flowers, dark spotted, clustered on long racemes. Hairy grey foliage.....                      | .60   | 1.50   | 12.00   |
| <b>ORCHIS spectabilis, Showy Orchis.</b> 6-8 in. Dainty and rare Orchid with bright pink flowers. May-June ...                    | 1.50  | 3.75   |         |
| <b>PAPAVER, Poppy.</b>  |       |        |         |
| <b>nudicaule, Iceland Poppy.</b> May-June. 10 in. Assorted colors—white, yellow, orange to red. Bluish glaucous leaves .....      | .60   | 1.50   | 12.00   |
| <b>orientale, Oriental Poppy.</b> 4 ft. Lovely red shades of this favorite hardy Poppy. Prefers well drained soil .....           | .90   | 2.25   | 18.00   |
| <b>PENTSTEMON, Pentstemon.</b>  |       |        |         |
| <b>laevigatus digitalis, Foxglove Pentstemon.</b> 3 ft. July. Huge heads of pure white Foxglove-like flowers..                    | .90   | 2.25   | 18.00   |
| <b>torreyi, Torrey Pentstemon.</b> 5 ft. August-September. Very long arched stemmed, huge spikes of pendant scarlet flowers ..... | .90   | 2.25   | 18.00   |
| <b>PHLOX, Phlox.</b>  |       |        |         |
| <b>divaricata, Blue Phlox.</b> 6-10 in. Pinkish blue. April .....   | .75   | 1.85   | 15.00   |
| <b>divaricata laphami, Lapham Phlox.</b> 6-10 in. Larger flowers, rich blue-violet. Improved variety. April...                    | 1.00  | 2.50   | 20.00   |
| <b>maculata, Sweet-William Phlox.</b> 3 ft. Pink to purple. Rarely white. Summer .....  | .60   | 1.50   | 12.00   |
| <b>ovata, Mountain Phlox.</b> 1-1½ ft. Rosy-red. June-July .....  | .90   | 2.25   | 18.00   |
| <b>stolonifera, Creeping Phlox.</b> Small clusters of purple and violet flowers   | .90   | 2.25   | 18.00   |
| <b>subulata, Moss Phlox.</b>  |       |        |         |
| <b>Rose Moss (P. subulata rosea).</b> 3-4 in. Rose colored with dark spots. April-May .....                                       | .75   | 1.85   | 15.00   |
| <b>Vivid.</b> 3-4 in. Vivid clear pink. April-May .....   | 1.00  | 2.50   | 20.00   |
| <b>White Moss (P. subulata alba).</b> 3-4 in. Pure white, April-May...  | .75   | 1.85   | 15.00   |
| <b>Names hybrids of Phlox decusata.</b> 2-3 ft.   |       |        |         |
| <b>Atlas, Salmon-pink</b> .....   | .90   | 2.25   | 18.00   |
| <b>Firebrand, Orange-scarlet</b> .....  | .90   | 2.25   | 18.00   |
| <b>La Vague. Mauve, Carmine eye...</b>  | .90   | 2.25   | 18.00   |
| <b>Miss Lingard. White, faint blush center</b> .....  | .90   | 2.25   | 18.00   |
| <b>Mrs. Jenkins, (Independence).</b> White .....  | .90   | 2.25   | 18.00   |
| <b>Ruth May.</b> Very pale pink with dark eye. New variety blooming very late and freely .....                                    | 1.50  | 3.75   |         |

|  | Per 3 | Per 10 | Per 100 |
|--|-------|--------|---------|
| <b>PHYSOSTEGIA, False-Dragonhead.</b>  |       |        |         |
| <i>virginiana</i> , Virginia False-Dragonhead. 4 ft. August. Upright pink to white spikes .....  | .90   | 2.25   | 18.00   |
| <i>virginiana alba</i> , White False-Dragonhead. 4 ft. August. Clear white...  | .90   | 2.25   | 18.00   |
| <i>virginiana rosea</i> . 3 ft. New rose colored variety. Rare .....   | 1.50  | 3.75   |         |
| <b>POLYGONATUM commutatum, Great Solomonseal.</b> 1-3 ft. May-July. Arching spray of foliage, hung with white bells .....  | .90   | 2.25   | 18.00   |
| <b>SAPONARIA ocymoides, Rock Soapwort.</b> April-July. Creeping habit, bright pink flowers .....   | .75   | 1.85   | 15.00   |
| <b>SAXIFRAGA cordifolia, Heartleaf Saxifrage.</b> 12-18 in. Large thick foliage and purple flowers in April-May. For rockeries .....   | 1.00  | 2.50   | 20.00   |
| <b>SEDUM, Stonecrop.</b> A most useful class of rock garden material for ground covering and other purposes. Interesting in its variety of foliage, flower and effect of habits in growth. Unusually fine list and true to name. |       |        |         |
| <i>acre</i> , Goldmoss. Yellow. May-June...  | .40   | 1.00   | 8.00    |
| <i>albo roseum</i> , Blush Stonecrop. 2 ft. White to light pink. Summer.....   | .60   | 1.50   | 12.00   |
| <i>albo roseum variegatum</i> . Variegated foliage .....   | .60   | 1.50   | 12.00   |
| <i>album</i> , White Stonecrop. 8 in. Creeping evergreen mat with white flowers. Summer .....  | .40   | 1.00   | 8.00    |
| <i>album murale</i> . 6 in. Creeping. Purple foliage and pinkish flowers. July...  | .60   | 1.50   | 12.00   |
| <i>anopetalum</i> . 9 in. Whitish, rarely yellow. June-July .....  | .60   | 1.50   | 12.00   |
| <i>brevifolium</i> , Shortleaf Stonecrop. 2 in. Creeping. White flowers in Summer .....  | .60   | 1.50   | 12.00   |
| <i>dasyphyllum glanduliferum</i> . 1-2 in. Dwarf. Small numerous pink or cold-white flowers .....  | .75   | 1.85   | 15.00   |
| <i>ellacombianum</i> . 6 in. Clustered yellow flowers over half-inch across. Summer .....  | .75   | 1.85   | 15.00   |
| <i>ewersi</i> , Ewers Stonecrop. Low and half-trailing. Ruby-crimson. Flower stems to one foot .....   | .90   | 2.25   | 18.00   |
| <i>fosterianum</i> . 6 in. Green foliage. Yellow flowers. Summer .....   | .60   | 1.50   | 12.00   |
| <i>hybridum</i> , Hybrid Stonecrop. 6 in. Creeping, mat-like. Yellow, Spring and late Summer .....   | .60   | 1.50   | 12.00   |
| <i>kamtschaticum</i> , Orange Stonecrop. 9 in. Upright. Yellow. Summer.....  | .60   | 1.50   | 12.00   |
| <i>lydium</i> , Lydian Stonecrop. Needle-like foliage. Pink. June .....  | .40   | 1.00   | 8.00    |
| <i>monregalense</i> , Monreale Stonecrop. 8 in. Whitish. July .....  | .60   | 1.50   | 12.00   |
| <i>oppositifolium</i> , Two-row Stonecrop. Trailing. Pinkish white petals. Paired leaves, blunt tipped. Summer .....   | .60   | 1.50   | 12.00   |
| <i>reflexum</i> , Jenny Stonecrop. 9 in. Bright yellow. June-July .....  | .60   | 1.50   | 12.00   |
| <i>reflexum cristatum</i> . 6 in. Improved crested form of reflexum .....  | .75   | 1.85   | 15.00   |
| <i>rupestre</i> . 10 in. Glaucous. Brilliant golden flowers. Summer .....  | .60   | 1.50   | 12.00   |
| <i>sarmentosum</i> , Stringy Stonecrop. 4 in. Creeping. Yellow. Summer.....  | .40   | 1.00   | 8.00    |
| <i>sexangulare</i> , Hexagon Stonecrop. 2 in. Similar to acre but more brilliant yellow. May-June .....  | .75   | 1.85   | 15.00   |

| <b>SEDUM, Continued</b>   | Per 3 | Per 10 | Per 100 |
|---|-------|--------|---------|
| <b>spectabile, Showy Stonecrop.</b> 1 ft. Flat pink heads. August .....   | .75   | 1.85   | 15.00   |
| <b>spectabile, Brilliant.</b> 1 ft. Vivid pink flower-heads. August .....   | .90   | 2.25   | 18.00   |
| <b>stenopetalum.</b> July. Creeping. Lemon-yellow blossoms .....  | .90   | 2.25   | 18.00   |
| <b>stoloniferum, Running Stonecrop.</b> Creeping, flesh-pink. Early Summer .....  | .40   | 1.00   | 8.00    |
| <b>stoloniferum coccineum, Scarlet Running Stonecrop.</b> Scarlet. Early Summer .....   | .60   | 1.50   | 12.00   |
| <b>SEMPERVIVUM, Houseleek.</b>  |       |        |         |
| <b>alberti.</b> 2 in. Evergreen, creeping. White flowers in early Summer...   | .75   | 1.85   | 15.00   |
| <b>arachnoideum, Spiderweb Houseleek.</b> 4-6 in. Bright red. Summer .....  | .75   | 1.85   | 15.00   |
| <b>globiferum, Globe Houseleek.</b> 1 ft. Rosettes to 3 in. across. Flowers pale yellow. Summer .....   | .60   | 1.50   | 12.00   |
| <b>tectorum, Roof Houseleek.</b> 6-9 in. Pale red. Summer .....   | .60   | 1.50   | 12.00   |
| <b>SHORTIA galacifolia, Oconee-bells.</b> See page 25.  |       |        |         |
| <b>SILENE acaulis, Moss Champion.</b> May-June. Masses of clear pink flowers .....  | .90   | 2.25   | 18.00   |
| <b>alpestris, Alpine Catchfly.</b> May-June. Masses of white flowers. Prefers moist location .....  | .90   | 2.25   | 18.00   |
| <b>STATICE pseudoarmeria, False Thrift.</b> Pink blossoms on erect stems, narrow green leaves .....   | .60   | 1.50   | 12.00   |
| <b>STENATHIUM robustum, Feather-fleece.</b> 5 ft. Attractive native from Pennsylvania south. Compound panicles of white flowers 2 ft. or longer. Introduced by Harlan P. Kelsey ..... | 1.50  | 3.75   |         |
| <b>TEUCRIUM chamaedrys, Chamaedrys Germander.</b> July-November. Glossy green foliage resembling dwarf Boxwood. Spikes of pink sage-like flowers .....                                | .75   | 1.85   | 15.00   |
| <b>THALICTRUM polygamum, Tall Meadowrue.</b> 7 ft. July. Huge white clustered flower heads over showy foliage .....   | .90   | 2.25   | 18.00   |
| <b>THERMOPSIS caroliniana, Carolina Thermopsis.</b> 4-6 ft. Long terminal spikes of bright yellow pea-shaped flowers in June or July .....  | .75   | 1.85   | 15.00   |
| <b>THYMUS, Thyme.</b>   |       |        |         |
| <b>serphyllum album.</b> Prostrate and creeping. White flowers. June-September .....  | .75   | 1.85   | 15.00   |
| <b>serpyllum coccineus, Crimson Thyme.</b> Prostrate. Crimson flowers. June-September .....   | .75   | 1.85   | 15.00   |
| <b>serpyllum lanuginosus, Woolly Thyme.</b> Prostrate. Purple flowers. Grey wooly foliage. June-September....   | .75   | 1.85   | 15.00   |
| <b>vulgaris, Common Thyme.</b> 8-10 in. Lilac or purple flowers. May-June .....   | .75   | 1.85   | 15.00   |
| <b>TRILLIUM, Trillium.</b>  |       |        |         |
| <b>erectum, Purple Trillium.</b> 8-16 in. April-May .....   | .60   | 1.50   | 12.00   |
| <b>grnadiflorum, Snow Trillium.</b> 8-18 in. White turning pink .....   | .60   | 1.50   | 12.00   |
| <b>TUNICA saxifraga, Saxifrage Tunic-flower.</b> 1 ft. Thread-like branches with masses of tiny pink flowers..  | .75   | 1.85   | 15.00   |

|  | Per 3 | Per 10 | Per 100 |
|--|-------|--------|---------|
| <b>UVULARIA grandiflora, Big Merry-bells.</b> 18 in. April. Arched leavy stems with pendant creamy tubular flowers ..... | .90   | 2.25   | 18.00   |
| <b>VERONICA, Speedwell.</b>  |       |        |         |
| repens, Creeping Speedwell. Dense vivid green carpet. Abundance of pale blue flowers. All Summer....                     | .75   | 1.85   | 15.00   |
| saxatilis. 6 in. Shrubby. Flower pale blue to pale pink. Summer .....  | .150  | 3.75   |         |
| spicata, Spike Speedwell. 12-18 in. Blue spikes in June-July .....   | .60   | 1.50   | 12.00   |
| teucrium, Royal Blue. 1 ft. Improved variety with deep blue flowers. Summer .....  | .90   | 2.25   | 18.00   |
| teucrium prostrata, Harebell Speedwell. Nearly prostrate. Flowers blue in long racemes. Summer .....                     | .90   | 2.25   | 18.00   |
| teucrium rupestris. Dwarf form. Beautiful blue flowers in Summer   | .90   | 2.25   | 18.00   |
| teucrium rupestris rosea. Dwarf form. Pink flowers. Summer .....   | .90   | 2.25   | 18.00   |
| traversi, Bush Speedwell. 9 in. Shrubby evergreen type. Flowers white. Summer .....                                      | .100  | 2.50   | 20.00   |
| virginica, Culversphysic. 3-4 ft. Spikes of pale blue flowers. August-September .....                                    | .75   | 1.85   | 15.00   |
| <b>VIOLA, Viola.</b>   |       |        |         |
| Jersey Gem. 6-8 in. Clear deep blue. Fine long stems. April-August....   | .75   | 1.85   | 15.00   |
| pedata, Birdsfoot Violet. 3-6 in. Light blue. April-May .....  | .60   | 1.50   | 12.00   |
| pedata bicolor. The two upper petals deep velvety purple .....   | .90   | 2.25   | 18.00   |
| tricolor, Common Pansy .....   | .40   | 1.00   | 8.00    |
| White Jersey Gem. 6-8 in. Pure white sport of Viola Jersey Gem.....  | 1.00  | 2.50   | 20.00   |



# IMPORTANT

## Please Read Carefully

### INSTRUCTIONS FOR PLACING ORDERS

**SHIPPING SEASON** begins in Spring, when frost leaves the ground, usually March 15 to June 1. August planting of Specimen Evergreens—Rhododendrons, Kalmias, Leucothoes, Conifers and many Bulbs and Herbaceous Plants—has proved most successful, general stock going out again from September to December.

Shipping Instructions should be given, otherwise we use our best judgment, but assume no risk. All shipments travel at purchaser's risk and carriers must be held liable for any damage in transit. All stock becomes the property of the purchaser on delivery to transportation company or carrier.

**PRICES** are made to fit the quality of the stock shipped. Discriminating buyers now realize that the greatest value of nursery stock is underground. Frequent transplanting and handling specimens with adequate burlapped balls, means success and quick results. It costs more, but it is the fixed policy of Harlan P. Kelsey, Inc., and "cheap" stock will not be handled or sent out. The best is always the cheapest.

**SPECIAL SELECTION.** Stock specially selected at Nursery or ordered by mail will be charged at advance prices to fit the value of stock selected. The prices in this catalog cover the average good grades as they run in the nursery row.

**TRUCK DELIVERY.** Where the size of order warrants, there are distinct advantages in auto-truck delivery for distances up to 50 miles, and we make large deliveries up to 250 miles. Stock arrives quickly and just when wanted, and is delivered fresh on the grounds, saving local trucking and unpacking. Charges are made according to size of truck and distance traveled.

**PACKING CHARGES.** At prices printed in this catalog, boxing, balling and burlapping is free, except where small sizes of deciduous stock is balled and burlapped by special request. In such cases a charge to cover cost is made as follows:

#### BURLAPPING CHARGES—

|                                  | Each   |
|----------------------------------|--------|
| Small sizes .....                | \$0.15 |
| 2 to 3 ft. clumps and trees..... | .20    |
| 3 to 4 ft. clumps and trees..... | .25    |
| 4 to 6 ft. clumps and trees..... | .35    |
| 6 to 8 ft. clumps and trees..... | .50    |

Larger sizes at corresponding rates.

On orders to the Trade, packing cost and B. & B. is always charged.

Larger sizes are billed in proportion. Where large evergreens are shipped on "platforms," a suitable charge will be made to cover cost.

**QUARANTINE.** The Federal Horticultural Board has proclaimed a practically complete embargo on all Foreign Trees and Shrubs and most Herbaceous Plants. Our Native Trees and Plants are hardier, freer from disease, and more "fitting" in our landscapes. Still the best exotics can and now will be grown in America for Americans.

All stock leaving the Nursery bears certificate of inspection showing it to be absolutely free from injurious pests or disease.

**PLANT INSURANCE.** No guarantee—expressed or implied—is made that stock will grow, whether planted by us or not. As we have no control over after-treatment or weather conditions, the purchaser must assume all risks after stock leaves our Nursery in good condition. On request, we insure stock for a specified period at a rate covering estimated hazard.

**TERMS.** Cash or satisfactory reference from unknown customers. All accounts are due the first of each month, unless by special arrangement. Five at 10 rate, 25 at 100 rate, 250 at 1,000 rate. 5 per cent discount may be taken only **WHEN CASH ACCOMPANIES ORDER.** When not taken, extra plants will be sent to cover such discount.

Claims for errors must be made on receipt of goods. If there is any mistake or fault on our part it will be gladly rectified.

**HARLAN P. KELSEY, INC.**

**KELSEY-HIGHLANDS NURSERY**

Post Office, Freight and Telegraf, East Boxford, Mass.

Express, Georgetown, Mass.

Telephone, Topsfield, Mass., 71.


INDEX


| Name               | Page       | Name                   | Page       | Name                | Page   |
|--------------------|------------|------------------------|------------|---------------------|--------|
| Abies .....        | 11         | Boxelder .....         | 27         | Crucianella .....   | 62     |
| Acer .....         | 27, 28     | Broom .....            | 36         | Crosswort .....     | 62     |
| Achillea .....     | 60         | Buckthorn .....        | 47         | Culversphysic ....  | 69     |
| Aconitum .....     | 60         | Bugbane .....          | 62         | Cydonia .....       | 36     |
| Actinidia .....    | 56         | Bugle .....            | 60         | Cypress .....       | 12     |
| Ajuga .....        | 60         | Burningbush .....      | 37         | Cypripedium .....   | 62     |
| Almond .....       | 46, 47     | Bushhoneysuckle ..     | 36         | Cytisus .....       | 36     |
| Althaea .....      | 60         | Butterflyweed .....    | 60         |                     |        |
| Alumroot .....     | 64         | Buxus .....            | 19         | Daisy .....         | 62     |
| Alyssum .....      | 60         |                        |            | Daphne .....        | 20     |
| Amelanchier .....  | 28         | Calluna .....          | 19, 20     | Daylily .....       | 64     |
| Amorpha .....      | 29         | Calopogon .....        | 61         | Deadnettle .....    | 65     |
| Ampelopsis .....   | 56         | Caltha .....           | 61         | Delphinium .....    | 62     |
| Andromedia .....   | 22         | Campanula .....        | 61         | Deutzia .....       | 36     |
| Aquilegia .....    | 60         | Campion ...            | 65, 66, 68 | Dianthus .....      | 62     |
| Arabis .....       | 60         | Candytuft .....        | 64         | Dicentra .....      | 62     |
| Arborvitae .....   | 17         | Caragana .....         | 32         | Diervilla .....     | 36     |
| Arctostaphylos ... | 19         | Cardinalflower ....    | 65         | Digitalis .....     | 62     |
| Arenaria .....     | 60         | Carpinus .....         | 32         | Dioscorea .....     | 57     |
| Aristolochia ..... | 56         | Castanea .....         | 32         | Dogbrier .....      | 48     |
| Armeria .....      | 60         | Celastrus .....        | 57         | Dogwood .....       | 33, 34 |
| Aronia .....       | 29         | Cerastium .....        | 61         | Douglasfir .....    | 16     |
| Arrowwood .....    | 55         | Chamaecyparis ....     | 12         | Draba .....         | 62     |
| Artemisia .....    | 29         | Chelone .....          | 61         | Dutchmans-pipe ...  | 56     |
| Aruncus .....      | 60         | Cherry .....           | 46, 47     |                     |        |
| Asarum .....       | 60         | Chestnut .....         | 32         | Echinacea .....     | 63     |
| Asclepias .....    | 60         | Chinquapin .....       | 32         | Edelweis .....      | 65     |
| Aster .....        | 60, 61     | Chionanthus .....      | 32         | Elaeagnus .....     | 37     |
| Astilbe .....      | 61         | Chokeberry .....       | 29         | Elm .....           | 54     |
| Azalea .....       | 29, 30, 31 | Chrysanthemum .....    | 59, 61, 62 | Elsholtzia .....    | 37     |
|                    |            |                        |            | Enkianthus .....    | 37     |
| Baldcypress .....  | 54         | Cimicifuga .....       | 62         | Epigaea .....       | 20     |
| Baptisia .....     | 61         | Cinquefoil ....        | 22, 46     | Erica .....         | 20     |
| Barberry .....     | 31, 32     | Cladrastis .....       | 32         | Erigeron .....      | 63     |
| Bearberry .....    | 19         | Clematis .....         | 57         | Euonymus ....       | 37, 57 |
| Beautybush .....   | 40         | Clethra .....          | 32, 33     | Eupatorium .....    | 63     |
| Beebalm .....      | 66         | Climbers .....         | 56         | Exochorda .....     | 37     |
| Beech .....        | 38         | Clintonia .....        | 62         |                     |        |
| Bellflower .....   | 61         | Columbine .....        | 60         | Fagus .....         | 38     |
| Berberis .....     | 31, 32     | Coneflower .....       | 63         | False-dragonhead .. | 67     |
| Betula .....       | 32         | Convallaria .....      | 62         | False-indigo .....  | 29     |
| Bignonia .....     | 56         | Coralbells .....       | 64         | False-spirea .....  | 50     |
| Birch .....        | 32         | Coralberry .....       | 51         | False-Thrift .....  | 68     |
| Bittersweet .....  | 57         | Coreopsis .....        | 62         | Featherfleece ....  | 68     |
| Bleedingheart .... | 62         | Corktree .....         | 45         | Ferns .....         | 63     |
| Bluebead .....     | 62         | Cornus .....           | 33, 34     | Filipendula .....   | 63     |
| Bluebells .....    | 66         | Corylus .....          | 34         | Fir .....           | 11     |
| Blueberry .....    | 54         | Cotoneaster 20, 34, 35 |            | Forsythia .....     | 38     |
| Bluets .....       | 64         | Crab, Flowering .....  | 43, 44, 45 | Foxglove .....      | 62     |
| Bocconia .....     | 61         |                        |            | Fringe-orchid ..    | 63, 64 |
| Boltonia .....     | 61         | Cranberrybush 54, 55   |            | Fringetree .....    | 32     |
| Bowmansroot ....   | 63         | Crataegus .....        | 35, 36     |                     |        |
| Box .....          | 19         | Creepers .....         | 56         |                     |        |



## INDEX

| <i>Name</i>        | <i>Page</i> | <i>Name</i>          | <i>Page</i>    | <i>Name</i>          | <i>Page</i> |
|--------------------|-------------|----------------------|----------------|----------------------|-------------|
| Gaillardia .....   | 63          | Malus .....          | 43, 44, 45     | Schizophragma ...    | 59          |
| Galax .....        | 20          | Maple .....          | 27, 28         | Sedum .....          | 67, 68      |
| Gayfeather .....   | 65          | Marshmarigold ...    | 61             | Sempervivum .....    | 68          |
| Gaylussacia .....  | 38          | Matrimonyvine ...    | 57             | Shadblow .....       | 28          |
| Gentian .....      | 63          | Meadowrue .....      | 68             | Shortia .....        | 25          |
| Gentiana .....     | 63          | Meadowsweet .....    | 63             | Silene .....         | 68          |
| Germander .....    | 68          | Merrybells .....     | 69             | Silverbell .....     | 38          |
| Gillenia .....     | 63          | Mertensia .....      | 66             | Snowball .....       | 55          |
| Goatsbeard .....   | 60          | Mitchella .....      | 21             | Snowberry .....      | 51          |
| Goldtuft .....     | 60          | Mockorange ...       | 45, 46         | Snowhill Hydrangea   | 39          |
| Goldmoss .....     | 67          | Monarda .....        | 66             | Snow-in-summer ...   | 61          |
| Gypsophila .....   | 63          | Moneywort .....      | 65             | Soapwort .....       | 67          |
|                    |             | Monkshood .....      | 60             | Solomonseal .....    | 67          |
| Habenaria ....     | 63, 64      | Mountainash .....    | 50             | Sorbaria .....       | 50          |
| Halesia .....      | 38          | Mountainlaurel ...   | 21             | Sorbus .....         | 50          |
| Hamamelis ....     | 38, 39      |                      |                | Sourwood .....       | 45          |
| Hardhack .....     | 51          | Nannyberry .....     | 55             | Speedwell .....      | 69          |
| Hawthorn .....     | 35, 36      | Nepeta .....         | 66             | Spiraea .....        | 50, 51      |
| Hazelnut .....     | 34          | Nyssa .....          | 45             | Spirea .....         | 50, 51      |
| Heath .....        | 20          |                      |                | Spruce .....         | 13, 14      |
| Heather .....      | 19, 20      | Oak .....            | 47             | Statice .....        | 68          |
| Hemerocallis ....  | 64          | Oconee-bells .....   | 25             | St. Johnswort ....   | 40          |
| Hemlock .....      | 18          | Orchid .....         | 66             | Stenanthium ....     | 68          |
| Hepatica .....     | 64          | Orchis .....         | 66             | Stonecrop .....      | 67, 68      |
| Heuchera .....     | 64          | Oxydendrum .....     | 45             | Sumac .....          | 48          |
| Hibiscus .....     | 64          |                      |                | Summersweet ....     | 33          |
| Holly .....        | 21, 40      | Pachistima .....     | 22             | Sweetbay .....       | 42          |
| Hollyhock .....    | 60          | Pachysandra .....    | 22             | Sweetbells .....     | 41          |
| Honeysuckle ...    | 42, 57      | Pansy .....          | 69             | Sweetbrier .....     | 49          |
| Hornbeam .....     | 32          | Papaver .....        | 66             | Sweet-william ....   | 62          |
| Hosta .....        | 64          | Partridgeberry ...   | 21             | Symphoricarpos ...   | 51          |
| Houseleek .....    | 68          | Pearlbush .....      | 37             | Syringa ...          | 51, 52, 53  |
| Houstonia .....    | 64          | Pea-shrub .....      | 32             |                      |             |
| Huckleberry .....  | 38          | Peatree .....        | 32             | Taxodium .....       | 54          |
| Hyacinth .....     | 64          | Pentstemon .....     | 66             | Taxus .....          | 16, 17      |
| Hyacinthus .....   | 64          | Periwinkle .....     | 25             | Teucrium .....       | 68          |
| Hydrangea ...      | 39, 40, 57  | Phellodendron ...    | 45             | Thalictrum .....     | 68          |
| Hydrangeavine ...  | 59          | Philadelphus ...     | 45, 46         | Thermopsis .....     | 68          |
| Hypericum .....    | 40          | Phlox .....          | 66             | Thorn .....          | 35, 36      |
|                    |             | Photinia .....       | 46             | Thuja .....          | 17          |
| Iberis .....       | 64          | Physostegia .....    | 67             | Thyme .....          | 68          |
| Ilex .....         | 21, 40      | Picea .....          | 13, 14         | Thymus .....         | 68          |
| Indianphysic ....  | 63          | Pieris .....         | 22             | Tilia .....          | 54          |
| Indigobush .....   | 29          | Pine .....           | 14, 15, 16     | Trailing-arbutus ... | 20          |
| Inkberry .....     | 21          | Pink .....           | 62             | Trillium .....       | 68          |
| Inula .....        | 64          | Pinus .....          | 14, 15, 16     | Trumpet creeper ...  | 56          |
| Iris .....         | 64, 65      | Pinxterbloom ...     | 30             | Tsuga .....          | 18          |
|                    |             | Plantainlily .....   | 64             | Tunica .....         | 68          |
| Joe-pye-weed ....  | 63          | Plum .....           | 46, 47         | Tunicflower .....    | 68          |
| Juniper .....      | 12, 13      | Plumepoppy .....     | 61             | Tupelo .....         | 45          |
| Juniperus .....    | 12, 13      | Polygonatum .....    | 67             | Turtlehead .....     | 61          |
|                    |             | Polypody .....       | 63             |                      |             |
| Kalmia .....       | 21          | Poplar .....         | 46             | Ulmus .....          | 54          |
| Kenilworth Ivy ... | 65          | Poppy .....          | 66             | Uvularia .....       | 69          |
| Kolkwitzia .....   | 40          | Populus .....        | 46             |                      |             |
|                    |             | Potentilla .....     | 22, 46         | Vaccinium .....      | 54          |
| Ladyslipper .....  | 62          | Privet .....         | 41, 42         | Veronica .....       | 69          |
| Lambkill .....     | 21          | Pseudotsuga .....    | 16             | Viburnum ....        | 54, 55      |
| Lamium .....       | 65          | Prunus .....         | 46, 47         | Vinca .....          | 25          |
| Larch .....        | 40, 41      | Quercus .....        | 47             | Viola .....          | 69          |
| Larix .....        | 40, 41      | Quince, Flowering    | 36             | Violet .....         | 69          |
| Larkspur .....     | 62          |                      |                | Virginsbower .....   | 57          |
| Leiophyllum .....  | 21          | Raspberry, Flowering | 49             |                      |             |
| Leontopodium ...   | 65          | Redcedar .....       | 12, 13         | Wallcress .....      | 60          |
| Leucothoe .....    | 21, 41      | Retinospora .....    | 12             | Weigela .....        | 55          |
| Liatris .....      | 65          | Rhamnus .....        | 47             | Whitlowgrass .....   | 62          |
| Ligustrum ....     | 41, 42      | Rhododendron ...     | 24             | Wildginger .....     | 60          |
| Lilac .....        | 51, 52, 53  | Rhodora .....        | 47             | Wild-indigo .....    | 61          |
| Lilium .....       | 65          | Rhus .....           | 48             | Willow .....         | 49, 50      |
| Lily .....         | 65          | Robinia .....        | 48             | Winterberry .....    | 40          |
| Lily-of-the-Valley | 62          | Rockcress .....      | 60             | Wintercreeper ....   | 57          |
| Linaria .....      | 65          | Rosa ...             | 48, 49, 58, 59 | Wisteria .....       | 59          |
| Linden .....       | 54          | Rose ...             | 48, 49, 58, 59 | Witchhazel ....      | 38, 39      |
| Lobelia .....      | 65          | Roseacacia .....     | 48             | Witherod .....       | 55          |
| Locust .....       | 48          | Rosemallow .....     | 64             | Wormwood .....       | 29          |
| Lonicera .....     | 42, 57      | Rubus .....          | 49             |                      |             |
| Loosestrife .....  | 66          | Russian-olive .....  | 37             | Yellowroot .....     | 55          |
| Lychnis .....      | 65, 66      |                      |                | Yellowwood .....     | 32          |
| Lycium .....       | 57          | Salix .....          | 49, 50         | Yew .....            | 16, 17      |
| Lysimachia .....   | 66          | Sandmyrtle .....     | 21             | Yucca .....          | 25          |
| Lythrum .....      | 66          | Sandwort .....       | 60             |                      |             |
|                    |             | Saponaria .....      | 67             | Zanthorhiza .....    | 55          |
| Magnolia .....     | 42          | Savin .....          | 12             |                      |             |
| Maidenhair,        |             | Saxifraga .....      | 67             |                      |             |
| American .....     | 63          | Saxifraga .....      | 67             |                      |             |





*Hardy New England Grown*  
**BEST BY TEST**